

thm\_2Elist\_2ELEN\_LENGTH\_LEM  
(TMKqssxJwM8aCPF7A1fvE6x51xRuNdwA51g)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{2}$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELENGTH\ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A\_27a)}) \tag{3}$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \tag{4}$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \tag{5}$$

Let  $c\_Elist\_ELEN : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_Elist\_ELEN\ A.27a \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{(ty\_2Elist\_2Elist)}) \quad (6)$$

Let  $c\_Earithmetic\_EEVEN : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_Earithmetic\_EODD : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EODD \in (2^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 6** We define  $c\_Ebool\_EF$  to be  $(ap\ (c\_Ebool\_E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_Ebool\_E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_Emin\_E3D\_3D\_3E\ V0t)\ c\_Ebool\_EF))$ .

**Definition 8** We define  $c\_Ebool\_E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_E21\ 2)\ (\lambda V2t \in 2.V2t))))$ .

Let  $c\_2Enum\_EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Enum\_ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_ESUC\_REP \in (\omega^{\omega}) \quad (10)$$

Let  $c\_2Enum\_EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 9** We define  $c\_2Enum\_ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_EABS\_num\ V0m)$ .

**Definition 10** We define  $c\_Emin\_E40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A.\lambda y.y \in A))\ \mathbf{of\ type}\ \iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_Ebool\_E3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_Emin\_E40\ A)\ V0P)))$ .

**Definition 12** We define  $c\_Eprim\_rec\_E3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V1n$ .

**Definition 13** We define  $c\_Earithmetic\_E3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V1n$ .

**Definition 14** We define  $c\_Earithmetic\_E3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V1n$ .

Let  $c\_2Enum\_EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_EZERO\_REP \in \omega \quad (12)$$

**Definition 15** We define  $c\_2Enum\_E0$  to be  $(ap\ c\_2Enum\_EABS\_num\ c\_2Enum\_EZERO\_REP)$ .

**Definition 16** We define  $c\_Ebool\_ECOND$  to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.(ap\ (c\_Ebool\_E3F\ A)\ V2t2))))$ .

**Definition 17** We define  $c\_Eprim\_rec\_EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_Ebool\_2E$

Let  $c\_Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

Let  $c\_Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (15)$$

**Definition 18** We define  $c\_Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 19** We define  $c\_Enumeral\_2EiSUC$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap c\_Enum\_2ESUC (ap$

Let  $c\_Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (16)$$

**Definition 20** We define  $c\_Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 21** We define  $c\_Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic$

**Definition 22** We define  $c\_Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic$

**Definition 23** We define  $c\_Earithmetic\_2EZERO$  to be  $c\_Enum\_2E0$ .

**Definition 24** We define  $c\_Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_Earithmetic\_2E\_2B V0m) c\_Enum\_2E0) = V0m)) \quad (17)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_Earithmetic\_2E\_2B V1n) V0m)))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(ap (ap c\_Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_Earithmetic\_2E\_2B V1n) V0m)))) \quad (19)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\
& (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\
& (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\
& \quad (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\
& \quad (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge ( \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\
& \quad V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\
& \quad (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V0m) V1n))))))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. (((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\
& V2p) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (\neg (V0m = V1n)) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
& \quad V0m)) V1n)) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
& \quad V1n)) V0m))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0n) = (ap (ap \\
& c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) V0n)))
\end{aligned} \tag{25}$$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \quad (29) \end{aligned}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p\ V0t)))))) \quad (31) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Leftrightarrow ((p\ V0t) \Leftrightarrow False))) \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (((ap\ (c\_2Elist\_2ELENGTH\ A\_27a) \\ & (c\_2Elist\_2ENIL\ A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a. ( \\ & \forall V1t \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2ELENGTH \\ & A\_27a) (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a\ V0h)\ V1t)) = (ap\ c\_2Enum\_2ESUC \\ & (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V1t)))))) \quad (33) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\ & (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a. (p\ (ap\ V0P\ (ap\ (ap\ ( \\ & c\_2Elist\_2ECONS\ A\_27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a). (p\ (ap\ V0P\ V3l)))))) \quad (34) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow ((\forall V0n \in \text{ty\_2Enum\_2Enum}. \\
& ((\text{ap } (\text{ap } (c\_2Elist\_2ELEN } A_{27a}) (c\_2Elist\_2ENIL } A_{27a})) V0n) = \\
& V0n)) \wedge (\forall V1h \in A_{27a}. (\forall V2t \in (\text{ty\_2Elist\_2Elist } A_{27a}). \\
& (\forall V3n \in \text{ty\_2Enum\_2Enum}. ((\text{ap } (\text{ap } (c\_2Elist\_2ELEN } A_{27a}) \\
& (\text{ap } (\text{ap } (c\_2Elist\_2ECONS } A_{27a}) V1h) V2t)) V3n) = (\text{ap } (\text{ap } (c\_2Elist\_2ELEN } \\
& A_{27a}) V2t) (\text{ap } (\text{ap } c\_2Earithmetic\_2E\_2B } V3n) (\text{ap } c\_2Earithmetic\_2ENUMERAL \\
& (\text{ap } c\_2Earithmetic\_2EBIT1 } c\_2Earithmetic\_2EZERO)))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = V0n) \wedge (((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ c\_2Earithmetic\_2EZERO)) = V0n) \wedge (((ap\ c\_2Enumeral\_2EiZ\ ( \\
& ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ ( \\
& ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2\ ( \\
& ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = (ap\ c\_2Enum\_2ESUC\ V0n)) \wedge (((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ c\_2Earithmetic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ V0n)) \wedge (((ap \\
& c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = (ap\ c\_2Enumeral\_2EiiSUC\ V0n)) \wedge (((ap\ c\_2Enumeral\_2EiiSUC \\
& (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ c\_2Earithmetic\_2EZERO)) = ( \\
& ap\ c\_2Enumeral\_2EiiSUC\ V0n)) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ ( \\
& ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V1m))) = (ap\ c\_2Earithmetic\_2EBIT2\ (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT1\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT1\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT2\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m))))))))))))))))))))))))))
\end{aligned}$$

(37)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Earithmetic\_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) V0n)))) \wedge ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{38}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0L \in (ty\_2Elist\_2Elist \\
& A\_27a). (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap (c\_2Elist\_2ELEN \\
& A\_27a) V0L) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B (ap (c\_2Elist\_2ELENGTH \\
& A\_27a) V0L)) V1n))))
\end{aligned}$$