

thm_2Elist_2ELIST__REL__MAP2
(TMM17uWc6btDeMuTyEx2mSe4ABZUaQpfikG)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t) \text{ c_2Ebool_2EF } 2))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (1)$$

Let `c_2Elist_2EMAP` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow \text{c_2Elist_2EMAP } A_27a \ A_27b \in (((\text{ty_2Elist_2Elist } A_27b)^{(\text{ty_2Elist_2Elist } A_27a)})^{(A_27b^{A_27a})}) \quad (2)$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \quad (3)$$

Let `c_2Elist_2EEL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Elist_2EEL } A_27a \in ((A_27a^{(\text{ty_2Elist_2Elist } A_27a)})^{\text{ty_2Enum_2Enum}}) \quad (4)$$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (7)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then}$ (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (8)$$

Let $c_2Elist_2ELIST_REL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2ELIST_REL\ A_27a\ A_27b \in (((2^{(ty_2Elist_2Elist\ A_27b)})^{(ty_2Elist_2Elist\ A_27a)})^{(2^{A_27b})^{A_27a}}) \quad (9)$$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (14)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \Rightarrow (15)$$

Assume the following.

$$2.(((\forall V0P \in 2.(\forall V1P_27 \in 2.(\forall V2Q \in 2.(\forall V3Q_27 \in 2.(((p V2Q) \Rightarrow ((p V0P) \Leftrightarrow (p V1P_27)) \wedge ((p V1P_27) \Rightarrow ((p V2Q) \Leftrightarrow (p V3Q_27)))))) \Rightarrow ((p V0P) \wedge (p V2Q)) \Leftrightarrow ((p V1P_27) \wedge (p V3Q_27)))))) \Rightarrow (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0l \in (ty_2Elist_2Elist A_27a).(\forall V1f \in (A_27b^{A_27a}). ((ap (c_2Elist_2ELENGTH A_27b) (ap (ap (c_2Elist_2EMAP A_27a A_27b) V1f) V0l)) = (ap (c_2Elist_2ELENGTH A_27a) V0l)))) (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\forall V1l \in (ty_2Elist_2Elist A_27a).((p (ap (ap c_2Eprim_rec_2E_3C V0n) (ap (c_2Elist_2ELENGTH A_27a) V1l))) \Rightarrow (\forall V2f \in (A_27b^{A_27a}).((ap (ap (c_2Elist_2EEL A_27b) V0n) (ap (ap (c_2Elist_2EMAP A_27a A_27b) V2f) V1l)) = (ap V2f (ap (ap (c_2Elist_2EEL A_27a) V0n) V1l)))))) (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0R \in ((2^{A_27b})^{A_27a}).(\forall V1l1 \in (ty_2Elist_2Elist A_27a).(\forall V2l2 \in (ty_2Elist_2Elist A_27b).((p (ap (ap (ap (c_2Elist_2ELIST_REL A_27a A_27b) V0R) V1l1) V2l2)) \Leftrightarrow (((ap (c_2Elist_2ELENGTH A_27a) V1l1) = (ap (c_2Elist_2ELENGTH A_27b) V2l2)) \wedge (\forall V3n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C V3n) (ap (c_2Elist_2ELENGTH A_27a) V1l1))) \Rightarrow (p (ap (ap V0R (ap (ap (c_2Elist_2EEL A_27a) V3n) V1l1)) (ap (ap (c_2Elist_2EEL A_27b) V3n) V2l2))))))))) (19)$$

Theorem 1

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c.nonempty A_27c \Rightarrow (\forall V0R \in ((2^{A_27b})^{A_27a}).(\forall V1l1 \in (ty_2Elist_2Elist A_27a).(\forall V2f \in (A_27b^{A_27c}).(\forall V3l2 \in (ty_2Elist_2Elist A_27c).((p (ap (ap (ap (c_2Elist_2ELIST_REL A_27a A_27b) (\lambda V4a \in A_27a.(\lambda V5b \in A_27b.(ap (ap V0R V4a) V5b)))) V1l1) (ap (ap (c_2Elist_2EMAP A_27c A_27b) V2f) V3l2))) \Leftrightarrow (p (ap (ap (ap (c_2Elist_2ELIST_REL A_27a A_27c) (\lambda V6a \in A_27a.(\lambda V7b \in A_27c.(ap (ap V0R V6a) (ap V2f V7b)))))) V1l1) V3l2)))))) (19)$$