

# thm\_2Elist\_2ELUPDATE\_\_SNOC (TMUJAES- DgjQj5DybXoFq63fXP1u54Pm5Cba)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$

**Definition 4** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 5** We define `c_2Ebool_2E_T` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 6** We define `c_2Ebool_2E_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}) P) P)))$

**Definition 7** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 8** We define `c_2Ebool_2E_F` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 9** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 10** We define `c_2Ebool_2ECOND` to be  $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Ebool_2E_21 2) (\lambda V2t3 \in A_27a.V2t3))))$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{2}$$

Let `c_2Elist_2ELENGTH` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c\_2Elist\_2ELENGTH\ A_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist\ A_27a)}) \tag{3}$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ESNOC\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})_{A\_27a}) \quad (4)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})_{A\_27a}) \quad (5)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (6)$$

Let  $c\_2Elist\_2ELUPDATE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELUPDATE\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})_{ty\_2Enum\_2Enum\ A\_27a}) \quad (7)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (9)$$

**Definition 11** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 12** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E7E))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (11)$$

**Definition 13** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in ty\_2Enum\_2Enum.(V0m = (ap\ c\_2Enum\_2ESUC\ V1n)))))) \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee (\neg(p \ V0t)))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in A\_27a.(((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2ET) \ V0t1) \ V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2EF) \ V0t1) \ V1t2) = V1t2)))))) \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a.(\forall V5y\_27 \in A\_27a.(((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge (((p \ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ V1Q) \ V3x\_27) \ V5y\_27)))))))))) \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (((ap\ (c\_2Elist\_2ELENGTH\ A\_27a) \\ & (c\_2Elist\_2ENIL\ A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a. ( \\ & \forall V1t \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2ELENGTH \\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0h)\ V1t)) = (ap\ c\_2Enum\_2ESUC \\ & (ap\ (c\_2Elist\_2ELENGTH\ A\_27a)\ V1t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\ & (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ A\_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a. (p\ (ap\ V0P\ (ap\ (ap\ ( \\ c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ A\_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & ((\forall V0x \in A\_27a. ((ap\ (ap\ (c\_2Elist\_2ESNOC \\ A\_27a)\ V0x)\ (c\_2Elist\_2ENIL\ A\_27a)) = (ap\ (ap\ (c\_2Elist\_2ECONS \\ A\_27a)\ V0x)\ (c\_2Elist\_2ENIL\ A\_27a)))) \wedge (\forall V1x \in A\_27a. (\forall V2x.27 \in \\ A\_27a. (\forall V3l \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (ap\ (c\_2Elist\_2ESNOC \\ A\_27a)\ V1x)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2x.27)\ V3l)) = (ap\ ( \\ ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2x.27)\ (ap\ (ap\ (c\_2Elist\_2ESNOC\ A\_27a) \\ V1x)\ V3l)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & ((\forall V0e \in A\_27a. (\forall V1n \in \\ ty\_2Enum\_2Enum. ((ap\ (ap\ (ap\ (c\_2Elist\_2ELUPDATE\ A\_27a)\ V0e)\ V1n) \\ (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL\ A\_27a)))) \wedge ((\forall V2e \in \\ A\_27a. (\forall V3x \in A\_27a. (\forall V4l \in (ty\_2Elist\_2Elist\ A\_27a). \\ ((ap\ (ap\ (ap\ (c\_2Elist\_2ELUPDATE\ A\_27a)\ V2e)\ c\_2Enum\_2E0)\ (ap\ ( \\ ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V3x)\ V4l)) = (ap\ (ap\ (c\_2Elist\_2ECONS \\ A\_27a)\ V2e)\ V4l)))) \wedge (\forall V5e \in A\_27a. (\forall V6n \in ty\_2Enum\_2Enum. \\ (\forall V7x \in A\_27a. (\forall V8l \in (ty\_2Elist\_2Elist\ A\_27a). ( \\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELUPDATE\ A\_27a)\ V5e)\ (ap\ c\_2Enum\_2ESUC\ V6n)) \\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V7x)\ V8l)) = (ap\ (ap\ (c\_2Elist\_2ECONS \\ A\_27a)\ V7x)\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELUPDATE\ A\_27a)\ V5e)\ V6n)\ V8l)))))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg((ap\ c\_2Enum\_2ESUC\ V0n) = c\_2Enum\_2E0))) \quad (27)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ((ap\ c\_2Enum\_2ESUC\ V0m) = (ap\ c\_2Enum\_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n))) \quad (28)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0ys \in (ty\_2Elist\_2Elist \\ & A\_27a).(\forall V1k \in ty\_2Enum\_2Enum.(\forall V2x \in A\_27a.(\forall V3y \in \\ & A\_27a.((ap (ap (ap (c\_2Elist\_2ELUPDATE A\_27a) V2x) V1k) (ap (ap \\ & (c\_2Elist\_2ESNOC A\_27a) V3y) V0ys)) = (ap (ap (ap (c\_2Ebool\_2ECOND \\ & (ty\_2Elist\_2Elist A\_27a)) (ap (ap (c\_2Emin\_2E\_3D ty\_2Enum\_2Enum) \\ & V1k) (ap (c\_2Elist\_2ELENGTH A\_27a) V0ys))) (ap (ap (c\_2Elist\_2ESNOC \\ & A\_27a) V2x) V0ys)) (ap (ap (c\_2Elist\_2ESNOC A\_27a) V3y) (ap (ap ( \\ & ap (c\_2Elist\_2ELUPDATE A\_27a) V2x) V1k) V0ys)))))))))) \end{aligned}$$