

thm_2Elist_2EMAP2__ZIP
(TMSHqR9oX4MFWPaifSxR2SAjLUsxZyz5WcU)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{3}$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b^{A_27a})}) \tag{4}$$

Let $c_2Elist_2EMAP2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c.nonempty\ A_27c \Rightarrow c_2Elist_2EMAP2\ A_27a\ A_27b\ A_27c \in (((((ty_2Elist_2Elist\ A_27c)^{(ty_2Elist_2Elist\ A_27b)})^{(A_27c^{A_27b})})^{(A_27a^{A_27c})})^{(A_27a^{A_27b})}) \tag{5}$$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (6)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $c_2Elist_2EZIP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EZIP\ A_27a\ A_27b \in ((ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))^{(ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27a\ A_27b))}) \quad (9)$$

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (11)$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})}) \quad (12)$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (13)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (14)$$

Definition 10 We define $c_2\text{Epair_2EUNCURRY}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})$

Let $c_2\text{Enum_2EREP_num} : \iota$ be given. Assume the following.

$$c_2\text{Enum_2EREP_num} \in (\text{omega}^{ty_2Enum_2Enum}) \quad (15)$$

Let $c_2\text{Enum_2ESUC_REP} : \iota$ be given. Assume the following.

$$c_2\text{Enum_2ESUC_REP} \in (\text{omega}^{\text{omega}}) \quad (16)$$

Definition 11 We define $c_2\text{Enum_2ESUC}$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2\text{Enum_2EABS_num}$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(c_2\text{Enum_2E0} = (ap\ c_2\text{Enum_2ESUC}\ V0n)))) \quad (17)$$

Assume the following.

$$\text{True} \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$\forall A_27a.\text{nonempty}\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.\text{nonempty}\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (((ap (c.2Elist.2ELENGTH A.27a) \\
& (c.2Elist.2ENIL A.27a)) = c.2Enum.2E0) \wedge (\forall V0h \in A.27a. (\\
& \forall V1t \in (ty.2Elist.2Elist A.27a). ((ap (c.2Elist.2ELENGTH \\
& A.27a) (ap (ap (c.2Elist.2ECONS A.27a) V0h) V1t)) = (ap c.2Enum.2ESUC \\
& (ap (c.2Elist.2ELENGTH A.27a) V1t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\
& (\forall V0f \in (A.27b^{A.27a}). ((ap (ap (c.2Elist.2EMAP A.27a A.27b) \\
& V0f) (c.2Elist.2ENIL A.27a)) = (c.2Elist.2ENIL A.27b))) \wedge (\forall V1f \in \\
& (A.27b^{A.27a}). (\forall V2h \in A.27a. (\forall V3t \in (ty.2Elist.2Elist \\
& A.27a). ((ap (ap (c.2Elist.2EMAP A.27a A.27b) V1f) (ap (ap (c.2Elist.2ECONS \\
& A.27a) V2h) V3t)) = (ap (ap (c.2Elist.2ECONS A.27b) (ap V1f V2h)) \\
& (ap (ap (c.2Elist.2EMAP A.27a A.27b) V1f) V3t))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow \forall A.27c. \\
& nonempty A.27c \Rightarrow \forall A.27d.nonempty A.27d \Rightarrow \forall A.27e.nonempty \\
& A.27e \Rightarrow \forall A.27f.nonempty A.27f \Rightarrow ((\forall V0f \in ((A.27c^{A.27b})^{A.27a}). \\
& ((ap (ap (ap (c.2Elist.2EMAP2 A.27c A.27a A.27b) V0f) (c.2Elist.2ENIL \\
& A.27a)) (c.2Elist.2ENIL A.27b)) = (c.2Elist.2ENIL A.27c))) \wedge (\\
& \forall V1f \in ((A.27f^{A.27e})^{A.27d}). (\forall V2h1 \in A.27d. (\forall V3t1 \in \\
& (ty.2Elist.2Elist A.27d). (\forall V4h2 \in A.27e. (\forall V5t2 \in \\
& (ty.2Elist.2Elist A.27e). ((ap (ap (ap (c.2Elist.2EMAP2 A.27f \\
& A.27d A.27e) V1f) (ap (ap (c.2Elist.2ECONS A.27d) V2h1) V3t1)) (\\
& ap (ap (c.2Elist.2ECONS A.27e) V4h2) V5t2)) = (ap (ap (c.2Elist.2ECONS \\
& A.27f) (ap (ap V1f V2h1) V4h2)) (ap (ap (ap (c.2Elist.2EMAP2 A.27f \\
& A.27d A.27e) V1f) V3t1) V5t2))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist A.27a)}). \\
& (((p (ap V0P (c.2Elist.2ENIL A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\
& A.27a). ((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A.27a. (p (ap V0P (ap (ap (\\
& c.2Elist.2ECONS A.27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\
& A.27a). (p (ap V0P V3l))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a. (\forall V1a1 \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (\forall V2a0_27 \in A_27a. (\forall V3a1_27 \in \\
& \quad (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\
& \quad V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27)) \Leftrightarrow ((V0a0 = \\
& \quad V2a0_27) \wedge (V1a1 = V3a1_27))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (((ap\ (c_2Elist_2EZIP \\
& \quad A_27c\ A_27d)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A_27c) \\
& \quad (ty_2Elist_2Elist\ A_27d))\ (c_2Elist_2ENIL\ A_27c))\ (c_2Elist_2ENIL \\
& \quad A_27d))) = (c_2Elist_2ENIL\ (ty_2Epair_2Eprod\ A_27c\ A_27d))) \wedge \\
& \quad (\forall V0x1 \in A_27a. (\forall V1l1 \in (ty_2Elist_2Elist\ A_27a). \\
& \quad (\forall V2x2 \in A_27b. (\forall V3l2 \in (ty_2Elist_2Elist\ A_27b). \\
& \quad ((ap\ (c_2Elist_2EZIP\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist \\
& \quad A_27a)\ (ty_2Elist_2Elist\ A_27b))\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a) \\
& \quad V0x1)\ V1l1))\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ V2x2)\ V3l2))) = (ap \\
& \quad (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A_27a\ A_27b))\ (ap\ (ap\ (\\
& \quad c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x1)\ V2x2))\ (ap\ (c_2Elist_2EZIP\ A_27a \\
& \quad A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A_27a)\ (ty_2Elist_2Elist \\
& \quad A_27b))\ V1l1)\ V3l2))))))
\end{aligned} \tag{31}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}). (\forall V1x \in \\
& \quad A_27a. (\forall V2y \in A_27b. ((ap\ (ap\ (c_2Epair_2EUNCURRY\ A_27a \\
& \quad A_27b\ A_27c)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y)) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y))))))
\end{aligned} \tag{33}$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n))) \tag{34}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1l2 \in \\ & (ty_2Elist_2Elist\ A_27b). (((ap\ (c_2Elist_2ELENGTH\ A_27a)\ V0l1) = \\ & (ap\ (c_2Elist_2ELENGTH\ A_27b)\ V1l2)) \Rightarrow (\forall V2f \in ((A_27c^{A_27b})^{A_27a}). \\ & ((ap\ (ap\ (ap\ (c_2Elist_2EMAP2\ A_27c\ A_27a\ A_27b)\ V2f)\ V0l1)\ V1l2) = \\ & (ap\ (ap\ (c_2Elist_2EMAP\ (ty_2Epair_2Eprod\ A_27a\ A_27b)\ A_27c) \\ & (ap\ (c_2Epair_2EUNCURRY\ A_27a\ A_27b\ A_27c)\ V2f))\ (ap\ (c_2Elist_2EZIP \\ & A_27a\ A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A_27a) \\ & (ty_2Elist_2Elist\ A_27b))\ V0l1)\ V1l2))))))))) \end{aligned}$$