

thm\_2Elist\_2EMAP\_\_EQ\_\_SING  
(TMcYx9u1Gq923W2Evf59iTMuJwpPt7bXSSv)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x)$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V 0t \in 2. V 0t)$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p P \Rightarrow p Q)$  of type  $\iota$ .

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty\_2Elist\_2Elist } A 0) \quad (1)$$

Let `c_2Elist_2ENIL` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c\_2Elist\_2ENIL } A. 27a \in (\text{ty\_2Elist\_2Elist } A. 27a) \quad (2)$$

**Definition 6** We define `c_2Ebool_2E_7E` to be  $(\lambda V 0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 0t)) \text{c_2Ebool_2EF}))$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V 0t 1 \in 2. (\lambda V 1t 2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V 2t \in 2. V 2t)))$

**Definition 8** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } V 0P (\text{ap } (\text{c_2Emin_2E_40 } A. 27a))))$

Let `c_2Elist_2ECONS` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c\_2Elist\_2ECONS } A. 27a \in (((\text{ty\_2Elist\_2Elist } A. 27a)^{(\text{ty\_2Elist\_2Elist } A. 27a)})^{A. 27a}) \quad (3)$$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP \\ & A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a})}) \end{aligned} \quad (4)$$

Assume the following.

$$True \quad (5)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow ((p \\ & V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))) \end{aligned} \quad (6)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \\ & True)) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p\ V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in \\ & A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ ( \\ & ap\ V0P\ V1a)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0f \in (A\_27b^{A\_27a}).((ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b) \\
& V0f)\ (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL\ A\_27b))) \wedge (\forall V1f \in \\
& (A\_27b^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist \\
& A\_27a).((ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1f)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27b)\ (ap\ V1f\ V2h)) \\
& (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1f)\ V3t))))))))) \\
& \hspace{15em} (14)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\
& (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\
& A\_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\
& c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\
& A\_27a).(p\ (ap\ V0P\ V3l)))))) \\
& \hspace{15em} (15)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist \\
& A\_27a).(\forall V1a0 \in A\_27a.(\neg((c\_2Elist\_2ENIL\ A\_27a) = (ap\ ( \\
& ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V1a0)\ V0a1)))))) \\
& \hspace{15em} (16)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist \\
& A\_27a).(\forall V1a0 \in A\_27a.(\neg((ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a) \\
& V1a0)\ V0a1) = (c\_2Elist\_2ENIL\ A\_27a)))))) \\
& \hspace{15em} (17)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0f \in (A\_27b^{A\_27a}).(\forall V1l \in (ty\_2Elist\_2Elist\ A\_27a). \\
& (\forall V2h \in A\_27b.(\forall V3t \in (ty\_2Elist\_2Elist\ A\_27b).( \\
& ((ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V0f)\ V1l) = (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27b)\ V2h)\ V3t))) \Leftrightarrow (\exists V4x0 \in A\_27a.(\exists V5t0 \in (ty\_2Elist\_2Elist \\
& A\_27a).((V1l = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V4x0)\ V5t0)) \wedge (( \\
& V2h = (ap\ V0f\ V4x0)) \wedge (V3t = (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V0f) \\
& V5t0)))))))))) \\
& \hspace{15em} (18)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0f \in (A\_27b^{A\_27a}).(\forall V1l \in (ty\_2Elist\_2Elist\ A\_27a). \\
& (\forall V2x \in A\_27b.(((ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V0f) \\
& V1l) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27b)\ V2x)\ (c\_2Elist\_2ENIL\ A\_27b))) \Leftrightarrow \\
& (\exists V3x0 \in A\_27a.((V1l = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V3x0) \\
& (c\_2Elist\_2ENIL\ A\_27a))) \wedge (V2x = (ap\ V0f\ V3x0)))))) \\
& \hspace{15em}
\end{aligned}$$