

thm_2Elist_2EMAP__GENLIST

(TMNySrTCiLchxvFjWVLwDtBbC4SsrZ5H3v5)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

Definition 4 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a &\in (((ty_2Elist_2Elist \\ A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \end{aligned} \quad (2)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Elist_2EMAP \\ A_27a A_27b &\in (((ty_2Elist_2Elist A_27b)^{(ty_2Elist_2Elist A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (3)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a &\in (((ty_2Elist_2Elist \\ A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \end{aligned} \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a &\in (ty_2Elist_2Elist \\ A_27a) \end{aligned} \quad (5)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (6)$$

Let $c_2Elist_2EGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow c_{\text{2Elist_2EGENLIST}} A_{\text{27a}} \in (((\text{ty_2Elist_2Elist } A_{\text{27a}})^{\text{ty_2Enum_2Enum}})^{(\text{A_27a}^{\text{ty_2Enum_2Enum}})}) \quad (7)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega) \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (10)$$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ 0\ m)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (11)$$

Definition 6 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in 2.(\lambda V3t4 \in 2.(ap(c_2Ebool_2E_22 2))(\lambda V4t5 \in 2.(ap(c_2Ebool_2E_23 2))(\lambda V5t6 \in 2.(ap(c_2Ebool_2E_24 2))(\lambda V6t7 \in 2.(ap(c_2Ebool_2E_25 2))))))))$

Assume the following.

True (12)

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$\forall A. \exists a. \text{nonempty } A \Rightarrow (\forall V0x \in A. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \forall A_27c. \\ & \quad \text{nonempty } A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27a^{A_27c}). \\ & (\forall V2x \in A_27c.((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_27c\ A_27b\ A_27a) \\ & \quad V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\\
& (\forall V0f \in (A_{.27b}^{A_{.27a}}).((ap (ap (c_{.2Elist_2EMAP} A_{.27a} A_{.27b}) \\
& V0f) (c_{.2Elist_2ENIL} A_{.27a})) = (c_{.2Elist_2ENIL} A_{.27b}))) \wedge (\forall V1f \in \\
& (A_{.27b}^{A_{.27a}}).(\forall V2h \in A_{.27a}.(\forall V3t \in (ty_{.2Elist_2Elist} \\
& A_{.27a}).((ap (ap (c_{.2Elist_2EMAP} A_{.27a} A_{.27b}) V1f) (ap (ap (c_{.2Elist_2ECONS} \\
& A_{.27a}) V2h) V3t)) = (ap (ap (c_{.2Elist_2ECONS} A_{.27b}) (ap V1f V2h)) \\
& (ap (ap (c_{.2Elist_2EMAP} A_{.27a} A_{.27b}) V1f) V3t))))))) \\
& (16)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\\
& \forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1x \in A_{.27a}.(\forall V2l \in (\\
& ty_{.2Elist_2Elist} A_{.27a}).((ap (ap (c_{.2Elist_2EMAP} A_{.27a} A_{.27b}) \\
& V0f) (ap (ap (c_{.2Elist_2ESNOC} A_{.27a}) V1x) V2l)) = (ap (ap (c_{.2Elist_2ESNOC} \\
& A_{.27b}) (ap V0f V1x)) (ap (ap (c_{.2Elist_2EMAP} A_{.27a} A_{.27b}) V0f) V2l)))))) \\
& (17)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0f \in (A_{.27a}^{ty_{.2Enum_2Enum}}). \\
& ((ap (ap (c_{.2Elist_2EGENLIST} A_{.27a}) V0f) c_{.2Enum_2E0}) = (c_{.2Elist_2ENIL} \\
& A_{.27a}))) \wedge (\forall V1f \in (A_{.27a}^{ty_{.2Enum_2Enum}}).(\forall V2n \in \\
& ty_{.2Enum_2Enum}.((ap (ap (c_{.2Elist_2EGENLIST} A_{.27a}) V1f) (ap c_{.2Enum_2ESUC} \\
& V2n)) = (ap (ap (c_{.2Elist_2ESNOC} A_{.27a}) (ap V1f V2n)) (ap (ap (c_{.2Elist_2EGENLIST} \\
& A_{.27a}) V1f) V2n))))))) \\
& (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_{.2Enum_2Enum}}).(((p (ap V0P c_{.2Enum_2E0})) \wedge \\
& (\forall V1n \in ty_{.2Enum_2Enum}.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_{.2Enum_2ESUC} \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_{.2Enum_2Enum}.(p (ap V0P V2n)))))) \\
& (19)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\\
& \forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1g \in (A_{.27a}^{ty_{.2Enum_2Enum}}). \\
& (\forall V2n \in ty_{.2Enum_2Enum}.((ap (ap (c_{.2Elist_2EMAP} A_{.27a} A_{.27b}) \\
& V0f) (ap (ap (c_{.2Elist_2EGENLIST} A_{.27a}) V1g) V2n)) = (ap (ap (c_{.2Elist_2EGENLIST} \\
& A_{.27b}) (ap (ap (c_{.2Ecombin_2Eo} ty_{.2Enum_2Enum} A_{.27b} A_{.27a}) V0f) \\
& V1g)) V2n)))))))
\end{aligned}$$