

thm_2Elist_2EMEM (TMPnitkgtCdcMmZf6pFrngJL7TnbHXUtrs)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2ET` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)(ty_2Elist_2Elist A_27a))^{A_27a}) \quad (2)$$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (3)$$

Let `c_2Elist_2ELIST_TO_SET` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (4)$$

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 7 We define `c_2Epred_set_2EEMPTY` to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 8 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 9 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (5)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (6)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (7)$$

Definition 12 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (10)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \quad \forall V0h \in A_27b. (\forall V1t \in (ty_2Elist_2Elist A_27b). (\\
& \quad (ap (c_2Elist_2ELIST_TO_SET A_27a) (c_2Elist_2ENIL A_27a)) = \\
& \quad (c_2Epred_set_2EEMPTY A_27a)) \wedge ((ap (c_2Elist_2ELIST_TO_SET \\
A_27b) (ap (ap (c_2Elist_2ECONS A_27b) V0h) V1t)) = (ap (ap (c_2Epred_set_2EINSERT \\
A_27b) V0h) (ap (c_2Elist_2ELIST_TO_SET A_27b) V1t))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\neg(p (ap (ap \\
(c_2Ebool_2EIN A_27a) V0x) (c_2Epred_set_2EEMPTY A_27a)))))) \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& A_27a. (\forall V2s \in (2^{A_27a}). ((p (ap (ap (c_2Ebool_2EIN A_27a) \\
V0x) (ap (ap (c_2Epred_set_2EINSERT A_27a) V1y) V2s)))) \Leftrightarrow ((V0x = \\
V1y) \vee (p (ap (ap (c_2Ebool_2EIN A_27a) V0x) V2s))))))
\end{aligned} \tag{17}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0x \in A_27a. ((p (ap (ap \\
(c_2Ebool_2EIN A_27a) V0x) (ap (c_2Elist_2ELIST_TO_SET A_27a) \\
(c_2Elist_2ENIL A_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A_27a. (\forall V2h \in \\
A_27a. (\forall V3t \in (ty_2Elist_2Elist A_27a). ((p (ap (ap (c_2Ebool_2EIN \\
A_27a) V1x) (ap (c_2Elist_2ELIST_TO_SET A_27a) (ap (ap (c_2Elist_2ECONS \\
A_27a) V2h) V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p (ap (ap (c_2Ebool_2EIN A_27a) \\
V1x) (ap (c_2Elist_2ELIST_TO_SET A_27a) V3t)))))))))
\end{aligned}$$