

# thm\_2Elist\_2EMEM\_SNOC (TMJKGRfTLQ- tUKYo9qHD15xA1Yg25iu2C78c)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 6** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})(ty\_2Elist\_2Elist A\_27a)) \quad (2)$$

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)(ty\_2Elist\_2Elist A\_27a))A\_27a) \quad (3)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (4)$$

Let  $c\_2Elist\_2ESNOC : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ESNOC A\_27a \in (((ty\_2Elist\_2Elist A\_27a)(ty\_2Elist\_2Elist A\_27a))A\_27a) \quad (5)$$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

Assume the following.

$$True \tag{6}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{8}$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ( \\ & (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee \\ & (p V0A)))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}), \\ & (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A\_27a.(p (ap V0P (ap (ap ( \\ & c\_2Elist\_2ECONS A\_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a).(p (ap V0P V3l)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow ((\forall V0x \in A\_27a.((p (ap (ap \\ & (c\_2Ebool\_2EIN A\_27a) V0x) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) \\ & (c\_2Elist\_2ENIL A\_27a)))) \Leftrightarrow False) \wedge (\forall V1x \in A\_27a.(\forall V2h \in \\ & A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist A\_27a).((p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27a) V1x) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) (ap (ap (c\_2Elist\_2ECONS \\ & A\_27a) V2h) V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\ & V1x) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) V3t)))))))))) \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
\forall A\_27a.nonempty\ A\_27a \Rightarrow & ((\forall V0x \in A\_27a. ((ap\ (ap\ (c\_2Elist\_2ESNOC \\
& A\_27a)\ V0x)\ (c\_2Elist\_2ENIL\ A\_27a)) = (ap\ (ap\ (c\_2Elist\_2ECONS \\
& A\_27a)\ V0x)\ (c\_2Elist\_2ENIL\ A\_27a)))) \wedge (\forall V1x \in A\_27a. (\forall V2x\_27 \in \\
& A\_27a. (\forall V3l \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (ap\ (c\_2Elist\_2ESNOC \\
& A\_27a)\ V1x)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2x\_27)\ V3l)) = (ap\ ( \\
& ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2x\_27)\ (ap\ (ap\ (c\_2Elist\_2ESNOC\ A\_27a) \\
& V1x)\ V3l))))))
\end{aligned}
\tag{13}$$

**Theorem 1**

$$\begin{aligned}
\forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0y \in A\_27a. (\forall V1x \in \\
& A\_27a. (\forall V2l \in (ty\_2Elist\_2Elist\ A\_27a). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& A\_27a)\ V0y)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ESNOC \\
& A\_27a)\ V1x)\ V2l)))) \Leftrightarrow ((V0y = V1x) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& V0y)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V2l))))))
\end{aligned}$$