

# thm\_2Elist\_2EREVERSE\_APPEND (TMYvAYwtczZ4JizD4Qqqt dmUCE9ZV7vqx3H)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EAPPEND A\_27a \in (((ty\_2Elist\_2Elist A\_27a)_{(ty\_2Elist\_2Elist A\_27a)})_{(ty\_2Elist\_2Elist A\_27a)}) \quad (2)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)_{(ty\_2Elist\_2Elist A\_27a)})_{A\_27a}) \quad (3)$$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (4)$$

Let  $c\_2Elist\_2EREVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EREVERSE A\_27a \in ((ty\_2Elist\_2Elist A\_27a)_{(ty\_2Elist\_2Elist A\_27a)}) \quad (5)$$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

Assume the following.

$$True \tag{6}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{7}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{8}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & ((\forall V0l \in (ty\_2Elist\_2Elist \\ & A\_27a).((ap (ap (c\_2Elist\_2EAPPEND A\_27a) (c\_2Elist\_2ENIL A\_27a)) \\ & V0l) = V0l)) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist A\_27a).(\forall V2l2 \in \\ & (ty\_2Elist\_2Elist A\_27a).(\forall V3h \in A\_27a.((ap (ap (c\_2Elist\_2EAPPEND \\ & A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V3h) V1l1)) V2l2) = (ap (ap \\ & (c\_2Elist\_2ECONS A\_27a) V3h) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) \\ & V1l1) V2l2)))))))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}). \\ & (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A\_27a.(p (ap V0P (ap (ap \\ & (c\_2Elist\_2ECONS A\_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a).(p (ap V0P V3l)))))) \end{aligned} \tag{10}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist A\_27a).((ap (ap (c\_2Elist\_2EAPPEND A\_27a) V0l) (c\_2Elist\_2ENIL A\_27a)) = V0l)) \tag{11}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & (\forall V0l1 \in (ty\_2Elist\_2Elist \\ & A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist A\_27a).(\forall V2l3 \in \\ & (ty\_2Elist\_2Elist A\_27a).((ap (ap (c\_2Elist\_2EAPPEND A\_27a) \\ & V0l1) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) V1l2) V2l3)) = (ap (ap (c\_2Elist\_2EAPPEND \\ & A\_27a) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) V0l1) V1l2)) V2l3)))))) \end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (((ap\ (c\_2Elist\_2EREVERSE\ A\_27a) \\
& \quad (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL\ A\_27a)) \wedge (\forall V0h \in \\
& \quad A\_27a. (\forall V1t \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2EREVERSE \\
& \quad A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& \quad A\_27a)\ (ap\ (c\_2Elist\_2EREVERSE\ A\_27a)\ V1t))\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& \quad A\_27a)\ V0h)\ (c\_2Elist\_2ENIL\ A\_27a))))))
\end{aligned} \tag{13}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a). (\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a). ((ap\ (c\_2Elist\_2EREVERSE \\
& \quad A\_27a)\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V0l1)\ V1l2)) = (ap\ (ap\ ( \\
& \quad c\_2Elist\_2EAPPEND\ A\_27a)\ (ap\ (c\_2Elist\_2EREVERSE\ A\_27a)\ V1l2)) \\
& \quad (ap\ (c\_2Elist\_2EREVERSE\ A\_27a)\ V0l1))))))
\end{aligned}$$