

thm_2Elist_2ESINGL__LIST__APPLY__L
(TMJEqn1E2uo9Tt34JG311bRpMCzRqg1uNDf)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (2)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (3)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (4)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EMAP A_27a A_27b \in (((ty_2Elist_2Elist A_27b)^{(ty_2Elist_2Elist A_27a)})^{(A_27b^{A_27a})}) \quad (5)$$

Let $c_2Elist_2EFLAT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EFLAT A_27a \in ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist (ty_2Elist_2Elist A_27a))}) \quad (6)$$

Definition 3 We define $c_Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Elist_2ELIST_BIND$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0l \in (ty_2Elist_2Elist A_27b)$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow q Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Assume the following.

$$True \tag{7}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{8}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist A_27a). ((ap (ap (c_2Elist_2EAPPEND A_27a) V0l) (c_2Elist_2ENIL A_27a)) = V0l)) \tag{9}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Elist_2Elist A_27a)^{A_27b}). (\forall V1h \in A_27b. \\ & \quad (\forall V2t \in (ty_2Elist_2Elist A_27b). (((ap (ap (c_2ELIST_BIND \\ & \quad A_27a A_27b) (c_2Elist_2ENIL A_27b)) V0f) = (c_2Elist_2ENIL A_27a)) \wedge \\ & \quad ((ap (ap (c_2ELIST_BIND A_27a A_27b) (ap (ap (c_2ECONS \\ & \quad A_27b) V1h) V2t)) V0f) = (ap (ap (c_2EAPPEND A_27a) (ap V0f \\ & \quad V1h)) (ap (ap (c_2ELIST_BIND A_27a A_27b) V2t) V0f)))))) \end{aligned} \tag{10}$$

Theorem 1

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27b. (\forall V1f \in ((ty_2Elist_2Elist A_27a)^{A_27b}). \\ & \quad ((ap (ap (c_2ELIST_BIND A_27a A_27b) (ap (ap (c_2ECONS \\ & \quad A_27b) V0x) (c_2Elist_2ENIL A_27b))) V1f) = (ap V1f V0x))) \end{aligned}$$