

thm_2Elist_2ESNOC__INDUCT (TMYEZJdDnZTS7B1NvcXtFsdFLMMhfn8nkVZ)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota$.

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A \lambda P))$

Definition 4 We define `c_2Ebool_2E_T` to be $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A-27a})$

Definition 6 We define `c_2Ebool_2E_F` to be $(\text{ap (c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t))$.

Definition 7 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 8 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap (ap c_2Emin_2E_3D_3D_3E } V0t) \text{ c_2Ebool_2E_F$

Definition 9 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

Definition 10 We define `c_2Ecombin_2E_o` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. \lambda V0f \in (A. 27b^{A-27c}). \lambda V1g \in (A. 27c^{A-27b}).$

Definition 11 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

Definition 12 We define `c_2Ebool_2E_3F_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap c_2Ebool_2E_2F_5C } A \lambda P))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty (ty_2Elist_2Elist } A0) \quad (1)$$

Let `c_2Elist_2EAPPEND` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Elist_2EAPPEND } A. 27a \in (((\text{ty_2Elist_2Elist } A. 27a) (\text{ty_2Elist_2Elist } A. 27a)) (\text{ty_2Elist_2Elist } A. 27a)) \quad (2)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (3)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (4)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ESNOC\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (5)$$

Let $c_2Elist_2EREVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EREVERSE\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)}) \quad (6)$$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2))))) \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V0t))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (14)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Leftrightarrow ((p\ V1B) \vee (p\ V0A))) \Leftrightarrow ((p\ V1B) \Rightarrow (p\ V0A)))))) \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27b. (\forall V1f \in (((A_27b^{(ty_2Elist_2Elist\ A_27a)})^{A_27a})^{A_27b}). \\ & (p\ (ap\ (c_2Ebool_2E_3F_21\ (A_27b^{(ty_2Elist_2Elist\ A_27a)})))\ (\\ & \lambda V2fn1 \in (A_27b^{(ty_2Elist_2Elist\ A_27a)}). (ap\ (ap\ c_2Ebool_2E_2F_5C \\ & (ap\ (ap\ (c_2Emin_2E_3D\ A_27b)\ (ap\ V2fn1\ (c_2Elist_2ENIL\ A_27a))) \\ & V0x))\ (ap\ (c_2Ebool_2E_21\ A_27a)\ (\lambda V3h \in A_27a. (ap\ (c_2Ebool_2E_21 \\ & (ty_2Elist_2Elist\ A_27a))\ (\lambda V4t \in (ty_2Elist_2Elist\ A_27a). \\ & (ap\ (ap\ (c_2Emin_2E_3D\ A_27b)\ (ap\ V2fn1\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V3h)\ V4t)))\ (ap\ (ap\ (ap\ V1f\ (ap\ V2fn1\ V4t))\ V3h)\ V4t))))))))) \quad (16) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2EREVERSE\ A_27a) \\ & (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27a)) \wedge (\forall V0h \in \\ & A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2EREVERSE \\ & A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Elist_2EAPPEND \\ & A_27a)\ (ap\ (c_2Elist_2EREVERSE\ A_27a)\ V1t))\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A_27a)\ V0h)\ (c_2Elist_2ENIL\ A_27a)))))) \quad (17) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2EREVERSE\ A_27a)\ (ap\ (c_2Elist_2EREVERSE\ A_27a)\ V0l)) = V0l)) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2EREVERSE\ A_27a)\ (ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V0x)\ V1l)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0x)\ (ap\ (c_2Elist_2EREVERSE\ A_27a)\ V1l)))))) \quad (19)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}), \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1l \in (ty_2Elist_2Elist \\ & A_27a).(p\ (ap\ V0P\ V1l)) \Rightarrow (\forall V2x \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ESNOC\ A_27a\ V2x)\ V1l)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned}$$