

thm_2Elist_2ESUM__ACC__SUM__LEM (TMTz-
forYTiWN2WFtvoNxQQ8EB17v98g7Egx)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{4}$$

Let $c_2Elist_2ESUM : \iota$ be given. Assume the following.

$$c_2Elist_2ESUM \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)}) \tag{5}$$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} & (((ap\ c_2Elist_2ESUM\ (c_2Elist_2ENIL\ ty_2Enum_2Enum)) = c_2Enum_2E0) \wedge \\ & (\forall V0h \in ty_2Enum_2Enum. (\forall V1t \in (ty_2Elist_2Elist\ ty_2Enum_2Enum). ((ap\ c_2Elist_2ESUM\ (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Enum_2Enum)\ V0h)\ V1t)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V0h)\ (ap\ c_2Elist_2ESUM\ V1t))))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist\ A_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & ((\forall V0acc \in ty_2Enum_2Enum. ((ap\ (ap\ c_2Elist_2ESUM_ACC\ (c_2Elist_2ENIL\ ty_2Enum_2Enum)\ V0acc) = V0acc)) \wedge (\forall V1h \in ty_2Enum_2Enum. (\forall V2t \in (ty_2Elist_2Elist\ ty_2Enum_2Enum). \\ & (\forall V3acc \in ty_2Enum_2Enum. ((ap\ (ap\ c_2Elist_2ESUM_ACC\ (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Enum_2Enum)\ V1h)\ V2t))\ V3acc) = (ap\ (ap\ c_2Elist_2ESUM_ACC\ V2t)\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V1h)\ V3acc)))))) \end{aligned} \quad (20)$$

Theorem 1

$$\begin{aligned} & (\forall V0L \in (ty_2Elist_2Elist\ ty_2Enum_2Enum). (\forall V1n \in ty_2Enum_2Enum. ((ap\ (ap\ c_2Elist_2ESUM_ACC\ V0L)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Elist_2ESUM\ V0L)\ V1n)))) \end{aligned}$$