

thm_2Elist_2ESUM__MAP__FOLDL (TMGBsVp- SHLMroTuaxYHcRHpsdt4MxmfDA5t)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V 0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2.V 0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V 0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 0t) \text{ c_2Ebool_2EF}))$

Let `c_2Enum_2EZERO__REP` : ι be given. Assume the following.

$$\text{c_2Enum_2EZERO_REP} \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \tag{2}$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$\text{c_2Enum_2EABS_num} \in (\text{ty_2Enum_2Enum}^{\text{omega}}) \tag{3}$$

Definition 7 We define `c_2Enum_2E0` to be $(\text{ap } \text{c_2Enum_2EABS_num } \text{c_2Enum_2EZERO_REP})$.

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A 0) \tag{4}$$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Elist_2ECONS } A_27a \in (((\text{ty_2Elist_2Elist } A_27a)^{(\text{ty_2Elist_2Elist } A_27a)})^{A_27a}) \tag{5}$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP \\ & A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (6)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (7)$$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDL \\ & A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b)^{(A_27b^{A_27a})^{A_27b}}}) \end{aligned} \quad (8)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (9)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ESNOC\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (10)$$

Let $c_2Elist_2ESUM : \iota$ be given. Assume the following.

$$c_2Elist_2ESUM \in (ty_2Enum_2Enum)^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)} \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ & \forall V2p \in ty_2Enum_2Enum.(((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m) \\ & V2p) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V2p)) \Leftrightarrow (V0m = V1n)))) \end{aligned} \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (18)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))))) \quad (19)$$

Assume the following.

$$(((ap\ c_2Elist_2ESUM\ (c_2Elist_2ENIL\ ty_2Enum_2Enum)) = c_2Enum_2E0) \wedge (\forall V0h \in ty_2Enum_2Enum. (\forall V1t \in (ty_2Elist_2Elist\ ty_2Enum_2Enum). ((ap\ c_2Elist_2ESUM\ (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Enum_2Enum)\ V0h)\ V1t)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V0h)\ (ap\ c_2Elist_2ESUM\ V1t)))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow ((\forall V0f \in (A_27b^{A_27a}). ((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V0f)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27b))) \wedge (\forall V1f \in (A_27b^{A_27a}). (\forall V2h \in A_27a. (\forall V3t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ (ap\ V1f\ V2h))\ (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ V3t)))))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow ((\forall V0f \in ((A_27b^{A_27a})^{A_27b}). (\forall V1e \in A_27b. ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b)\ V0f)\ V1e)\ (c_2Elist_2ENIL\ A_27a)) = V1e))) \wedge (\forall V2f \in ((A_27b^{A_27a})^{A_27b}). (\forall V3e \in A_27b. (\forall V4x \in A_27a. (\forall V5l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b)\ V2f)\ V3e)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V4x)\ V5l)) = (ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b)\ V2f)\ (ap\ (ap\ V2f\ V3e)\ V4x))\ V5l)))))) \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A.27a}).(\forall V1x \in A.27a.(\forall V2l \in (\\ ty_2Elist_2Elist\ A.27a).((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b) \\ V0f)\ (ap\ (ap\ (c_2Elist_2ESNOC\ A.27a)\ V1x)\ V2l)) = (ap\ (ap\ (c_2Elist_2ESNOC \\ A.27b)\ (ap\ V0f\ V1x))\ (ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V0f)\ V2l)))))) \\ (23) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}). \\ (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1l \in (ty_2Elist_2Elist \\ A.27a).((p\ (ap\ V0P\ V1l)) \Rightarrow (\forall V2x \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ c_2Elist_2ESNOC\ A.27a)\ V2x)\ V1l)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ A.27a).(p\ (ap\ V0P\ V3l)))))) \\ (24) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in ((A.27b^{A.27a})^{A.27b}).(\forall V1e \in A.27b.(\forall V2x \in \\ A.27a.(\forall V3l \in (ty_2Elist_2Elist\ A.27a).((ap\ (ap\ (ap\ (c_2Elist_2EFOLDL \\ A.27a\ A.27b)\ V0f)\ V1e)\ (ap\ (ap\ (c_2Elist_2ESNOC\ A.27a)\ V2x)\ V3l)) = \\ (ap\ (ap\ V0f\ (ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ A.27b)\ V0f)\ V1e)\ V3l)) \\ V2x)))))) \\ (25) \end{aligned}$$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty_2Enum_2Enum.(\forall V1l \in (ty_2Elist_2Elist \\ ty_2Enum_2Enum).((ap\ c_2Elist_2ESUM\ (ap\ (ap\ (c_2Elist_2ESNOC \\ ty_2Enum_2Enum)\ V0x)\ V1l)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Elist_2ESUM \\ V1l))\ V0x)))) \\ (26) \end{aligned}$$

Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A.27a}). \\ (\forall V1ls \in (ty_2Elist_2Elist\ A.27a).((ap\ c_2Elist_2ESUM \\ (ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ ty_2Enum_2Enum)\ V0f)\ V1ls)) = (ap \\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A.27a\ ty_2Enum_2Enum)\ (\lambda V2a \in ty_2Enum_2Enum. \\ (\lambda V3e \in A.27a.(ap\ (ap\ c_2Earithmetic_2E_2B\ V2a)\ (ap\ V0f\ V3e)))))) \\ c_2Enum_2E0)\ V1ls)))) \end{aligned}$$