

thm_2Elist_2ESUM__MAP__PLUS (TMRfJeaxNAoWDbzr6CTsvKnnvcvL6EeVvX4)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{5}$$

Let $c_2Elist_2ESUM : \iota$ be given. Assume the following.

$$c_2Elist_2ESUM \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ ty_2Enum_2Enum)}) \tag{6}$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EMAP\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b^{A_27a})}) \tag{7}$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)(ty_2Elist_2Elist\ A_27a))A_27a) \quad (8)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (9)$$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a})))$

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ c_2Enum_2E0) = V0m)) \quad (10)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V0m)))) \quad (11)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V0m)))) \quad (12)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V2p) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V2p)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n))\ V2p)))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.(((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V2p) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V2p)) \Leftrightarrow (V0m = V1n)))))) \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$\begin{aligned} &(((ap\ c_2Elist_2ESUM\ (c_2Elist_2ENIL\ ty_2Enum_2Enum)) = c_2Enum_2E0) \wedge \\ &(\forall V0h \in ty_2Enum_2Enum.(\forall V1t \in (ty_2Elist_2Elist\ ty_2Enum_2Enum).((ap\ c_2Elist_2ESUM\ (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Enum_2Enum)\ V0h)\ V1t)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V0h)\ (ap\ c_2Elist_2ESUM\ V1t))))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} &\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ &(\forall V0f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V0f)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ENIL\ A_27b))) \wedge (\forall V1f \in \\ &(A_27b^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist\ A_27a).((ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ (ap\ V1f\ V2h))\ (ap\ (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1f)\ V3t))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} &\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ &(((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist\ A_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist\ A_27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (21)$$

Theorem 1
$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0f \in (ty_2Enum_2Enum^{A_{27a}}). \\ & (\forall V1g \in (ty_2Enum_2Enum^{A_{27a}}). (\forall V2ls \in (ty_2Elist_2Elist \\ A_{27a}). ((ap\ c_2Elist_2ESUM\ (ap\ (ap\ (c_2Elist_2EMAP\ A_{27a}\ ty_2Enum_2Enum) \\ & (\lambda V3x \in A_{27a}. (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ V0f\ V3x))\ (ap \\ V1g\ V3x))))\ V2ls)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ c_2Elist_2ESUM \\ & (ap\ (ap\ (c_2Elist_2EMAP\ A_{27a}\ ty_2Enum_2Enum)\ V0f)\ V2ls)))\ (ap \\ c_2Elist_2ESUM\ (ap\ (ap\ (c_2Elist_2EMAP\ A_{27a}\ ty_2Enum_2Enum) \\ & V1g)\ V2ls)))))) \end{aligned}$$