

thm_2Elist_2EUNZIP__ZIP (TMStLq- CioExyjgtKqPWNzMxxUKL7bhdCpMY)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{3}$$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty (ty_2Epair_2Eprod\ A0\ A1) \tag{4}$$

Let $c_2Elist_2EZIP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EZIP\ A_27a\ A_27b \in ((ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))^{(ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27a\ A_27b))}) \tag{5}$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (6)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (7)$$

Let $c_2Elist_2EUNZIP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EUNZIP\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ (ty_2Elist_2Elist\ A_27a)\ (ty_2Elist_2Elist\ A_27b))^{(ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))}) \quad (8)$$

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (11)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (12)$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (13)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (15)$$

Definition 10 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg(c_2Enum_2E0 = (ap\ c_2Enum_2ESUC\ V0n)))) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (21)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2ELENGTH\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2ELENGTH\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC\ (ap\ (c_2Elist_2ELENGTH\ A_27a)\ V1t)))))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}), \\
& (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& \quad A.27a).(p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& \quad c_2Elist_2ECONS\ A.27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad A.27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow (((ap\ (c_2Elist_2EZIP \\
& \quad A.27c\ A.27d)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A.27c) \\
& \quad (ty_2Elist_2Elist\ A.27d))\ (c_2Elist_2ENIL\ A.27c))\ (c_2Elist_2ENIL \\
& \quad A.27d))) = (c_2Elist_2ENIL\ (ty_2Epair_2Eprod\ A.27c\ A.27d))) \wedge \\
& \quad (\forall V0x1 \in A.27a.(\forall V1l1 \in (ty_2Elist_2Elist\ A.27a). \\
& \quad (\forall V2x2 \in A.27b.(\forall V3l2 \in (ty_2Elist_2Elist\ A.27b). \\
& \quad ((ap\ (c_2Elist_2EZIP\ A.27a\ A.27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist \\
& \quad A.27a)\ (ty_2Elist_2Elist\ A.27b))\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27a) \\
& \quad V0x1)\ V1l1))\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ V2x2)\ V3l2)))) = (ap \\
& \quad (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A.27a\ A.27b))\ (ap\ (ap\ (\\
& \quad c_2Epair_2E_2C\ A.27a\ A.27b)\ V0x1)\ V2x2))\ (ap\ (c_2Elist_2EZIP\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A.27a)\ (ty_2Elist_2Elist \\
& \quad A.27b))\ V1l1)\ V3l2))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& ((ap\ (c_2Elist_2EUNZIP\ A.27a\ A.27b)\ (c_2Elist_2ENIL\ (ty_2Epair_2Eprod \\
& \quad A.27a\ A.27b))) = (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A.27a) \\
& \quad (ty_2Elist_2Elist\ A.27b))\ (c_2Elist_2ENIL\ A.27a))\ (c_2Elist_2ENIL \\
& \quad A.27b))) \wedge (\forall V0x \in (ty_2Epair_2Eprod\ A.27a\ A.27b).(\forall V1l \in \\
& \quad (ty_2Elist_2Elist\ (ty_2Epair_2Eprod\ A.27a\ A.27b)).((ap\ (c_2Elist_2EUNZIP \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ A.27a \\
& \quad A.27b))\ V0x)\ V1l)) = (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist \\
& \quad A.27a)\ (ty_2Elist_2Elist\ A.27b))\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27a) \\
& \quad (ap\ (c_2Epair_2EFST\ A.27a\ A.27b)\ V0x))\ (ap\ (c_2Epair_2EFST\ (ty_2Elist_2Elist \\
& \quad A.27a)\ (ty_2Elist_2Elist\ A.27b))\ (ap\ (c_2Elist_2EUNZIP\ A.27a \\
& \quad A.27b)\ V1l))))\ (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ (ap\ (c_2Epair_2ESND \\
& \quad A.27a\ A.27b)\ V0x))\ (ap\ (c_2Epair_2ESND\ (ty_2Elist_2Elist\ A.27a) \\
& \quad (ty_2Elist_2Elist\ A.27b))\ (ap\ (c_2Elist_2EUNZIP\ A.27a\ A.27b) \\
& \quad V1l))))))))))
\end{aligned} \tag{26}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \tag{27}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a. (\forall V1y \in A_27b. ((ap\ (c_2Epair_2EFST\ A_27a \\ & A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a. (\forall V1y \in A_27b. ((ap\ (c_2Epair_2ESND\ A_27a \\ & A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n)))) \end{aligned} \quad (30)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V1l2 \in (ty_2Elist_2Elist \\ & A_27b). (((ap\ (c_2Elist_2ELENGTH\ A_27a)\ V0l1) = (ap\ (c_2Elist_2ELENGTH \\ & A_27b)\ V1l2)) \Rightarrow ((ap\ (c_2Elist_2EUNZIP\ A_27a\ A_27b)\ (ap\ (c_2Elist_2EZIP \\ & A_27a\ A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ (ty_2Elist_2Elist\ A_27a) \\ & (ty_2Elist_2Elist\ A_27b))\ V0l1)\ V1l2))) = (ap\ (ap\ (c_2Epair_2E_2C \\ & (ty_2Elist_2Elist\ A_27a)\ (ty_2Elist_2Elist\ A_27b))\ V0l1)\ V1l2)))))) \end{aligned}$$