

thm_2Elist_2EWF__LIST__PRED
(TMKntPykVuAxZjdrCSHaELa4mDVv7764tCi)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o(x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap \ (ap \ (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\\ A_27a)(ty_2Elist_2Elist\ A_27a))^{A_27a}) \quad (2)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A _27a. \text{nonempty } A _27a \Rightarrow c_2Elist _2ENIL \ A _27a \in (\text{ty_2Elist_2Elist} \\ A _27a) \quad (3)$$

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p (ap P x))$ then $(the (\lambda x.x \in A \wedge p$ of type $i \rightarrow i$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap\ (c_2Ebool_2E_21$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (4)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (5)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (6)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (7)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p\ (ap\ V0P\ V2x))))))) \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p\ (ap\ V0P\ V2x))))))) \quad (9)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((\neg((p\ V0A) \Rightarrow (p\ V1B))) \Leftrightarrow ((p\ V0A) \wedge (\neg(p\ V1B)))))) \quad (10)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee (\neg(p\ V1B))))))) \quad (11)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))))) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist\ A_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist\ A_27a).(p\ (ap\ V0P\ V3l))))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall A_{\cdot27a}.nonempty\ A_{\cdot27a} \Rightarrow & (\forall V0a0 \in A_{\cdot27a}.(\forall V1a1 \in \\ & (ty_{\cdot2Elist_2Elist}\ A_{\cdot27a}).(\forall V2a0_{\cdot27} \in A_{\cdot27a}.(\forall V3a1_{\cdot27} \in \\ & (ty_{\cdot2Elist_2Elist}\ A_{\cdot27a}).(((ap\ (ap\ (c_{\cdot2Elist_2ECONS}\ A_{\cdot27a})\ V0a0) \\ & V1a1) = (ap\ (ap\ (c_{\cdot2Elist_2ECONS}\ A_{\cdot27a})\ V2a0_{\cdot27})\ V3a1_{\cdot27})) \Leftrightarrow ((V0a0 = \\ & V2a0_{\cdot27}) \wedge (V1a1 = V3a1_{\cdot27}))))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall A_{\cdot27a}.nonempty\ A_{\cdot27a} \Rightarrow & (\forall V0a1 \in (ty_{\cdot2Elist_2Elist} \\ & A_{\cdot27a}).(\forall V1a0 \in A_{\cdot27a}.(\neg((c_{\cdot2Elist_2ENIL}\ A_{\cdot27a}) = (ap\ (\\ & ap\ (c_{\cdot2Elist_2ECONS}\ A_{\cdot27a})\ V1a0)\ V0a1)))))) \end{aligned} \quad (15)$$

Theorem 1

$$\begin{aligned} \forall A_{\cdot27a}.nonempty\ A_{\cdot27a} \Rightarrow & (p\ (ap\ (c_{\cdot2Erelation_2EWF}\ (ty_{\cdot2Elist_2Elist} \\ & A_{\cdot27a}))\ (\lambda V0L1 \in (ty_{\cdot2Elist_2Elist}\ A_{\cdot27a}).(\lambda V1L2 \in (ty_{\cdot2Elist_2Elist} \\ & A_{\cdot27a}).(ap\ (c_{\cdot2Ebool_2E_3F}\ A_{\cdot27a})\ (\lambda V2h \in A_{\cdot27a}.(ap\ (ap\ (c_{\cdot2Emin_2E_3D} \\ & (ty_{\cdot2Elist_2Elist}\ A_{\cdot27a}))\ V1L2)\ (ap\ (ap\ (c_{\cdot2Elist_2ECONS}\ A_{\cdot27a}) \\ & V2h)\ V0L1))))))) \end{aligned}$$