

thm_2Elist_2EisPREFIX__THM (TMcLsSY-BZuGES8J6Atm81thvxZpzDSFnm1H)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2Elist_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2Elist_CASE \\ A_27a \ A_27b \in (((A_27b((A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27a}))^{A_27b})^{(ty_2Elist_2Elist A_27a)}) \end{aligned} \quad (2)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist \\ A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \end{aligned} \quad (3)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist \\ A_27a) \end{aligned} \quad (4)$$

Let $c_2Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EisPREFIX A_27a \in ((2^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (5)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (7)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (8)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \\ & (\forall V0v \in A_27b.(\forall V1f \in ((A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27a}). \\ & ((ap(ap(ap(c_2Elist_2Elist_CASE A_27a A_27b) (c_2Elist_2ENIL \\ & A_27a)) V0v) V1f) = V0v))) \wedge (\forall V2a0 \in A_27a.(\forall V3a1 \in \\ & (ty_2Elist_2Elist A_27a).(\forall V4v \in A_27b.(\forall V5f \in (\\ & (A_27b^{(ty_2Elist_2Elist A_27a)})^{A_27a}).((ap(ap(ap(c_2Elist_2Elist_CASE \\ & A_27a A_27b) (ap(ap(c_2Elist_2ECONS A_27a) V2a0) V3a1)) V4v) V5f) = \\ & (ap(ap V5f V2a0) V3a1))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist \\ & A_27a).((p(ap(ap(c_2Elist_2EisPREFIX A_27a) (c_2Elist_2ENIL \\ & A_27a)) V0l)) \Leftrightarrow True)) \wedge (\forall V1h \in A_27a.(\forall V2t \in (ty_2Elist_2Elist \\ & A_27a).(\forall V3l \in (ty_2Elist_2Elist A_27a).((p(ap(ap(c_2Elist_2EisPREFIX \\ & A_27a) (ap(ap(c_2Elist_2ECONS A_27a) V1h) V2t)) V3l)) \Leftrightarrow (p(ap(\\ & ap(ap(c_2Elist_2Elist_CASE A_27a 2) V3l) c_2Ebool_2EF) (\lambda V4h_27 \in \\ & A_27a.(\lambda V5t_27 \in (ty_2Elist_2Elist A_27a).(ap(ap(c_2Ebool_2EF) (\lambda V4h_27 \in \\ & (ap(ap(c_2Emin_2E_3D A_27a) V1h) V4h_27)) (ap(ap(c_2Elist_2EisPREFIX \\ & A_27a) V2t) V5t_27))))))))))) \end{aligned} \quad (12)$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\
& A_27a).(\forall V1h \in A_27a.(\forall V2t \in (ty_2Elist_2Elist A_27a). \\
& (\forall V3h1 \in A_27a.(\forall V4t1 \in (ty_2Elist_2Elist A_27a). \\
& (\forall V5h2 \in A_27a.(\forall V6t2 \in (ty_2Elist_2Elist A_27a). \\
& (((p (ap (ap (c_2Elist_2EisPREFIX A_27a) (c_2Elist_2ENIL A_27a)) \\
& V0l)) \Leftrightarrow \text{True}) \wedge (((p (ap (ap (c_2Elist_2EisPREFIX A_27a) (ap (ap (\\
& c_2Elist_2ECONS A_27a) V1h) V2t)) (c_2Elist_2ENIL A_27a))) \Leftrightarrow \text{False}) \wedge \\
& ((p (ap (ap (c_2Elist_2EisPREFIX A_27a) (ap (ap (c_2Elist_2ECONS \\
& A_27a) V3h1) V4t1)) (ap (ap (c_2Elist_2ECONS A_27a) V5h2) V6t2))) \Leftrightarrow \\
& ((V3h1 = V5h2) \wedge (p (ap (ap (c_2Elist_2EisPREFIX A_27a) V4t1) V6t2)))))))))))
\end{aligned}$$