

thm_2Elist_2Elist__case__compute (TM- NUac8ZNBhujTSFHwtAzUTnFNyAAJDgowD)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V 0t \in 2.V 0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V 0t1 \in 2. (\lambda V 1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V 2t \in 2.V 2t))$

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define `c_2Ebool_2ECOND` to be $\lambda A. 27a : \iota. (\lambda V 0t \in 2. (\lambda V 1t1 \in A. 27a. (\lambda V 2t2 \in A. 27a. (ap$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. nonempty A 0 \Rightarrow nonempty (ty_2Elist_2Elist A 0) \quad (1)$$

Let `c_2Elist_2Elist_CASE` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 27a. nonempty A 27a \Rightarrow \forall A 27b. nonempty A 27b \Rightarrow c_2Elist_2Elist_CASE A 27a A 27b \in (((A 27b ((A 27b (ty_2Elist_2Elist A 27a))^{A-27a}))^{A-27a})^{A-27a})^{A-27a} (ty_2Elist_2Elist A 27a) \quad (2)$$

Let `c_2Elist_2ENULL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 27a. nonempty A 27a \Rightarrow c_2Elist_2ENULL A 27a \in (2^{(ty_2Elist_2Elist A 27a)}) \quad (3)$$

Let `c_2Elist_2EHD` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 27a. nonempty A 27a \Rightarrow c_2Elist_2EHD A 27a \in (A 27a)^{(ty_2Elist_2Elist A 27a)} \quad (4)$$

Let $c_2Elist_2ETL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ETL\ A_27a \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)}) \quad (5)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (6)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (7)$$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (10)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0v \in A_27b.(\forall V1f \in ((A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}). \\ & ((ap\ (ap\ (ap\ (c_2Elist_2Elist_CASE\ A_27a\ A_27b)\ (c_2Elist_2ENIL\ A_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2a0 \in A_27a.(\forall V3a1 \in \\ & (ty_2Elist_2Elist\ A_27a).(\forall V4v \in A_27b.(\forall V5f \in (\\ & (A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}).((ap\ (ap\ (ap\ (c_2Elist_2Elist_CASE\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0)\ V3a1))\ V4v)\ V5f) = \\ & (ap\ (ap\ V5f\ V2a0)\ V3a1)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (((p\ (ap\ (c_2Elist_2ENULL\ A_27a)\ (c_2Elist_2ENIL\ A_27a))) \Leftrightarrow True) \wedge (\forall V0h \in A_27a.(\forall V1t \in (ty_2Elist_2Elist\ A_27a).((p\ (ap\ (c_2Elist_2ENULL\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t))) \Leftrightarrow False)))) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in \\ (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2EHD\ A_27a)\ (ap\ (ap\ (\\ c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = V0h))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in \\ (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2ETL\ A_27a)\ (ap\ (ap\ (\\ c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = V1t))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ A_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (\\ c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ A_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (16)$$

Theorem 1

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0b \in A_27b. (\forall V1f \in ((A_27b)^{(ty_2Elist_2Elist\ A_27a)}). \\ (\forall V2l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (ap\ (c_2Elist_2Elist_CASE \\ A_27a\ A_27b)\ V2l)\ V0b)\ V1f) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b) \\ (ap\ (c_2Elist_2ENULL\ A_27a)\ V2l))\ V0b)\ (ap\ (ap\ V1f\ (ap\ (c_2Elist_2EHD \\ A_27a)\ V2l))\ (ap\ (c_2Elist_2ETL\ A_27a)\ V2l))))))) \end{aligned}$$