

thm\_2Ellist\_2ELAPPEND\_\_ASSOC  
(TMVXH8PKg65iWdQp5ydiywX7SCjTfrgj3k6)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p (ap P x))$ ) of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a P))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B$

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (8)$$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ellist\_2Ellist\ A0) \quad (9)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist\ A\_27a)} \quad (10)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (11)$$

**Definition 11** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (12)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (13)$$

**Definition 13** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (14)$$

**Definition 14** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ x)$

**Definition 15** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap\ (c\_2Ebool\_2E21\ 2)\ V2t2))))$

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs\ A\_27a \in ((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum}}) \quad (15)$$

**Definition 17** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota. \lambda V0h \in A\_27a. \lambda V1t \in (ty\_2Ellist\_2Ellist\ A\_27a). (ap\ (c\_2Ellist\_2Ellist\_abs\ A\_27a)\ h)$

**Definition 18** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone.V0x))$

**Definition 19** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E21\ 2))$

**Definition 20** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS\ A\_27a\ A\_27b)\ e)$

**Definition 21** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a))$

**Definition 22** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Ellist\_2Ellist\_abs\ A\_27a)\ (\lambda V0n \in ty\_2Ellist\_2Ellist\ A\_27a.V0n))$

Let  $c\_2Ellist\_2ELAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2ELAPPEND\ A\_27a \in (((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Ellist\_2Ellist\ A\_27a)})(ty\_2Ellist\_2Ellist\ A\_27a)) \quad (16)$$

**Definition 23** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E21\ 2)\ V1t2)))$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\ & (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p \ V0t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1a \in A_{.27a}.((\exists V2x \in A_{.27a}.((V2x = V1a) \wedge (p (ap\ V0P\ V2x)))) \Leftrightarrow (p (ap\ V0P\ V1a)))))) \quad (35)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0l \in (ty\_2Ellist\_2Ellist\ A_{.27a}).((V0l = (c\_2Ellist\_2ELNIL\ A_{.27a})) \vee (\exists V1h \in A_{.27a}.(\exists V2t \in (ty\_2Ellist\_2Ellist\ A_{.27a}).(V0l = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{.27a})\ V1h)\ V2t)))))) \quad (36)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0h1 \in A_{.27a}.(\forall V1t1 \in (ty\_2Ellist\_2Ellist\ A_{.27a}).(\forall V2h2 \in A_{.27a}.(\forall V3t2 \in (ty\_2Ellist\_2Ellist\ A_{.27a}).(((ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{.27a})\ V0h1)\ V1t1) = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{.27a})\ V2h2)\ V3t2)) \Leftrightarrow ((V0h1 = V2h2) \wedge (V1t1 = V3t2)))))) \quad (37)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0ll1 \in (ty\_2Ellist\_2Ellist\ A_{.27a}).(\forall V1ll2 \in (ty\_2Ellist\_2Ellist\ A_{.27a}).((V0ll1 = V1ll2) \Leftrightarrow (\exists V2R \in ((2^{(ty\_2Ellist\_2Ellist\ A_{.27a})})^{(ty\_2Ellist\_2Ellist\ A_{.27a})}).((p\ (ap\ (ap\ V2R\ V0ll1)\ V1ll2)) \wedge (\forall V3ll3 \in (ty\_2Ellist\_2Ellist\ A_{.27a}).(\forall V4ll4 \in (ty\_2Ellist\_2Ellist\ A_{.27a}).((p\ (ap\ (ap\ V2R\ V3ll3)\ V4ll4)) \Rightarrow ((V3ll3 = V4ll4) \vee (\exists V5h \in A_{.27a}.(\exists V6t1 \in (ty\_2Ellist\_2Ellist\ A_{.27a}).(\exists V7t2 \in (ty\_2Ellist\_2Ellist\ A_{.27a}).((V3ll3 = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{.27a})\ V5h)\ V6t1)) \wedge ((V4ll4 = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A_{.27a})\ V5h)\ V7t2)) \wedge (p\ (ap\ (ap\ V2R\ V6t1)\ V7t2)))))))))))))) \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0x \in (ty\_2Ellist\_2Ellist \\ & A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELAPPEND\ A\_27a)\ (c\_2Ellist\_2ELNIL \\ & A\_27a))\ V0x) = V0x)) \wedge (\forall V1h \in A\_27a.(\forall V2t \in (ty\_2Ellist\_2Ellist \\ & A\_27a).(\forall V3x \in (ty\_2Ellist\_2Ellist\ A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELAPPEND \\ & A\_27a)\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ V2t))\ V3x) = (ap\ (ap \\ & (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ (ap\ (ap\ (c\_2Ellist\_2ELAPPEND\ A\_27a) \\ & V2t)\ V3x))))))))) \end{aligned} \quad (39)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (44)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\ & ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge ( \\
& \neg(p V1q)) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (48)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q)) \vee \neg(p V0p)))))) \quad (49)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0ll1 \in (ty\_2Ellist\_2Ellist \\
& A_{27a}). (\forall V1ll2 \in (ty\_2Ellist\_2Ellist A_{27a}). (\forall V2ll3 \in \\
& (ty\_2Ellist\_2Ellist A_{27a}). ((ap (ap (c\_2Ellist\_2ELAPPEND A_{27a}) \\
& (ap (ap (c\_2Ellist\_2ELAPPEND A_{27a}) V0ll1) V1ll2)) V2ll3) = (ap \\
& (ap (c\_2Ellist\_2ELAPPEND A_{27a}) V0ll1) (ap (ap (c\_2Ellist\_2ELAPPEND \\
& A_{27a}) V1ll2) V2ll3))))))
\end{aligned}$$