

thm\_2Ellist\_2ELAPPEND\_\_NIL\_\_2ND  
(TMF2XvbHcBUTEdwWKmVzXQjtrNehUVpiN5y)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{2}$$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 10** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (6)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

**Definition 12** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 13** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (8)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (9)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (10)$$

**Definition 14** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (11)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (12)$$

**Definition 15** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption$

**Definition 16** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 17** We define  $c\_Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2E$

**Definition 18** We define  $c\_Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 19** We define  $c\_Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS$

**Definition 20** We define  $c\_Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (c$

**Definition 21** We define  $c\_Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 22** We define  $c\_Ellist\_2Elrep\_ok$  to be  $\lambda A\_27a : \iota. (\lambda V0a0 \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{ty$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ellist\_2Ellist\ A0) \quad (13)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist\ A\_27a)} \quad (14)$$

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs\ A\_27a \in ((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum}}) \quad (15)$$

**Definition 23** We define  $c\_Ellist\_2ELHD$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist\ A\_27a). (ap\ (ap\ (c\_2$

Let  $c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Eoption\_2Eoption\_CASE\ A\_27a\ A\_27b \in (((A\_27b^{(A\_27b^{A\_27a})})^{A\_27b})^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (16)$$

**Definition 24** We define  $c\_Ellist\_2ELTL$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist\ A\_27a). (ap\ (ap\ (ap\ (c$

**Definition 25** We define  $c\_Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota. \lambda V0h \in A\_27a. \lambda V1t \in (ty\_2Ellist\_2Ellist\ A$

**Definition 26** We define  $c\_Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Ellist\_2Ellist\_abs\ A\_27a)\ (\lambda V0n \in ty$

Let  $c\_2Ellist\_2ELAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ellist\_2ELAPPEND\ A\_27a \in (((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Ellist\_2Ellist\ A\_27a)})^{(ty\_2Ellist\_2Ellist\ A\_27a)}) \quad (17)$$

Let  $c\_2Eoption\_2ETHE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Eoption\_2ETHE\ A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg (p V0A)) \vee (p V1B)))))) \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (29)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow 2.(((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (30)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1y \in 2.(\forall V2z \in 2.(\forall V3w \in 2.(((p V0x) \Rightarrow (p V1y)) \wedge ((p V2z) \Rightarrow (p V3w))) \Rightarrow (((p V0x) \wedge (p V2z)) \Rightarrow ((p V1y) \wedge (p V3w)))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1y \in 2.(\forall V2z \in 2.(\forall V3w \in 2.(((p V0x) \Rightarrow (p V1y)) \wedge ((p V2z) \Rightarrow (p V3w))) \Rightarrow (((p V0x) \vee (p V2z)) \Rightarrow ((p V1y) \vee (p V3w)))))) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1Q \in (2^{A_{.27a}}).((\forall V2x \in A_{.27a}.((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ (ap\ V1Q\ V2x)))) \Rightarrow ((\exists V3x \in A_{.27a}.(p\ (ap\ V0P\ V3x))) \Rightarrow (\exists V4x \in A_{.27a}.(p\ (ap\ V1Q\ V4x)))))) \quad (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0f \in (2^{A_{.27a}}).(\forall V1v \in A_{.27a}.((\forall V2x \in A_{.27a}.((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ (ap\ V0f\ V1v)))) \quad (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0a \in (ty_{.2Ellist_{.2Ellist}}\ A_{.27a}).((ap\ (c_{.2Ellist_{.2Ellist\_abs}}\ A_{.27a})\ (ap\ (c_{.2Ellist_{.2Ellist\_rep}}\ A_{.27a})\ V0a)) = V0a)) \wedge (\forall V1r \in ((ty_{.2Eoption_{.2Eoption}}\ A_{.27a})^{ty_{.2Enum_{.2Enum}}}).((p\ (ap\ (c_{.2Ellist_{.2Elrep\_ok}}\ A_{.27a})\ V1r)) \Leftrightarrow ((ap\ (c_{.2Ellist_{.2Ellist\_rep}}\ A_{.27a})\ (ap\ (c_{.2Ellist_{.2Ellist\_abs}}\ A_{.27a})\ V1r)) = V1r)))) \quad (35)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0h \in A_{.27a}.(\forall V1t \in (ty_{.2Ellist_{.2Ellist}}\ A_{.27a}).(((ap\ (c_{.2Ellist_{.2ELHD}}\ A_{.27a})\ (ap\ (ap\ (c_{.2Ellist_{.2ELCONS}}\ A_{.27a})\ V0h)\ V1t)) = (ap\ (c_{.2Eoption_{.2ESOME}}\ A_{.27a})\ V0h)) \wedge ((ap\ (c_{.2Ellist_{.2ELTL}}\ A_{.27a})\ (ap\ (ap\ (c_{.2Ellist_{.2ELCONS}}\ A_{.27a})\ V0h)\ V1t)) = (ap\ (c_{.2Eoption_{.2ESOME}}\ (ty_{.2Ellist_{.2Ellist}}\ A_{.27a})\ V1t)))))) \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0l \in (ty\_2Ellist\_2Ellist \\ & A\_27a).((V0l = (c\_2Ellist\_2ELNIL\ A\_27a)) \vee (\exists V1h \in A\_27a. \\ & (\exists V2t \in (ty\_2Ellist\_2Ellist\ A\_27a).(V0l = (ap\ (ap\ (c\_2Ellist\_2ELCONS \\ & A\_27a)\ V1h)\ V2t))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0h \in A\_27a.(\forall V1t \in \\ & (ty\_2Ellist\_2Ellist\ A\_27a).((\neg((ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a) \\ & V0h)\ V1t) = (c\_2Ellist\_2ELNIL\ A\_27a))) \wedge (\neg((c\_2Ellist\_2ELNIL \\ & A\_27a) = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V0h)\ V1t)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0l1 \in (ty\_2Ellist\_2Ellist \\ & A\_27a).(\forall V1l2 \in (ty\_2Ellist\_2Ellist\ A\_27a).((V0l1 = \\ & V1l2) \Leftrightarrow (\exists V2R \in ((2^{(ty\_2Ellist\_2Ellist\ A\_27a)})(ty\_2Ellist\_2Ellist\ A\_27a)). \\ & ((p\ (ap\ (ap\ V2R\ V0l1)\ V1l2)) \wedge (\forall V3l3 \in (ty\_2Ellist\_2Ellist \\ & A\_27a).(\forall V4l4 \in (ty\_2Ellist\_2Ellist\ A\_27a).((p\ (ap\ (ap \\ & V2R\ V3l3)\ V4l4)) \Rightarrow (((V3l3 = (c\_2Ellist\_2ELNIL\ A\_27a)) \wedge (V4l4 = \\ & (c\_2Ellist\_2ELNIL\ A\_27a))) \vee (((ap\ (c\_2Ellist\_2ELHD\ A\_27a)\ V3l3) = \\ & (ap\ (c\_2Ellist\_2ELHD\ A\_27a)\ V4l4)) \wedge (p\ (ap\ (ap\ V2R\ (ap\ (c\_2Eoption\_2ETHE \\ & (ty\_2Ellist\_2Ellist\ A\_27a))\ (ap\ (c\_2Ellist\_2ELTL\ A\_27a)\ V3l3)))) \\ & (ap\ (c\_2Eoption\_2ETHE\ (ty\_2Ellist\_2Ellist\ A\_27a))\ (ap\ (c\_2Ellist\_2ELTL \\ & A\_27a)\ V4l4)))))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & ((\forall V0x \in (ty\_2Ellist\_2Ellist \\ & A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELAPPEND\ A\_27a)\ (c\_2Ellist\_2ELNIL \\ & A\_27a))\ V0x) = V0x)) \wedge (\forall V1h \in A\_27a.(\forall V2t \in (ty\_2Ellist\_2Ellist \\ & A\_27a).(\forall V3x \in (ty\_2Ellist\_2Ellist\ A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELAPPEND \\ & A\_27a)\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ V2t))\ V3x) = (ap\ (ap \\ & (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ (ap\ (ap\ (c\_2Ellist\_2ELAPPEND\ A\_27a) \\ & V2t)\ V3x)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0l1 \in (ty\_2Ellist\_2Ellist \\ & A\_27a).(\forall V1l2 \in (ty\_2Ellist\_2Ellist\ A\_27a).(((ap\ (ap\ ( \\ & c\_2Ellist\_2ELAPPEND\ A\_27a)\ V0l1)\ V1l2) = (c\_2Ellist\_2ELNIL\ A\_27a)) \Leftrightarrow \\ & ((V0l1 = (c\_2Ellist\_2ELNIL\ A\_27a)) \wedge (V1l2 = (c\_2Ellist\_2ELNIL \\ & A\_27a)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0v \in A\_27b. (\forall V1f \in (A\_27b^{A\_27a}). ((ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE \\
& A\_27a\ A\_27b)\ (c\_2Eoption\_2ENONE\ A\_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\
& A\_27a. (\forall V3v \in A\_27b. (\forall V4f \in (A\_27b^{A\_27a}). ((ap\ (ap \\
& (ap\ (c\_2Eoption\_2Eoption\_CASE\ A\_27a\ A\_27b)\ (ap\ (c\_2Eoption\_2ESOME \\
& A\_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& A\_27a. (((ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0x) = (ap\ (c\_2Eoption\_2ESOME \\
& A\_27a)\ V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap\ (c\_2Eoption\_2ETHE \\
& A\_27a)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0x)) = V0x))
\end{aligned} \tag{44}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0ll \in (ty\_2Ellist\_2Ellist \\
& A\_27a). ((ap\ (ap\ (c\_2Ellist\_2ELAPPEND\ A\_27a)\ V0ll)\ (c\_2Ellist\_2ELNIL \\
& A\_27a)) = V0ll))
\end{aligned}$$