

thm_2Ellist_2ELCONS_11

(TMN8P6pnYf6thBTDzc7gkqUrS53e4qWnZE7)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1t \in 2.V1t)) P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (1)$$

Definition 5 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 6 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40\ ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (V0t1 = V1t2))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (2)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (3)$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS A_27a) V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (4)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (5)$$

Definition 11 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) A_27a)$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (V1t2))))$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40)))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (6)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (8)$$

Definition 14 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 15 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \quad (10)$$

Definition 16 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 17 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B n))$

Definition 18 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 19 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS A_27a) (V0e))$

Definition 20 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption A_27a) (V0x))$

Definition 21 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (V1t1 = V2t2)))$

Definition 22 We define $c_2Ellist_2Elrep_ok$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in ((ty_2Eoption_2Eoption A_27a)^{ty_2Eoption_2Eoption}))$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \quad (13)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2Ellist_rep A_27a \in \\ & (((ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum})^{ty_2Ellist_2Ellist A_27a}) \end{aligned} \quad (14)$$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in \\ & ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \end{aligned} \quad (15)$$

Definition 23 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist A_27a). (ap (c_2Ellist_2Ellist_abs A_27a) (V0h))$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (((ap (ap c_2Earithmetic_2E_2D c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge ((ap (ap c_2Earithmetic_2E_2D V0m) c_2Enum_2E0) = V0m))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2D (ap c_2Enum_2ESUC V0m)) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m))) \end{aligned} \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (22)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27b^{A_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a.((ap V0f V2x) = (ap V1g V2x))))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \Rightarrow (p V1t2)) \wedge ((p V1t2) \Rightarrow (p V0t1))))) \quad (28)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_{_27a}. nonempty A_{_27a} \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_{_27a}. (\forall V3x_{_27} \in A_{_27a}. (\forall V4y \in A_{_27a}. \\ & (\forall V5y_{_27} \in A_{_27a}. (((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{_27})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{_27})))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_{_27a}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_{_27a}) V1Q) V3x_{_27}) \\ & V5y_{_27}))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in \\ & 2. (((p V0x) \Rightarrow (p V1y)) \wedge ((p V2z) \Rightarrow (p V3w))) \Rightarrow (((p V0x) \wedge (p V2z)) \Rightarrow \\ & ((p V1y) \wedge (p V3w))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in \\ & 2. (((p V0x) \Rightarrow (p V1y)) \wedge ((p V2z) \Rightarrow (p V3w))) \Rightarrow (((p V0x) \vee (p V2z)) \Rightarrow \\ & ((p V1y) \vee (p V3w))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A_{_27a}. nonempty A_{_27a} \Rightarrow (\forall V0P \in (2^{A_{_27a}}). (\forall V1Q \in \\ & (2^{A_{_27a}}). ((\forall V2x \in A_{_27a}. ((p (ap V0P V2x)) \Rightarrow (p (ap V1Q V2x)))) \Rightarrow \\ & ((\exists V3x \in A_{_27a}. (p (ap V0P V3x)) \Rightarrow (\exists V4x \in A_{_27a}. (p (\\ & ap V1Q V4x))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A_{_27a}. nonempty A_{_27a} \Rightarrow ((\forall V0t1 \in A_{_27a}. (\forall V1t2 \in \\ & A_{_27a}. ((ap (ap (ap (c_2Ebool_2ECOND A_{_27a}) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{_27a}. (\forall V3t2 \in A_{_27a}. ((ap \\ & (ap (ap (c_2Ebool_2ECOND A_{_27a}) c_2Ebool_2EF) V2t1) V3t2) = V3t2)))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & \forall A_{_27a}. nonempty A_{_27a} \Rightarrow ((\forall V0a \in (ty_2Ellist_2Ellist \\ & A_{_27a}). ((ap (c_2Ellist_2Ellist_abs A_{_27a}) (ap (c_2Ellist_2Ellist_rep \\ & A_{_27a}) V0a)) = V0a)) \wedge (\forall V1r \in ((ty_2Eoption_2Eoption A_{_27a})^{ty_2Enum_2Enum}). \\ & ((p (ap (c_2Ellist_2Ellist_ok A_{_27a}) V1r)) \Leftrightarrow ((ap (c_2Ellist_2Ellist_rep \\ & A_{_27a}) (ap (c_2Ellist_2Ellist_abs A_{_27a}) V1r)) = V1r)))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg((ap c_2Enum_2ESUC V0n) = c_2Enum_2E0))) \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_{\cdot 27a}. nonempty\ A_{\cdot 27a} \Rightarrow & (\forall V0x \in A_{\cdot 27a}. (\forall V1y \in \\ A_{\cdot 27a}. (((ap\ (c_{\cdot 2Eoption_2ESOME}\ A_{\cdot 27a})\ V0x) = (ap\ (c_{\cdot 2Eoption_2ESOME}\ \\ A_{\cdot 27a})\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (37)$$

Theorem 1

$$\begin{aligned} \forall A_{\cdot 27a}. nonempty\ A_{\cdot 27a} \Rightarrow & (\forall V0h1 \in A_{\cdot 27a}. (\forall V1t1 \in \\ (ty_{\cdot 2Ellist_2Ellist}\ A_{\cdot 27a}). (\forall V2h2 \in A_{\cdot 27a}. (\forall V3t2 \in \\ (ty_{\cdot 2Ellist_2Ellist}\ A_{\cdot 27a}). (((ap\ (ap\ (c_{\cdot 2Ellist_2ELCONS}\ A_{\cdot 27a})\ \\ V0h1)\ V1t1) = (ap\ (ap\ (c_{\cdot 2Ellist_2ELCONS}\ A_{\cdot 27a})\ V2h2)\ V3t2)) \Leftrightarrow ((\\ V0h1 = V2h2) \wedge (V1t1 = V3t2))))))) \end{aligned}$$