

thm_2Ellist_2ELDROP__ADD
(TMcTnU643x4BvMvymZdSfH5jrFTwZgs6neZ)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (7)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (8)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in \\ (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (9)$$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in \\ ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (10)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (11)$$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (12)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in \\ ((ty_2Esum_2Esum\ A_27a\ A_27b)^{(((2^{A_27b})^{A_27a})^2)}) \quad (13)$$

Definition 11 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in \\ ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (14)$$

Definition 12 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_2ESOME A_27a) V0x)$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. P x) \mathbf{then} (the (\lambda x. x \in A) P)$ of type $\iota \Rightarrow \iota$.

Definition 14 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. V0x))$

Definition 15 We define $c_2Ebool_2E_21$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2. V0t))$.

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21) V0t))$

Definition 17 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS A_27a A_27b) V0e)$

Definition 18 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_2ENONE A_27a) (the (\lambda x. x \in A) P))$

Definition 19 We define $c_2Ellist_2ELHD$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (c_2Ellist_2ELHD A_27a) V0ll))$

Let $c_2Eoption_2Eoption_2CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Eoption_2Eoption_2CASE \\ A_27a A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption A_27a)}) \end{aligned} \quad (15)$$

Definition 20 We define $c_2Ellist_2ELTL$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (ap (c_2Ellist_2ELTL A_27a) V0ll)))$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow c_2Earithmetic_2EFUNPOW A_27a \in \\ (((A_27a^{A_27a})^{ty_2Enum_2Enum})^{(A_27a^{A_27a})}) \end{aligned} \quad (16)$$

Let $c_2Ellist_2ELDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2ELDROP A_27a \in (((ty_2Eoption_2Eoption \\ (ty_2Ellist_2Ellist A_27a))^{(ty_2Ellist_2Ellist A_27a)})^{ty_2Enum_2Enum}) \end{aligned} \quad (17)$$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40 A_27a) V0P)))$

Definition 22 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. V2t)) V1t2) V0t1))$

Let $c_2Eoption_2EOPTION_2BIND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Eoption_2EOPTION_2BIND \\ A_27a A_27b \in (((ty_2Eoption_2Eoption A_27a)^{(ty_2Eoption_2Eoption A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption A_27b)}) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A_27a. nonempty A_27a \Rightarrow ((\forall V0f \in (A_27a^{A_27a}). (\forall V1x \in \\ A_27a. ((ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) V0f) c_2Enum_2E0) \\ V1x) = V1x))) \wedge (\forall V2f \in (A_27a^{A_27a}). (\forall V3n \in ty_2Enum_2Enum. \\ (\forall V4x \in A_27a. ((ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) \\ V2f) (ap c_2Enum_2ESUC V3n)) V4x) = (ap (ap (ap (c_2Earithmetic_2EFUNPOW \\ A_27a) V2f) V3n) (ap V2f V4x)))))))))) \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B V1n) V0m)))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0f \in (A_27a^{A_27a}). (\forall V1x \in A_27a. (\forall V2m \in ty_2Enum_2Enum. (\forall V3n \in ty_2Enum_2Enum. ((ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) V0f) (ap (ap c_2Earithmetic_2E_2B V2m) V3n)) V1x) = (ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) V0f) V2m) (ap (ap (ap (c_2Earithmetic_2EFUNPOW A_27a) V0f) V3n) V1x)))))))))) \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\forall V1ll \in (ty_2Ellist_2Ellist A_27a). ((ap (ap (c_2Ellist_2ELDROP A_27a) V0n) V1ll) = (ap (ap (ap (c_2Earithmetic_2EFUNPOW (ty_2Eoption_2Eoption (ty_2Ellist_2Ellist A_27a)) (\lambda V2m \in (ty_2Eoption_2Eoption (ty_2Ellist_2Ellist A_27a)). (ap (ap (c_2Eoption_2EOPTION_BIND (ty_2Ellist_2Ellist A_27a) (ty_2Ellist_2Ellist A_27a)) V2m) (c_2Ellist_2ELTL A_27a)))) V0n) (ap (c_2Eoption_2ESOME (ty_2Ellist_2Ellist A_27a) V1ll)))))) \quad (24)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (((p (ap V0P c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p (ap V0P V2n)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption A_27a). ((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a. (V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x)))))) \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0v \in A_27b. (\forall V1f \in (A_27b^{A_27a}). ((ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\
& \quad A_27a\ A_27b)\ (c_2Eoption_2ENONE\ A_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\
& \quad A_27a. (\forall V3v \in A_27b. (\forall V4f \in (A_27b^{A_27a}). ((ap\ (ap \\
& \quad (ap\ (c_2Eoption_2Eoption_CASE\ A_27a\ A_27b)\ (ap\ (c_2Eoption_2ESOME \\
& \quad \quad A_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0f \in ((ty_2Eoption_2Eoption\ A_27a)^{A_27b}). ((ap\ (ap\ (\\
& \quad c_2Eoption_2EOPTION_BIND\ A_27a\ A_27b)\ (c_2Eoption_2ENONE\ A_27b)) \\
& \quad V0f) = (c_2Eoption_2ENONE\ A_27a))) \wedge (\forall V1x \in A_27b. (\forall V2f \in \\
& \quad ((ty_2Eoption_2Eoption\ A_27a)^{A_27b}). ((ap\ (ap\ (c_2Eoption_2EOPTION_BIND \\
& \quad \quad A_27a\ A_27b)\ (ap\ (c_2Eoption_2ESOME\ A_27b)\ V1x))\ V2f) = (ap\ V2f\ V1x))))))
\end{aligned} \tag{28}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0k1 \in ty_2Enum_2Enum. \\
& (\forall V1k2 \in ty_2Enum_2Enum. (\forall V2x \in (ty_2Ellist_2Ellist \\
& \quad A_27a). ((ap\ (ap\ (c_2Ellist_2ELDROPE\ A_27a)\ (ap\ (ap\ c_2Earithmetic_2E_2B \\
& \quad V0k1)\ V1k2))\ V2x) = (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE\ (ty_2Ellist_2Ellist \\
& \quad \quad A_27a)\ (ty_2Eoption_2Eoption\ (ty_2Ellist_2Ellist\ A_27a)))\ (\\
& \quad \quad ap\ (ap\ (c_2Ellist_2ELDROPE\ A_27a)\ V0k1)\ V2x))\ (c_2Eoption_2ENONE \\
& \quad \quad (ty_2Ellist_2Ellist\ A_27a)))\ (\lambda V3ll \in (ty_2Ellist_2Ellist \\
& \quad \quad A_27a). (ap\ (ap\ (c_2Ellist_2ELDROPE\ A_27a)\ V1k2)\ V3ll))))))
\end{aligned}$$