

thm_2Ellist_2ELDROP__FUNPOW
(TMZSa4EmLUVvjC9tdQnavc1mZWAKSzEDhaa)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A._27a.nonempty\ A._27a \Rightarrow c_2Earithmetic_2EFUNPOW\ A._27a \in ((A._27a^{A._27a})^{ty_2Enum_2Enum})^{(A._27a^{A._27a})} \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A._27a : \iota.(\lambda V0P \in (2^{A._27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A._27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))\ P))$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (15)$$

Definition 12 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ x)$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P\ x) \text{ then } (\lambda x. x \in A \wedge P\ x)$ of type $\iota \Rightarrow \iota$.

Definition 14 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone. x)$

Definition 15 We define $c_2Ebool_2E_2$ to be $(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V0t \in 2. V0t)$.

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_2))$

Definition 17 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS\ A_27a\ A_27b)\ V0e)$

Definition 18 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ 0)$

Definition 19 We define $c_2Ellist_2ELHD$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ V0ll))$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE\ A_27a\ A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (16)$$

Definition 20 We define $c_2Ellist_2ELTL$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE\ A_27a\ A_27a)\ V0ll)\ V0ll))$

Let $c_2Ellist_2ELDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELDROP\ A_27a \in (((ty_2Eoption_2Eoption_CASE\ A_27a\ A_27a)^{(ty_2Ellist_2Ellist\ A_27a)})^{(ty_2Enum_2Enum)}) \quad (17)$$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ V0P)))$

Definition 22 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V1t2)\ V0t1))$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)})^{(A_27b^{A_27a})}) \quad (18)$$

Let $c_2Eoption_2EOPTION_JOIN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2EOPTION_JOIN\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Eoption_2Eoption\ (ty_2Eoption_2Eoption\ A_27a))}) \quad (19)$$

Let $c_2Eoption_2EOPTION_BIND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_BIND \\ & A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption\ A_27a)}) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0f \in (A_27a^{A_27a}).(\forall V1x \in \\ & A_27a.((ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW\ A_27a)\ V0f)\ c_2Enum_2E0) \\ & V1x) = V1x))) \wedge (\forall V2f \in (A_27a^{A_27a}).(\forall V3n \in ty_2Enum_2Enum. \\ & (\forall V4x \in A_27a.((ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW\ A_27a) \\ & V2f)\ (ap\ c_2Enum_2ESUC\ V3n))\ V4x) = (ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW \\ & A_27a)\ V2f)\ V3n)\ (ap\ V2f\ V4x))))))))) \end{aligned} \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0ll \in (ty_2Ellist_2Ellist \\ & A_27a).((ap\ (ap\ (c_2Ellist_2ELDROP\ A_27a)\ c_2Enum_2E0)\ V0ll) = \\ & (ap\ (c_2Eoption_2ESOME\ (ty_2Ellist_2Ellist\ A_27a))\ V0ll))) \wedge \\ & (\forall V1n \in ty_2Enum_2Enum.(\forall V2ll \in (ty_2Ellist_2Ellist \\ & A_27a).((ap\ (ap\ (c_2Ellist_2ELDROP\ A_27a)\ (ap\ c_2Enum_2ESUC\ V1n)) \\ & V2ll) = (ap\ (c_2Eoption_2EOPTION_JOIN\ (ty_2Ellist_2Ellist\ A_27a)) \\ & (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Ellist_2Ellist\ A_27a) \\ & (ty_2Eoption_2Eoption\ (ty_2Ellist_2Ellist\ A_27a)))\ (ap\ (c_2Ellist_2ELDROP \\ & A_27a)\ V1n))\ (ap\ (c_2Ellist_2ELTL\ A_27a)\ V2ll))))))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge \\ & (\forall V1n \in ty_2Enum_2Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC \\ & V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p\ (ap\ V0P\ V2n)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\ A.27a).((V0opt = (c_2Eoption_2ENONE\ A.27a)) \vee (\exists V1x \in A.27a. \\ (V0opt = (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ A.27a.(((ap\ (c_2Eoption_2ESOME\ A.27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\ A.27a)\ V1y)) \Leftrightarrow (V0x = V1y)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ (\forall V0f \in (A.27b^{A.27a}).(\forall V1x \in A.27a.((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A.27a\ A.27b)\ V0f)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x)) = (ap\ (c_2Eoption_2ESOME \\ A.27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A.27b^{A.27a}).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A.27a\ A.27b)\ V2f)\ (c_2Eoption_2ENONE\ A.27a)) = (c_2Eoption_2ENONE \\ A.27b)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c_2Eoption_2EOPTION_JOIN \\ A.27a)\ (c_2Eoption_2ENONE\ (ty_2Eoption_2Eoption\ A.27a))) = (\\ c_2Eoption_2ENONE\ A.27a)) \wedge (\forall V0x \in (ty_2Eoption_2Eoption \\ A.27a).((ap\ (c_2Eoption_2EOPTION_JOIN\ A.27a)\ (ap\ (c_2Eoption_2ESOME \\ (ty_2Eoption_2Eoption\ A.27a)\ V0x)) = V0x)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ (\forall V0f \in ((ty_2Eoption_2Eoption\ A.27a)^{A.27b}).((ap\ (ap\ (\\ c_2Eoption_2EOPTION_BIND\ A.27a\ A.27b)\ (c_2Eoption_2ENONE\ A.27b)) \\ V0f) = (c_2Eoption_2ENONE\ A.27a))) \wedge (\forall V1x \in A.27b.(\forall V2f \in \\ ((ty_2Eoption_2Eoption\ A.27a)^{A.27b}).((ap\ (ap\ (c_2Eoption_2EOPTION_BIND \\ A.27a\ A.27b)\ (ap\ (c_2Eoption_2ESOME\ A.27b)\ V1x))\ V2f) = (ap\ V2f\ V1x)))))) \end{aligned} \quad (32)$$

Theorem 1

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\\ \forall V1ll \in (ty_2Ellist_2Ellist\ A.27a).((ap\ (ap\ (c_2Ellist_2ELDROP \\ A.27a)\ V0n)\ V1ll) = (ap\ (ap\ (ap\ (c_2Earithmetic_2EFUNPOW\ (ty_2Eoption_2Eoption \\ (ty_2Ellist_2Ellist\ A.27a)))\ (\lambda V2m \in (ty_2Eoption_2Eoption \\ (ty_2Ellist_2Ellist\ A.27a)).(ap\ (ap\ (c_2Eoption_2EOPTION_BIND \\ (ty_2Ellist_2Ellist\ A.27a)\ (ty_2Ellist_2Ellist\ A.27a))\ V2m) \\ (c_2Ellist_2ELTL\ A.27a))))))\ V0n)\ (ap\ (c_2Eoption_2ESOME\ (ty_2Ellist_2Ellist \\ A.27a)\ V1ll)))))) \end{aligned}$$