

thm\_2Ellist\_2ELDROP\_\_SUC  
(TMHwA61qpnwh7e5UyHJPrDrLjWeKJRMhgct)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

*nonempty* *ty\_2Enum\_2Enum* (1)

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (2)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^\omega) \quad (3)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (4)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap \ (ap \ (c\_2Emin\_2E\_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c_{\text{2Ebool\_2E\_21}}$  to be  $\lambda A.\lambda V0P : \iota.(\lambda V0P \in (2^{A \rightarrow 27a}).(ap\ (ap\ (c_{\text{2Emin\_2E\_3D}}\ (2^A \rightarrow 27a)\ V0) P) A))$

**Definition 4** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ ($

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

*nonempty* *ty\_2Eone\_2Eone* (5)

**Definition 5** We define  $c_2Emin_2E_3D_3D_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p\ P \Rightarrow_p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c\_2Ebool\_2E\_21 2))(\lambda V2t \in 2.$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A_0. nonempty\ A_0 \Rightarrow & \forall A_1. nonempty\ A_1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum \\ & A_0\ A_1) \end{aligned} \quad (6)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow & \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ & A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (7)$$

**Definition 7** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_0. nonempty\ A_0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A_0) \quad (8)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow & c\_2Eoption\_2Eoption\_ABS\ A\_27a \in \\ & ((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone}) \end{aligned} \quad (9)$$

**Definition 8** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 10** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 11** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic\_2E\_2B)\ n)$

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_0. nonempty\ A_0 \Rightarrow nonempty\ (ty\_2Ellist\_2Ellist\ A_0) \quad (12)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow & c\_2Ellist\_2Ellist\_rep\ A\_27a \in \\ & (((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})^{ty\_2Ellist\_2Ellist\ A\_27a}) \end{aligned} \quad (13)$$

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow & c\_2Ellist\_2Ellist\_abs\ A\_27a \in \\ & ((ty\_2Ellist\_2Ellist\ A\_27a)^{((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})}) \end{aligned} \quad (14)$$

**Definition 13** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge P x) \text{ else } \perp$

**Definition 14** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone)) (\lambda V0x \in ty\_2Eone\_2Eone. V0x)$

**Definition 15** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2)) (\lambda V0t \in 2. V0t)$ .

**Definition 16** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E))$

**Definition 17** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS A\_27a) (ap (c\_2Esum\_2EABS A\_27b) V0e))$

**Definition 18** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) \perp)$

**Definition 19** We define  $c\_2Ellist\_2ELHD$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist A\_27a). (ap (ap (c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota) V0ll))$

Let  $c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Eoption\_2Eoption\_CASE \\ & A\_27a A\_27b \in (((A\_27b^{(A\_27b^{A\_27a})^{A\_27a}})^{A\_27b})^{(ty\_2Eoption\_2Eoption A\_27a)}) \end{aligned} \quad (15)$$

**Definition 20** We define  $c\_2Ellist\_2ELTL$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist A\_27a). (ap (ap (c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota) V0ll))$

Let  $c\_2Eoption\_2EOPTION\_BIND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_BIND \\ A\_27a A\_27b \in (((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Eoption\_2Eoption A\_27a)^{A\_27b}})^{(ty\_2Eoption\_2Eoption A\_27b)^{A\_27a}}) \quad (16)$$

Let  $c\_2Earithmetic\_2EFUNPOW : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Earithmetic\_2EFUNPOW A\_27a \in \\ (((A\_27a^{A\_27a})^{ty\_2Enum\_2Enum})^{(A\_27a^{A\_27a})}) \quad (17)$$

Let  $c\_2Ellist\_2ELDROP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ellist\_2ELDROP A\_27a \in (((ty\_2Eoption\_2Eoption (ty\_2Ellist\_2Ellist A\_27a))^{(ty\_2Ellist\_2Ellist A\_27a)^{ty\_2Enum\_2Enum}})^{(ty\_2Enum\_2Enum)^{A\_27a}}) \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow & (\forall V0f \in (A\_27a^{A\_27a}). (\forall V1n \in \\ & ty\_2Enum\_2Enum. (\forall V2x \in A\_27a. ((ap (ap (ap (c\_2Earithmetic\_2EFUNPOW \\ & A\_27a) V0f) (ap c\_2Enum\_2ESUC V1n)) V2x) = (ap V0f (ap (ap (c\_2Earithmetic\_2EFUNPOW \\ & A\_27a) V0f) V1n) V2x))))))) \end{aligned} \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow \\ True)) \quad (21)$$

Assume the following.

$$\begin{aligned}
 & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in \text{ty\_2Enum\_2Enum}. \\
 & \quad \forall V1ll \in (\text{ty\_2Ellist\_2Ellist } A\_27a).((\text{ap } (\text{ap } (\text{c\_2Ellist\_2ELDROP } \\
 & \quad A\_27a) V0n) V1ll) = (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Earithmetic\_2EFUNPOW } (\text{ty\_2Eoption\_2Eoption } \\
 & \quad (ty\_2Ellist\_2Ellist A\_27a)).(\lambda V2m \in (\text{ty\_2Eoption\_2Eoption } \\
 & \quad (ty\_2Ellist\_2Ellist A\_27a)).(\text{ap } (\text{ap } (\text{c\_2Eoption\_2EOPTION\_BIND } \\
 & \quad (ty\_2Ellist\_2Ellist A\_27a) (ty\_2Ellist\_2Ellist A\_27a)) V2m) \\
 & \quad (\text{c\_2Ellist\_2ELTL } A\_27a)))) V0n) (\text{ap } (\text{c\_2Eoption\_2ESOME } (\text{ty\_2Ellist\_2Ellist } \\
 & \quad A\_27a)) V1ll)))))) \\
 & \end{aligned} \tag{22}$$

### Theorem 1

$$\begin{aligned}
 & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0n \in \text{ty\_2Enum\_2Enum}. \\
 & \quad \forall V1ls \in (\text{ty\_2Ellist\_2Ellist } A\_27a).((\text{ap } (\text{ap } (\text{c\_2Ellist\_2ELDROP } \\
 & \quad A\_27a) (\text{ap } \text{c\_2Enum\_2ESUC } V0n)) V1ls) = (\text{ap } (\text{ap } (\text{c\_2Eoption\_2EOPTION\_BIND } \\
 & \quad (ty\_2Ellist\_2Ellist A\_27a) (ty\_2Ellist\_2Ellist A\_27a)) (\text{ap } \\
 & \quad (\text{ap } (\text{c\_2Ellist\_2ELDROP } A\_27a) V0n) V1ls) (\text{c\_2Ellist\_2ELTL } A\_27a)))))) \\
 & \end{aligned}$$