

thm_2Ellist_2ELDROP__THM
 (TMJFGkXmptMhh-
 SkCrTH7XBhjzdNx97SbnA1)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 6 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 8 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B))$

Definition 9 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \quad (9)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_rep A_27a \in ((ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist A_27a)} \quad (10)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (11)$$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2)))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (12)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (13)$$

Definition 12 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum))$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{ty_2Esum_2Esum A_27a ty_2Eone_2Eone}) \quad (14)$$

Definition 13 We define `c_2Eoption_2ESOME` to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_...$

Definition 14 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 15 We define `c_2Ebool_2ECOND` to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap (c_2Ebool_2ECOND t1 t2) t2)))$

Let `c_2Ellist_2Ellist_abs` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (15)$$

Definition 16 We define `c_2Ellist_2ELCONS` to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist A_27a)$

Definition 17 We define `c_2Eone_2Eone` to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 18 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 19 We define `c_2Esum_2EINR` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS A_27a A_27b) e)$

Definition 20 We define `c_2Eoption_2ENONE` to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (c_2ENONE))$

Definition 21 We define `c_2Ellist_2ELNIL` to be $\lambda A_27a : \iota. (ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist_2Ellist A_27a))$

Definition 22 We define `c_2Ellist_2ELHD` to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (c_2Ellist_2Ellist_abs A_27a) ll))$

Let `c_2Eoption_2Eoption_CASE` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow c_2Eoption_2Eoption_CASE A_27a A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption A_27a)}) \quad (16)$$

Definition 23 We define `c_2Ellist_2ELTL` to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (ap (c_2Ellist_2Ellist_abs A_27a) ll) ll))$

Let `c_2Ellist_2ELDROP` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2Ellist_2ELDROP A_27a \in (((ty_2Eoption_2Eoption (ty_2Ellist_2Ellist A_27a))^{(ty_2Ellist_2Ellist A_27a)})^{ty_2Enum_2Enum}) \quad (17)$$

Let `c_2Eoption_2EOPTION_MAP` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow c_2Eoption_2EOPTION_MAP A_27a A_27b \in (((ty_2Eoption_2Eoption A_27b)^{(ty_2Eoption_2Eoption A_27a)})^{(A_27b^{A_27a})}) \quad (18)$$

Let `c_2Eoption_2EOPTION_JOIN` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2Eoption_2EOPTION_JOIN A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Eoption_2Eoption (ty_2Eoption_2Eoption A_27a))}) \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (22) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & ((ap\ (c_2Ellist_2ELTL\ A_27a)\ (c_2Ellist_2ELNIL\ A_27a)) = (c_2Eoption_2ENONE \\ & (ty_2Ellist_2Ellist\ A_27a))) \wedge (\forall V0h \in A_27b. (\forall V1t \in \\ & (ty_2Ellist_2Ellist\ A_27b). ((ap\ (c_2Ellist_2ELTL\ A_27b)\ (ap \\ & (ap\ (c_2Ellist_2ELCONS\ A_27b)\ V0h)\ V1t)) = (ap\ (c_2Eoption_2ESOME \\ & (ty_2Ellist_2Ellist\ A_27b))\ V1t)))))) \quad (24) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0ll \in (ty_2Ellist_2Ellist \\ & A_27a). ((ap\ (ap\ (c_2Ellist_2ELDROP\ A_27a)\ c_2Enum_2E0)\ V0ll) = \\ & (ap\ (c_2Eoption_2ESOME\ (ty_2Ellist_2Ellist\ A_27a))\ V0ll))) \wedge \\ & (\forall V1n \in ty_2Enum_2Enum. (\forall V2ll \in (ty_2Ellist_2Ellist \\ & A_27a). ((ap\ (ap\ (c_2Ellist_2ELDROP\ A_27a)\ (ap\ c_2Enum_2ESUC\ V1n)) \\ & V2ll) = (ap\ (c_2Eoption_2EOPTION_JOIN\ (ty_2Ellist_2Ellist\ A_27a)) \\ & (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Ellist_2Ellist\ A_27a) \\ & (ty_2Eoption_2Eoption\ (ty_2Ellist_2Ellist\ A_27a)))\ (ap\ (c_2Ellist_2ELDROP \\ & A_27a)\ V1n))\ (ap\ (c_2Ellist_2ELTL\ A_27a)\ V2ll)))))) \quad (25) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. (((ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x) = (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0f \in (A_27b^{A_27a}).(\forall V1x \in A_27a.((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ & A_27a\ A_27b)\ V0f)\ (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1x)) = (ap\ (c_2Eoption_2ESOME \\ & A_27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ & A_27a\ A_27b)\ V2f)\ (c_2Eoption_2ENONE\ A_27a)) = (c_2Eoption_2ENONE \\ & A_27b)))))) \end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Eoption_2EOPTION_JOIN \\ & A_27a)\ (c_2Eoption_2ENONE\ (ty_2Eoption_2Eoption\ A_27a))) = (\\ & c_2Eoption_2ENONE\ A_27a)) \wedge (\forall V0x \in (ty_2Eoption_2Eoption \\ & A_27a).((ap\ (c_2Eoption_2EOPTION_JOIN\ A_27a)\ (ap\ (c_2Eoption_2ESOME \\ & (ty_2Eoption_2Eoption\ A_27a))\ V0x)) = V0x))) \end{aligned} \tag{28}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow ((\forall V0ll \in (ty_2Ellist_2Ellist\ A_27a).(\\ & (ap\ (ap\ (c_2Ellist_2ELDROP\ A_27a)\ c_2Enum_2E0)\ V0ll) = (ap\ (c_2Eoption_2ESOME \\ & (ty_2Ellist_2Ellist\ A_27a))\ V0ll))) \wedge ((\forall V1n \in ty_2Enum_2Enum. \\ & ((ap\ (ap\ (c_2Ellist_2ELDROP\ A_27b)\ (ap\ c_2Enum_2ESUC\ V1n))\ (c_2Ellist_2ELNIL \\ & A_27b)) = (c_2Eoption_2ENONE\ (ty_2Ellist_2Ellist\ A_27b)))) \wedge \\ & (\forall V2n \in ty_2Enum_2Enum.(\forall V3h \in A_27c.(\forall V4t \in \\ & (ty_2Ellist_2Ellist\ A_27c).((ap\ (ap\ (c_2Ellist_2ELDROP\ A_27c) \\ & (ap\ c_2Enum_2ESUC\ V2n))\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27c)\ V3h) \\ & V4t)) = (ap\ (ap\ (c_2Ellist_2ELDROP\ A_27c)\ V2n)\ V4t)))))) \end{aligned}$$