

thm_2Ellist_2ELFINITE__LAPPEND__IMP__NIL (TMaBcbc4iari8tck1Rj6rHXUNffofG8Dpno)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_21` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a})) (\lambda V 1P \in (2^{A-27a}). V 1P)) (\lambda V 1Q \in (2^{A-27a}). V 1Q)))$

Definition 4 We define `c_2Ebool_2E_21` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2. V 0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V 0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 0t) (\text{c_2Ebool_2E_21 } V 0t)) (\lambda V 1t \in 2. V 1t)))$

Let `ty_2Ellist_2Ellist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty_2Ellist_2Ellist } A 0) \quad (1)$$

Let `c_2Ellist_2ELAPPEND` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c_2Ellist_2ELAPPEND } A. 27a \in (((\text{ty_2Ellist_2Ellist } A. 27a) (\text{ty_2Ellist_2Ellist } A. 27a)) (\text{ty_2Ellist_2Ellist } A. 27a)) \quad (2)$$

Let `c_2Enum_2EZERO__REP` : ι be given. Assume the following.

$$\text{c_2Enum_2EZERO_REP} \in \text{omega} \quad (3)$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \quad (4)$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$\text{c_2Enum_2EABS_num} \in (\text{ty_2Enum_2Enum}^{\text{omega}}) \quad (5)$$

Definition 7 We define `c_2Enum_2E0` to be $(\text{ap } (\text{c_2Enum_2EABS_num } (\text{c_2Enum_2EZERO_REP})) (\lambda V 0t \in \iota. V 0t))$

Definition 8 We define $c_Earithmetic_EZERO$ to be c_Enum_E0 .

Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \quad (6)$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Definition 9 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap\ c_Enum_EABS_num$

Let $c_Earithmetic_E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2B \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (8)$$

Definition 10 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap\ (ap\ c_Earithmetic$

Definition 11 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Let $c_Earithmetic_E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2D \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (9)$$

Let $ty_Eoption_Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_Eoption_Eoption\ A0) \quad (10)$$

Let $c_Ellist_Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Ellist_Ellist_rep\ A_27a \in \\ (((ty_Eoption_Eoption\ A_27a)^{ty_Enum_Enum})^{(ty_Ellist_Ellist\ A_27a)}) \quad (11)$$

Let $ty_Eone_Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_Eone_Eone \quad (12)$$

Definition 12 We define $c_Ebool_E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_Ebool_E_21\ 2)\ (\lambda V2t \in$

Let $ty_Esum_Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_Esum_Esum\ A0\ A1) \quad (13)$$

Let $c_Esum_EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Esum_EABS_sum\ A_27a\ A_27b \in ((ty_Esum_Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (14)$$

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (15)$$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS$

Definition 15 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (16)$$

Definition 17 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist A_27a)$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 19 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 20 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Definition 21 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eone_2Eone))$

Definition 22 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist_2Ellist A_27a))$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.(ap$

Definition 24 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in (ty_2Ellist_2Ellist A_27a).(ap (c_2Ellist_2Ellist A_27a) (c_2Emin_2E_40$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0h1 \in A_27a.(\forall V1t1 \in (ty_2Ellist_2Ellist A_27a).(\forall V2h2 \in A_27a.(\forall V3t2 \in (ty_2Ellist_2Ellist A_27a).(((ap (ap (c_2Ellist_2ELCONS A_27a) V0h1) V1t1) = (ap (ap (c_2Ellist_2ELCONS A_27a) V2h2) V3t2)) \Leftrightarrow ((V0h1 = V2h2) \wedge (V1t1 = V3t2)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow ((\forall V0x \in (ty_2Ellist_2Ellist A_27a).((ap (ap (c_2Ellist_2ELAPPEND A_27a) (c_2Ellist_2ELNIL A_27a)) V0x) = V0x)) \wedge (\forall V1h \in A_27a.(\forall V2t \in (ty_2Ellist_2Ellist A_27a).(\forall V3x \in (ty_2Ellist_2Ellist A_27a).(((ap (ap (c_2Ellist_2ELAPPEND A_27a) (ap (ap (c_2Ellist_2ELCONS A_27a) V1h) V2t)) V3x) = (ap (ap (c_2Ellist_2ELCONS A_27a) V1h) (ap (ap (c_2Ellist_2ELAPPEND A_27a) V2t) V3x)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0l1 \in (ty_2Ellist_2Ellist A_27a).(\forall V1l2 \in (ty_2Ellist_2Ellist A_27a).(((ap (ap (c_2Ellist_2ELAPPEND A_27a) V0l1) V1l2) = (c_2Ellist_2ELNIL A_27a)) \Leftrightarrow ((V0l1 = (c_2Ellist_2ELNIL A_27a)) \wedge (V1l2 = (c_2Ellist_2ELNIL A_27a)))))) \quad (27)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Ellist_2Ellist\ A.27a)}), \\
& \quad ((p\ (ap\ V0P\ (c_2Ellist_2ELNIL\ A.27a))) \wedge (\forall V1h \in A.27a. (\\
& \quad \forall V2t \in (ty_2Ellist_2Ellist\ A.27a). ((p\ (ap\ V0P\ V2t)) \Rightarrow (p\ (\\
& \quad ap\ V0P\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A.27a\ V1h)\ V2t)))))) \Rightarrow (\forall V3a0 \in \\
& \quad (ty_2Ellist_2Ellist\ A.27a). ((p\ (ap\ (c_2Ellist_2ELFINITE\ A.27a) \\
& \quad V3a0)) \Rightarrow (p\ (ap\ V0P\ V3a0))))))
\end{aligned} \tag{28}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty_2Ellist_2Ellist \\
& \quad A.27a). ((p\ (ap\ (c_2Ellist_2ELFINITE\ A.27a)\ V0l)) \Rightarrow (\forall V1l2 \in \\
& \quad (ty_2Ellist_2Ellist\ A.27a). (((ap\ (ap\ (c_2Ellist_2ELAPPEND\ A.27a) \\
& \quad V0l)\ V1l2) = V0l) \Rightarrow (V1l2 = (c_2Ellist_2ELNIL\ A.27a))))))
\end{aligned}$$