

# thm\_2Ellist\_2ELFINITE\_MAP (TMRc- SEkuKLTxpxCzGwNZgeGBaUFxzCPg83Y)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2T` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c_2Emin_2E_3D (2^{A\_27a}))$

**Definition 4** We define `c_2Ebool_2E_2F` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 6** We define `c_2Ebool_2E_3F` to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c_2Emin_2E_40 A\_27a P))$

**Definition 7** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

**Definition 9** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let `ty_2Ellist_2Ellist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Ellist\_2Ellist A0) \quad (1)$$

Let `c_2Ellist_2ELMAP` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Ellist\_2ELMAP A\_27a A\_27b \in (((ty\_2Ellist\_2Ellist A\_27b)^{(ty\_2Ellist\_2Ellist A\_27a)})^{(A\_27b^{A\_27a})}) \quad (2)$$

Let `c_2Enum_2EZERO_REP` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (3)$$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$nonempty (ty\_2Enum\_2Enum) \quad (4)$$

Let `c_2Enum_2EABS_num` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (5)$$

**Definition 10** We define  $c\_Enum\_2E0$  to be  $(ap\ c\_Enum\_2EABS\_num\ c\_Enum\_2EZERO\_REP)$ .

**Definition 11** We define  $c\_Earithmetic\_2EZERO$  to be  $c\_Enum\_2E0$ .

Let  $c\_Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

**Definition 12** We define  $c\_Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_Enum\_2EABS\_num$

Let  $c\_Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (8)$$

**Definition 13** We define  $c\_Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_Earithmetic$

**Definition 14** We define  $c\_Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (9)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (10)$$

Let  $c\_Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Ellist\_2Ellist\_rep\ A\_27a \in \\ (((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist\ A\_27a)}) \quad (11)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (12)$$

**Definition 15** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (13)$$

Let  $c\_Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (14)$$

**Definition 16** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (15)$$

**Definition 17** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap (c\_2Eoption\_2Eoption\_ABS$

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs A\_27a \in ((ty\_2Ellist\_2Ellist A\_27a)^{(ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum}}) \quad (16)$$

**Definition 19** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota.\lambda V0h \in A\_27a.\lambda V1t \in (ty\_2Ellist\_2Ellist A\_27a$

**Definition 20** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone$

**Definition 21** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS$

**Definition 22** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c$

**Definition 23** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota.(ap (c\_2Ellist\_2Ellist\_abs A\_27a) (\lambda V0n \in ty\_2Ellist\_2Ellist$

**Definition 24** We define  $c\_2Ellist\_2ELFINITE$  to be  $\lambda A\_27a : \iota.(\lambda V0a0 \in (ty\_2Ellist\_2Ellist A\_27a).(ap (c$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in 2.((\forall V2x \in A\_27a.((p (ap V0P V2x)) \Rightarrow (p V1Q))) \Leftrightarrow ((\exists V3x \in A\_27a.(p (ap V0P V3x)) \Rightarrow (p V1Q)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1a \in A\_27a.((\exists V2x \in A\_27a.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0l \in (ty\_2Ellist\_2Ellist \ A\_27a).((V0l = (c\_2Ellist\_2ELNIL \ A\_27a)) \vee (\exists V1h \in A\_27a.(\exists V2t \in (ty\_2Ellist\_2Ellist \ A\_27a).(V0l = (ap (ap (c\_2Ellist\_2ELCONS \ A\_27a) \ V1h) \ V2t)))))) \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0h \in A\_27a. (\forall V1t \in \\ (ty\_2Ellist\_2Ellist\ A\_27a). ((\neg (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a) \\ V0h)\ V1t) = (c\_2Ellist\_2ELNIL\ A\_27a)))) \wedge (\neg ((c\_2Ellist\_2ELNIL \\ A\_27a) = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V0h)\ V1t)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0h1 \in A\_27a. (\forall V1t1 \in \\ (ty\_2Ellist\_2Ellist\ A\_27a). (\forall V2h2 \in A\_27a. (\forall V3t2 \in \\ (ty\_2Ellist\_2Ellist\ A\_27a). ((ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a) \\ V0h1)\ V1t1) = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V2h2)\ V3t2))) \Leftrightarrow (( \\ V0h1 = V2h2) \wedge (V1t1 = V3t2)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ (\forall V0f \in (A\_27b^{A\_27a}). ((ap\ (ap\ (c\_2Ellist\_2ELMAP\ A\_27a\ A\_27b) \\ V0f)\ (c\_2Ellist\_2ELNIL\ A\_27a)) = (c\_2Ellist\_2ELNIL\ A\_27b))) \wedge \\ (\forall V1f \in (A\_27b^{A\_27a}). (\forall V2h \in A\_27a. (\forall V3t \in \\ (ty\_2Ellist\_2Ellist\ A\_27a). ((ap\ (ap\ (c\_2Ellist\_2ELMAP\ A\_27a \\ A\_27b)\ V1f)\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V2h)\ V3t)) = (ap\ (ap \\ (c\_2Ellist\_2ELCONS\ A\_27b)\ (ap\ V1f\ V2h))\ (ap\ (ap\ (c\_2Ellist\_2ELMAP \\ A\_27a\ A\_27b)\ V1f)\ V3t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ ((p\ (ap\ (c\_2Ellist\_2ELFINITE\ A\_27a)\ (c\_2Ellist\_2ELNIL\ A\_27a))) \Leftrightarrow \\ True) \wedge (\forall V0h \in A\_27b. (\forall V1t \in (ty\_2Ellist\_2Ellist \\ A\_27b). ((p\ (ap\ (c\_2Ellist\_2ELFINITE\ A\_27b)\ (ap\ (ap\ (c\_2Ellist\_2ELCONS \\ A\_27b)\ V0h)\ V1t))) \Leftrightarrow (p\ (ap\ (c\_2Ellist\_2ELFINITE\ A\_27b)\ V1t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Ellist\_2Ellist\ A\_27a)}). \\ (((p\ (ap\ V0P\ (c\_2Ellist\_2ELNIL\ A\_27a))) \wedge (\forall V1h \in A\_27a. ( \\ \forall V2t \in (ty\_2Ellist\_2Ellist\ A\_27a). ((p\ (ap\ V0P\ V2t)) \Rightarrow (p\ ( \\ ap\ V0P\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ V2t)))))) \Rightarrow (\forall V3a0 \in \\ (ty\_2Ellist\_2Ellist\ A\_27a). ((p\ (ap\ (c\_2Ellist\_2ELFINITE\ A\_27a) \\ V3a0)) \Rightarrow (p\ (ap\ V0P\ V3a0)))))) \end{aligned} \quad (35)$$

### Theorem 1

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in (A\_27b^{A\_27a}). (\forall V1ll \in (ty\_2Ellist\_2Ellist \\ A\_27a). ((p\ (ap\ (c\_2Ellist\_2ELFINITE\ A\_27b)\ (ap\ (ap\ (c\_2Ellist\_2ELMAP \\ A\_27a\ A\_27b)\ V0f)\ V1ll))) \Leftrightarrow (p\ (ap\ (c\_2Ellist\_2ELFINITE\ A\_27a)\ V1ll)))) \end{aligned}$$