

thm_2Ellist_2ELFLATTEN__THM
(TMSdBE3uAi9DxvvqYgN3swEMoKXw3j4Li64)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 11 We define c_Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_Esum_2EABS$
 Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (4)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (5)$$

Definition 12 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eone_2Eone))$
 Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (6)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 13 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 14 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Definition 15 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num c_2Enum_2ESUC_REP)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (11)$$

Definition 16 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B) c_2Enum_2E0)$

Definition 17 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (13)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in \\ (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (14)$$

Definition 18 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS$

Definition 19 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_$

Definition 20 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in \\ ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (15)$$

Definition 21 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist\ A$

Definition 22 We define $c_2Ellist_2ELHD$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a).(ap\ (ap\ (c_2$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE \\ A_27a\ A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (16)$$

Definition 23 We define $c_2Ellist_2ELTL$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a).(ap\ (ap\ (ap$

Definition 24 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n \in ty$

Definition 25 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Definition 26 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 27 We define $c_2Ellist_2Eexists$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\lambda V1a0 \in (ty_2Ellist_2Ellis$

Definition 28 We define $c_2Ellist_2Eevery$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1ll \in (ty_2Ellist_2Ellist\ A$

Let $c_2Ellist_2ELFLATTEN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELFLATTEN\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Ellist_2Ellist\ (ty_2Ellist_2Ellist\ A_27a))}) \quad (17)$$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a)^{(ty_2Eoption_2Eoption\ A_27a)} \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (23)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0t1 \in A.27a. (\forall V1t2 \in \\ A.27a. ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF) \\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ (\forall V2x \in A.27a. (\forall V3x.27 \in A.27a. (\forall V4y \in A.27a. \\ (\forall V5y.27 \in A.27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x.27)) \wedge \\ ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y.27)))) \Rightarrow ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a) \\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ V1Q)\ V3x.27) \\ V5y.27)))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0t1 \in A.27a. (\forall V1t2 \in \\ A.27a. ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1) \\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A.27a. (\forall V3t2 \in A.27a. ((ap \\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF)\ V2t1)\ V3t2) = V3t2)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ ((ap\ (c.2Ellist.2ELHD\ A.27a)\ (c.2Ellist.2ELNIL\ A.27a)) = (c.2Eoption.2ENONE \\ A.27a)) \wedge (\forall V0h \in A.27b. (\forall V1t \in (ty.2Ellist.2Ellist \\ A.27b). ((ap\ (c.2Ellist.2ELHD\ A.27b)\ (ap\ (ap\ (c.2Ellist.2ELCONS \\ A.27b)\ V0h)\ V1t)) = (ap\ (c.2Eoption.2ESOME\ A.27b)\ V0h)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ ((ap\ (c.2Ellist.2ELTL\ A.27a)\ (c.2Ellist.2ELNIL\ A.27a)) = (c.2Eoption.2ENONE \\ (ty.2Ellist.2Ellist\ A.27a))) \wedge (\forall V0h \in A.27b. (\forall V1t \in \\ (ty.2Ellist.2Ellist\ A.27b). ((ap\ (c.2Ellist.2ELTL\ A.27b)\ (ap \\ (ap\ (c.2Ellist.2ELCONS\ A.27b)\ V0h)\ V1t)) = (ap\ (c.2Eoption.2ESOME \\ (ty.2Ellist.2Ellist\ A.27b)\ V1t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0h \in A.27a. (\forall V1t \in \\ (ty.2Ellist.2Ellist\ A.27a). ((\neg((ap\ (ap\ (c.2Ellist.2ELCONS\ A.27a) \\ V0h)\ V1t) = (c.2Ellist.2ELNIL\ A.27a))) \wedge (\neg((c.2Ellist.2ELNIL \\ A.27a) = (ap\ (ap\ (c.2Ellist.2ELCONS\ A.27a)\ V0h)\ V1t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0h1 \in A.27a. (\forall V1t1 \in \\
& \quad (ty_2Ellist_2Ellist\ A.27a). (\forall V2h2 \in A.27a. (\forall V3t2 \in \\
& \quad (ty_2Ellist_2Ellist\ A.27a). ((ap\ (ap\ (c_2Ellist_2ELCONS\ A.27a) \\
& \quad V0h1)\ V1t1) = (ap\ (ap\ (c_2Ellist_2ELCONS\ A.27a)\ V2h2)\ V3t2))) \Leftrightarrow ((\\
& \quad V0h1 = V2h2) \wedge (V1t1 = V3t2))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1h \in \\
& \quad A.27a. (\forall V2t \in (ty_2Ellist_2Ellist\ A.27a). ((p\ (ap\ (ap\ (\\
& \quad c_2Ellist_2Eevery\ A.27a)\ V0P)\ (c_2Ellist_2ELNIL\ A.27a))) \Leftrightarrow True) \wedge \\
& \quad ((p\ (ap\ (ap\ (c_2Ellist_2Eevery\ A.27a)\ V0P)\ (ap\ (ap\ (c_2Ellist_2ELCONS \\
& \quad A.27a)\ V1h)\ V2t))) \Leftrightarrow ((p\ (ap\ V0P\ V1h)) \wedge (p\ (ap\ (ap\ (c_2Ellist_2Eevery \\
& \quad A.27a)\ V0P)\ V2t))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0ll \in (ty_2Ellist_2Ellist \\
& \quad (ty_2Ellist_2Ellist\ A.27a)). ((ap\ (c_2Ellist_2ELFLATTEN\ A.27a) \\
& \quad V0ll) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Ellist_2Ellist\ A.27a) \\
& \quad (ap\ (ap\ (c_2Ellist_2Eevery\ (ty_2Ellist_2Ellist\ A.27a))\ (ap\ (c_2Emin_2E_3D \\
& \quad (ty_2Ellist_2Ellist\ A.27a))\ (c_2Ellist_2ELNIL\ A.27a)))\ V0ll)) \\
& \quad (c_2Ellist_2ELNIL\ A.27a))\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Ellist_2Ellist \\
& \quad A.27a))\ (ap\ (ap\ (c_2Emin_2E_3D\ (ty_2Ellist_2Ellist\ A.27a))\ (ap \\
& \quad (c_2Eoption_2ETHE\ (ty_2Ellist_2Ellist\ A.27a))\ (ap\ (c_2Ellist_2ELHD \\
& \quad (ty_2Ellist_2Ellist\ A.27a))\ V0ll))))\ (c_2Ellist_2ELNIL\ A.27a))) \\
& \quad (ap\ (c_2Ellist_2ELFLATTEN\ A.27a)\ (ap\ (c_2Eoption_2ETHE\ (ty_2Ellist_2Ellist \\
& \quad (ty_2Ellist_2Ellist\ A.27a))))\ (ap\ (c_2Ellist_2ELTL\ (ty_2Ellist_2Ellist \\
& \quad A.27a))\ V0ll))))\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A.27a)\ (ap\ (c_2Eoption_2ETHE \\
& \quad A.27a)\ (ap\ (c_2Ellist_2ELHD\ A.27a)\ (ap\ (c_2Eoption_2ETHE\ (ty_2Ellist_2Ellist \\
& \quad A.27a))\ (ap\ (c_2Ellist_2ELHD\ (ty_2Ellist_2Ellist\ A.27a))\ V0ll)))) \\
& \quad (ap\ (c_2Ellist_2ELFLATTEN\ A.27a)\ (ap\ (ap\ (c_2Ellist_2ELCONS\ (\\
& \quad ty_2Ellist_2Ellist\ A.27a))\ (ap\ (c_2Eoption_2ETHE\ (ty_2Ellist_2Ellist \\
& \quad A.27a))\ (ap\ (c_2Ellist_2ELTL\ A.27a)\ (ap\ (c_2Eoption_2ETHE\ (ty_2Ellist_2Ellist \\
& \quad A.27a))\ (ap\ (c_2Ellist_2ELHD\ (ty_2Ellist_2Ellist\ A.27a))\ V0ll)))) \\
& \quad (ap\ (c_2Eoption_2ETHE\ (ty_2Ellist_2Ellist\ (ty_2Ellist_2Ellist \\
& \quad A.27a)))\ (ap\ (c_2Ellist_2ELTL\ (ty_2Ellist_2Ellist\ A.27a))\ V0ll))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. ((ap\ (c_2Eoption_2ETHE \\
& \quad A.27a)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V0x)) = V0x))
\end{aligned} \tag{38}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0t \in (ty_2Ellist_2Ellist \\ & (ty_2Ellist_2Ellist\ A_27c)).(((ap\ (c_2Ellist_2ELFLATTEN\ A_27a) \\ & (c_2Ellist_2ELNIL\ (ty_2Ellist_2Ellist\ A_27a))) = (c_2Ellist_2ELNIL \\ & A_27a)) \wedge ((\forall V1tl \in A_27b.((ap\ (c_2Ellist_2ELFLATTEN\ A_27c) \\ & (ap\ (ap\ (c_2Ellist_2ELCONS\ (ty_2Ellist_2Ellist\ A_27c))\ (c_2Ellist_2ELNIL \\ & A_27c))\ V0t)) = (ap\ (c_2Ellist_2ELFLATTEN\ A_27c)\ V0t))) \wedge (\forall V2h \in \\ & A_27d.(\forall V3t \in (ty_2Ellist_2Ellist\ A_27d).(\forall V4tl \in \\ & (ty_2Ellist_2Ellist\ (ty_2Ellist_2Ellist\ A_27d)).((ap\ (c_2Ellist_2ELFLATTEN \\ & A_27d)\ (ap\ (ap\ (c_2Ellist_2ELCONS\ (ty_2Ellist_2Ellist\ A_27d)) \\ & (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27d)\ V2h)\ V3t))\ V4tl)) = (ap\ (ap\ (c_2Ellist_2ELCONS \\ & A_27d)\ V2h)\ (ap\ (c_2Ellist_2ELFLATTEN\ A_27d)\ (ap\ (ap\ (c_2Ellist_2ELCONS \\ & (ty_2Ellist_2Ellist\ A_27d)\ V3t)\ V4tl))))))))))))) \end{aligned}$$