

thm_2Ellist_2ELGENLIST__SOME__compute
 (TMcCA6pZiJNSjUo6XejKUq7wEwSfCuwHyxd)

October 26, 2020

Let $c_2Enum_2ZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ZERO_REP \in \omega \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (2)$$

Let $c_2Enum_2ABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2ABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2ABS_num\ c_2Enum_2ZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda P \in (2^{A-27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ P))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2ABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 6 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT2 A_27a) A_27b) : \iota$

Definition 7 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 8 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1 A_27a) A_27b) : \iota$

Definition 9 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 10 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \quad (9)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_rep A_27a \in (((ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum})^{ty_2Ellist_2Ellist A_27a}) \quad (10)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (11)$$

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (12)$$

Let $c_2Esum_2EAbs_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EAbs_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b} \wedge 2^{A_27a})^2)}) \quad (13)$$

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EAbs A_27a A_27b) e)$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Eoption_2Eoption_ABS\ A_{27a} \in ((ty_2Eoption_2Eoption\ A_{27a})^{(ty_2Esum_2Esum\ A_{27a}\ ty_2Eone_2Eone)}) \quad (14)$$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_{27a} : \iota. \lambda V0x \in A_{27a}. (ap\ (c_2Eoption_2Eoption_ABS\ A_{27a})\ V0x))$

Definition 15 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2. V0t)))$.

Definition 16 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap\ P\ x)) \text{ then } (\lambda x. x \in A \wedge P\ x) \text{ else } c_2Eoption_2Eoption_ABS\ A_{27a}$.

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_{27a} : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_{27a}. (\lambda V2t2 \in A_{27a}. (ap\ (c_2Ebool_2EF\ V1t1) V2t2))))$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Ellist_2Ellist_abs\ A_{27a} \in ((ty_2Ellist_2Ellist\ A_{27a})^{(ty_2Eoption_2Eoption\ A_{27a})^{(ty_2Eenum_2Enum)}}) \quad (15)$$

Definition 18 We define $c_2Ellist_2ELCONS$ to be $\lambda A_{27a} : \iota. \lambda V0h \in A_{27a}. \lambda V1t \in (ty_2Ellist_2Ellist\ A_{27a}). (ap\ (c_2Ellist_2ELCONS\ A_{27a})\ V0h\ V1t))$

Definition 19 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone.\ V0x)))$

Definition 20 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E)))$

Definition 21 We define c_2Esum_2EINR to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0e \in A_{27b}. (ap\ (c_2Esum_2EABS\ A_{27a})\ V0e))$

Definition 22 We define $c_2Eoption_2ENONE$ to be $\lambda A_{27a} : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_{27a})\ (\lambda V0n \in ty_2Eoption_2Eoption\ A_{27a}. V0n)))$

Definition 23 We define $c_2Ellist_2ELNIL$ to be $\lambda A_{27a} : \iota. (ap\ (c_2Ellist_2Ellist_abs\ A_{27a})\ (\lambda V0n \in ty_2Ellist_2Ellist\ A_{27a}. V0n)))$

Let $c_2Ellist_2ELGENLIST : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Ellist_2ELGENLIST\ A_{27a} \in ((ty_2Ellist_2Ellist\ A_{27a})^{(ty_2Eoption_2Eoption\ ty_2Enum_2Enum)})(A_{27a}^{(ty_2Enum_2Enum)}) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0f \in ((A_{27a}^{(ty_2Enum_2Enum)})^{(ty_2Enum_2Enum)}). \\ & \quad (\forall V1g \in (A_{27a}^{(ty_2Enum_2Enum)}). ((\forall V2n \in ty_2Enum_2Enum. \\ & \quad ((ap\ V1g\ (ap\ c_2Enum_2ESUC\ V2n)) = (ap\ (ap\ V0f\ V2n)\ (ap\ c_2Enum_2ESUC\ V2n)))) \Leftrightarrow (\forall V3n \in ty_2Enum_2Enum. ((ap\ V1g\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V3n))) = (ap\ (ap\ V0f\ (ap\ (ap\ c_2Earithmetic_2E_2D\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V3n)))) \\ & \quad (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))) \\ & \quad (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V3n))))))) \wedge \\ & \quad (\forall V4n \in ty_2Enum_2Enum. ((ap\ V1g\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ V4n))) = (ap\ (ap\ V0f\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ V4n)))) (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ V4n))))))) \\ & \quad (ap\ c_2Earithmetic_2EBIT1\ V4n))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned}
 & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0f \in (A_{.27a}^{ty_{.2Eenum_{.2Eenum}}}). \\
 & (((ap (ap (c_2Ellist_2ELGENLIST A_{.27a}) V0f) (ap (c_2Eoption_2ESOME \\
 & \quad ty_{.2Eenum_{.2Eenum}}) c_2Enum_2E0)) = (c_2Ellist_2ELNIL A_{.27a})) \wedge \\
 & \quad (\forall V1n \in ty_{.2Eenum_{.2Eenum}}.((ap (ap (c_2Ellist_2ELGENLIST A_{.27a}) \\
 & \quad V0f) (ap (c_2Eoption_2ESOME ty_{.2Eenum_{.2Eenum}}) (ap c_2Enum_2ESUC \\
 & \quad V1n))) = (ap (ap (c_2Ellist_2ELCONS A_{.27a}) (ap V0f c_2Enum_2E0)) \\
 & \quad (ap (ap (c_2Ellist_2ELGENLIST A_{.27a}) (ap (ap (c_2Ecombin_2Eo ty_{.2Eenum_{.2Eenum}} \\
 & \quad A_{.27a} ty_{.2Eenum_{.2Eenum}}) V0f) c_2Enum_2ESUC)) (ap (c_2Eoption_2ESOME \\
 & \quad ty_{.2Eenum_{.2Eenum}}) V1n))))))) \\
 & \quad (18)
 \end{aligned}$$

Theorem 1

$$\begin{aligned}
 & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0f \in (A_{.27a}^{ty_{.2Eenum_{.2Eenum}}}). \\
 & (((ap (ap (c_2Ellist_2ELGENLIST A_{.27a}) V0f) (ap (c_2Eoption_2ESOME \\
 & \quad ty_{.2Eenum_{.2Eenum}}) c_2Enum_2E0)) = (c_2Ellist_2ELNIL A_{.27a})) \wedge \\
 & \quad (\forall V1n \in ty_{.2Eenum_{.2Eenum}}.((ap (ap (c_2Ellist_2ELGENLIST \\
 & \quad A_{.27a}) V0f) (ap (c_2Eoption_2ESOME ty_{.2Eenum_{.2Eenum}}) (ap c_2Earithmetic_2ENUMERAL \\
 & \quad (ap c_2Earithmetic_2EBIT1 V1n)))) = (ap (ap (c_2Ellist_2ELCONS \\
 & \quad A_{.27a}) (ap V0f c_2Enum_2E0)) (ap (ap (c_2Ellist_2ELGENLIST A_{.27a}) \\
 & \quad (ap (ap (c_2Ecombin_2Eo ty_{.2Eenum_{.2Eenum}} A_{.27a} ty_{.2Eenum_{.2Eenum}} \\
 & \quad V0f) c_2Enum_2ESUC)) (ap (c_2Eoption_2ESOME ty_{.2Eenum_{.2Eenum}}) \\
 & \quad (ap (ap c_2Earithmetic_2E_2D (ap c_2Earithmetic_2ENUMERAL (ap \\
 & \quad c_2Earithmetic_2EBIT1 V1n))) (ap c_2Earithmetic_2ENUMERAL (\\
 & \quad ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) \wedge (\forall V2n \in \\
 & \quad ty_{.2Eenum_{.2Eenum}}.((ap (ap (c_2Ellist_2ELGENLIST A_{.27a}) V0f) (ap \\
 & \quad (c_2Eoption_2ESOME ty_{.2Eenum_{.2Eenum}}) (ap c_2Earithmetic_2ENUMERAL \\
 & \quad (ap c_2Earithmetic_2EBIT2 V2n)))) = (ap (ap (c_2Ellist_2ELCONS \\
 & \quad A_{.27a}) (ap V0f c_2Enum_2E0)) (ap (ap (c_2Ellist_2ELGENLIST A_{.27a}) \\
 & \quad (ap (ap (c_2Ecombin_2Eo ty_{.2Eenum_{.2Eenum}} A_{.27a} ty_{.2Eenum_{.2Eenum}} \\
 & \quad V0f) c_2Enum_2ESUC)) (ap (c_2Eoption_2ESOME ty_{.2Eenum_{.2Eenum}}) \\
 & \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V2n)))))))))))
 \end{aligned}$$