

# thm\_2Ellist\_2ELHD\_\_LREPEAT (TMd- VAuC65bgfiWCvN6T8TAYhDrhFbHA8AKK)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2EBOUNDED$  to be  $(\lambda V0v \in 2.c\_2Ebool\_2ET)$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{5}$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 8** We define  $c\_2Earithmic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B) V0n)$

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

**Definition 11** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t)))$

**Definition 13** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x)) \text{ else } (V0)$  of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40) V0P)))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (8)$$

**Definition 15** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (9)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (10)$$

**Definition 16** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS\_sum) V0e)$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (11)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (12)$$

**Definition 17** We define  $c\_Eoption\_ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_Eoption\_Eoption\_ABS A\_27a) V0x)$

**Definition 18** We define  $c\_Ebool\_ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap (c\_Ebool\_Ebool\_ABS A\_27a) V2t2) V1t1) V0t))$

**Definition 19** We define  $c\_Eone\_Eone$  to be  $(ap (c\_Emin\_E40 ty\_Eone\_Eone) (\lambda V0x \in ty\_Eone\_Eone. V0x))$

**Definition 20** We define  $c\_Ebool\_E7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_Emin\_E3D\_3D\_3E V0t) c\_Ebool\_Ebool\_ABS A\_27a) V0t))$

**Definition 21** We define  $c\_Esum\_EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_Esum\_EABS A\_27a) V0e)$

**Definition 22** We define  $c\_Eoption\_ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_Eoption\_Eoption\_ABS A\_27a) (c\_Eoption\_ENONE A\_27a))$

**Definition 23** We define  $c\_Ellist\_Elrep\_ok$  to be  $\lambda A\_27a : \iota. (\lambda V0a0 \in ((ty\_Eoption\_Eoption A\_27a)^{ty\_Eoption\_Eoption A\_27a}))$

Let  $ty\_Ellist\_Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_Ellist\_Ellist A0) \quad (13)$$

Let  $c\_Ellist\_Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_Ellist\_Ellist\_abs A\_27a \in ((ty\_Ellist\_Ellist A\_27a)^{(ty\_Eoption\_Eoption A\_27a)^{ty\_Eenum\_Eenum}}) \quad (14)$$

Let  $c\_Ellist\_Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_Ellist\_Ellist\_rep A\_27a \in (((ty\_Eoption\_Eoption A\_27a)^{ty\_Eenum\_Eenum})^{(ty\_Ellist\_Ellist A\_27a)}) \quad (15)$$

**Definition 24** We define  $c\_Ellist\_ELHD$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_Ellist\_Ellist A\_27a). (ap (ap (c\_Ellist\_Ellist\_ABS A\_27a) V0ll))$

Let  $c\_Eoption\_Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_Eoption\_Eoption\_CASE A\_27a A\_27b \in (((A\_27b^{(A\_27b^{A\_27a})})^{A\_27b})^{(ty\_Eoption\_Eoption A\_27a)}) \quad (16)$$

**Definition 25** We define  $c\_Ellist\_ELTL$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_Ellist\_Ellist A\_27a). (ap (ap (ap (c\_Ellist\_Ellist\_ABS A\_27a) V0ll)))$

**Definition 26** We define  $c\_Ellist\_ELCONS$  to be  $\lambda A\_27a : \iota. \lambda V0h \in A\_27a. \lambda V1t \in (ty\_Ellist\_Ellist A\_27a). (ap (ap (c\_Ellist\_Ellist\_ABS A\_27a) V1t) V0h)$

Let  $ty\_Elist\_Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_Elist\_Elist A0) \quad (17)$$

Let  $c\_Elist\_ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_Elist\_ECONS A\_27a \in (((ty\_Elist\_Elist A\_27a)^{(ty\_Elist\_Elist A\_27a)})^{A\_27a}) \quad (18)$$



Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)) \end{aligned} \quad (32)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a. ((V0x = V0x) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A.27a. (\forall V3x.27 \in A.27a. (\forall V4y \in A.27a. \\ & (\forall V5y.27 \in A.27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x.27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y.27)))) \Rightarrow ((ap (ap (ap (c.2Ebool.2ECOND A.27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c.2Ebool.2ECOND A.27a) V1Q) V3x.27) \\ & V5y.27)))))) \end{aligned} \quad (37)$$

Assume the following.

$$2.(((p \ V0x) \Rightarrow (p \ V1y)) \wedge ((p \ V2z) \Rightarrow (p \ V3w))) \Rightarrow (((p \ V0x) \wedge (p \ V2z)) \Rightarrow ((p \ V1y) \wedge (p \ V3w)))) \quad (38)$$

Assume the following.

$$2.(((p \ V0x) \Rightarrow (p \ V1y)) \wedge ((p \ V2z) \Rightarrow (p \ V3w))) \Rightarrow (((p \ V0x) \vee (p \ V2z)) \Rightarrow ((p \ V1y) \vee (p \ V3w)))) \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\ (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p \ (ap \ V0P \ V2x)) \Rightarrow (p \ (ap \ V1Q \ V2x)))) \Rightarrow \\ ((\exists V3x \in A\_27a. (p \ (ap \ V0P \ V3x))) \Rightarrow (\exists V4x \in A\_27a. (p \ ( \\ ap \ V1Q \ V4x))))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ A\_27a. ((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2ET) \ V0t1) \\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a. (\forall V3t2 \in A\_27a. ((ap \\ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2EF) \ V2t1) \ V3t2) = V3t2)))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0v \in 2. ((p \ (ap \ c\_2Ebool\_2EBOUNDED \ V0v)) \Leftrightarrow True)) \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow (((p \ (ap \ (c\_2Elist\_2ENULL \ A\_27a) \\ (c\_2Elist\_2ENIL \ A\_27a))) \Leftrightarrow True) \wedge (\forall V0h \in A\_27a. (\forall V1t \in \\ (ty\_2Elist\_2Elist \ A\_27a). ((p \ (ap \ (c\_2Elist\_2ENULL \ A\_27a) \ (ap \\ (ap \ (c\_2Elist\_2ECONS \ A\_27a) \ V0h) \ V1t))) \Leftrightarrow False)))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow (((ap \ (c\_2Elist\_2ELENGTH \ A\_27a) \\ (c\_2Elist\_2ENIL \ A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a. ( \\ \forall V1t \in (ty\_2Elist\_2Elist \ A\_27a). ((ap \ (c\_2Elist\_2ELENGTH \\ A\_27a) \ (ap \ (ap \ (c\_2Elist\_2ECONS \ A\_27a) \ V0h) \ V1t)) = (ap \ c\_2Enum\_2ESUC \\ (ap \ (c\_2Elist\_2ELENGTH \ A\_27a) \ V1t)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ A\_27a). ((V0l = (c\_2Elist\_2ENIL \ A\_27a)) \vee (\exists V1h \in A\_27a. ( \\ \exists V2t \in (ty\_2Elist\_2Elist \ A\_27a). (V0l = (ap \ (ap \ (c\_2Elist\_2ECONS \\ A\_27a) \ V1h) \ V2t)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a1 \in (ty\_2Elist\_2Elist\ A.27a).(\forall V1a0 \in A.27a.(\neg((c\_2Elist\_2ENIL\ A.27a) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A.27a)\ V1a0)\ V0a1)))))) \quad (46)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0a \in (ty\_2Elist\_2Elist\ A.27a).((ap\ (c\_2Elist\_2Elist\_abs\ A.27a)\ (ap\ (c\_2Elist\_2Elist\_rep\ A.27a)\ V0a)) = V0a)) \wedge (\forall V1r \in ((ty\_2Eoption\_2Eoption\ A.27a)^{ty\_2Enum\_2Enum}).((p\ (ap\ (c\_2Elist\_2Elrep\_ok\ A.27a)\ V1r)) \Leftrightarrow ((ap\ (c\_2Elist\_2Elist\_rep\ A.27a)\ (ap\ (c\_2Elist\_2Elist\_abs\ A.27a)\ V1r)) = V1r)))) \quad (47)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in (ty\_2Elist\_2Elist\ A.27a).(((ap\ (c\_2Elist\_2ELHD\ A.27a)\ (ap\ (ap\ (c\_2Elist\_2ELCONS\ A.27a)\ V0h)\ V1t)) = (ap\ (c\_2Eoption\_2ESOME\ A.27a)\ V0h)) \wedge ((ap\ (c\_2Elist\_2ELTL\ A.27a)\ (ap\ (ap\ (c\_2Elist\_2ELCONS\ A.27a)\ V0h)\ V1t)) = (ap\ (c\_2Eoption\_2ESOME\ (ty\_2Elist\_2Elist\ A.27a)\ V1t)))))) \quad (48)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in (ty\_2Elist\_2Elist\ A.27a).((\neg((ap\ (ap\ (c\_2Elist\_2ELCONS\ A.27a)\ V0h)\ V1t) = (c\_2Elist\_2ELNIL\ A.27a))) \wedge (\neg((c\_2Elist\_2ELNIL\ A.27a) = (ap\ (ap\ (c\_2Elist\_2ELCONS\ A.27a)\ V0h)\ V1t)))))) \quad (49)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist\ A.27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A.27a).((ap\ (c\_2Elist\_2ELHD\ A.27a)\ (ap\ (ap\ (c\_2Elist\_2ELAPPEND\ A.27a)\ V0l1)\ V1l2)) = (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption\ A.27a))\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (ty\_2Elist\_2Elist\ A.27a))\ V0l1)\ (c\_2Elist\_2ELNIL\ A.27a))))\ (ap\ (c\_2Elist\_2ELHD\ A.27a)\ V1l2))\ (ap\ (c\_2Elist\_2ELHD\ A.27a)\ V0l1)))))) \quad (50)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c\_2Elist\_2EfromList\ A.27a)\ (c\_2Elist\_2ENIL\ A.27a)) = (c\_2Elist\_2ELNIL\ A.27a)) \wedge (\forall V0h \in A.27a.(\forall V1t \in (ty\_2Elist\_2Elist\ A.27a).((ap\ (c\_2Elist\_2EfromList\ A.27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ (ap\ (c\_2Elist\_2ELCONS\ A.27a)\ V0h)\ (ap\ (c\_2Elist\_2EfromList\ A.27a)\ V1t)))))) \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ & A_{27a}). ((ap (c\_2Elist\_2ELREPEAT A_{27a}) V0l) = (ap (ap (c\_2Elist\_2ELAPPEND \\ & A_{27a}) (ap (c\_2Elist\_2EfromList A_{27a}) V0l)) (ap (c\_2Elist\_2ELREPEAT \\ & A_{27a}) V0l)))) \end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. (\forall V1y \in \\ & A_{27a}. (((ap (c\_2Eoption\_2ESOME A_{27a}) V0x) = (ap (c\_2Eoption\_2ESOME \\ & A_{27a}) V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \tag{53}$$

**Theorem 1**

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\ & A_{27a}). ((ap (c\_2Elist\_2ELHD A_{27a}) (ap (c\_2Elist\_2ELREPEAT \\ & A_{27a}) V0l)) = (ap (c\_2Elist\_2ELHD A_{27a}) (ap (c\_2Elist\_2EfromList \\ & A_{27a}) V0l)))) \end{aligned}$$