

thm\_2Ellist\_2ELL\_\_ALL\_\_THM  
(TMdgLrFFHusXJJPVwb8i4UsuJCyE1g5FdKk)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT1))$

**Definition 8** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (8)$$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ellist\_2Ellist A0) \quad (9)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist A\_27a)} \quad (10)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \quad (11)$$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2)))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (12)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (13)$$

**Definition 11** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS\_sum))$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (14)$$

**Definition 12** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap (c\_2Eoption\_2Eoption\_ABS))$

**Definition 13** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V0t \in 2.V0t))$ .

**Definition 14** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x.x \in A)\lambda p \text{ of type } \iota \Rightarrow \iota)$ .

**Definition 15** We define `c_2Ebool_2ECOND` to be  $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Let `c_2Ellist_2Ellist_abs` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \text{c\_2Ellist\_2Ellist\_abs } A_27a \in \\ & ((\text{ty\_2Ellist\_2Ellist } A_27a)^{(\text{ty\_2Eoption\_2Eoption } A_27a)^{\text{ty\_2Enum\_2Enum}})}) \quad (15) \end{aligned}$$

**Definition 16** We define `c_2Ellist_2ELCONS` to be  $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (\text{ty\_2Ellist\_2Ellist } A_27a)$

**Definition 17** We define `c_2Eone_2Eone` to be  $(\text{ap } (\text{c\_2Emin\_2E\_40 } \text{ty\_2Eone\_2Eone}) (\lambda V0x \in \text{ty\_2Eone\_2Eone}))$

**Definition 18** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(\text{ap } (\text{ap } \text{c\_2Emin\_2E\_3D\_3D\_3E } V0t) \text{ c\_2Ebool\_2E\_7E}))$

**Definition 19** We define `c_2Esum_2EINR` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(\text{ap } (\text{c\_2Esum\_2EABS } A_27a A_27b V0e))$

**Definition 20** We define `c_2Eoption_2ENONE` to be  $\lambda A_27a : \iota.(\text{ap } (\text{c\_2Eoption\_2Eoption\_ABS } A_27a) (\lambda V0o \in \text{ty\_2Eoption\_2ENONE}))$

**Definition 21** We define `c_2Ellist_2ELNIL` to be  $\lambda A_27a : \iota.(\text{ap } (\text{c\_2Ellist\_2Ellist\_abs } A_27a) (\lambda V0n \in \text{ty\_2Ellist\_2ELNIL}))$

**Definition 22** We define `c_2Ecombin_2Eo` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1l \in (\text{ty\_2Ellist\_2Ellist } A_27a)$

**Definition 23** We define `c_2Ebool_2E_3F` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\text{ap } V0P (\text{ap } (\text{c\_2Emin\_2E\_40 } A_27a) V0P)))$

**Definition 24** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2.(\text{ap } (\text{c\_2Emin\_2E\_40 } V2t) V1t2))))$

**Definition 25** We define `c_2Ellist_2Eexists` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\lambda V1a0 \in (\text{ty\_2Ellist\_2Ellist } A_27a).(\text{ap } (\text{c\_2Emin\_2E\_40 } A_27a) V1a0)))$

**Definition 26** We define `c_2Ellist_2Eevery` to be  $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1l \in (\text{ty\_2Ellist\_2Ellist } A_27a).(\text{ap } (\text{c\_2Emin\_2E\_40 } A_27a) V1l))$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1h \in \\ & A_27a.(\forall V2t \in (\text{ty\_2Ellist\_2Ellist } A_27a).((\text{p } (\text{ap } (\text{ap } (\text{c\_2Ellist\_2Eevery } A_27a) V0P) (\text{c\_2Ellist\_2ELNIL } A_27a)))) \Leftrightarrow \text{True}) \wedge \\ & ((\text{p } (\text{ap } (\text{ap } (\text{c\_2Ellist\_2Eevery } A_27a) V0P) (\text{ap } (\text{ap } (\text{c\_2Ellist\_2ELCONS } A_27a) V1h) V2t)))) \Leftrightarrow ((\text{p } (\text{ap } V0P V1h)) \wedge (\text{p } (\text{ap } (\text{ap } (\text{c\_2Ellist\_2Eevery } A_27a) V0P) V2t))))))))) \quad (16) \end{aligned}$$

**Theorem 1**

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1h \in \\ & A_27a.(\forall V2t \in (\text{ty\_2Ellist\_2Ellist } A_27a).((\text{p } (\text{ap } (\text{ap } (\text{c\_2Ellist\_2Eevery } A_27a) V0P) (\text{c\_2Ellist\_2ELNIL } A_27a)))) \Leftrightarrow \text{True}) \wedge \\ & ((\text{p } (\text{ap } (\text{ap } (\text{c\_2Ellist\_2Eevery } A_27a) V0P) (\text{ap } (\text{ap } (\text{c\_2Ellist\_2ELCONS } A_27a) V1h) V2t)))) \Leftrightarrow ((\text{p } (\text{ap } V0P V1h)) \wedge (\text{p } (\text{ap } (\text{ap } (\text{c\_2Ellist\_2Eevery } A_27a) V0P) V2t))))))))) \end{aligned}$$