

thm_2Ellist_2ELNTH__LDROP
(TMaWY5N6fcQQFwE77DiowCw8BZe2ofrok7y)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \tag{4}$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \tag{5}$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)} \tag{6}$$

Definition 6 We define $c_2Ellist_2ELHD$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a).(ap\ (ap\ (c_2E$
Let $c_2Ellist_2ELNTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELNTH\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)(ty_2Ellist_2Ellist\ A_27a))^{ty_2Enum_2Enum}) \quad (7)$$

Definition 7 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (10)$$

Definition 9 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B$

Definition 10 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (11)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (12)$$

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (13)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (14)$$

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS$
Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (15)$$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_ABS$

Definition 15 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. P x) \mathbf{then} (the (\lambda x. x \in A \wedge P x))$
of type $\iota \Rightarrow \iota$.

Definition 16 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. V0x))$

Definition 17 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 18 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS$

Definition 19 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (c_2ENONE))$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Eoption_2Eoption_CASE A_27a A_27b \in (((A_27b)^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption A_27a)} \quad (16)$$

Definition 20 We define $c_2Ellist_2ELTL$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (ap$

Let $c_2Ellist_2ELDROP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2ELDROP A_27a \in (((ty_2Eoption_2Eoption (ty_2Ellist_2Ellist A_27a))^{(ty_2Ellist_2Ellist A_27a)})^{ty_2Enum_2Enum}) \quad (17)$$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40$

Definition 22 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_40 V2t V1t2)) V0t1)))$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Eoption_2EOPTION_MAP A_27a A_27b \in (((ty_2Eoption_2Eoption A_27b)^{(ty_2Eoption_2Eoption A_27a)})^{(A_27b^{A_27a})}) \quad (18)$$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2ETHE A_27a \in (A_27a)^{(ty_2Eoption_2Eoption A_27a)} \quad (19)$$

Let $c_2Eoption_2EOPTION_JOIN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2EOPTION_JOIN A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Eoption_2Eoption (ty_2Eoption_2Eoption A_27a))}) \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. ((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (28)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0ll \in (ty_2Ellist_2Ellist \\ & A_27a). ((ap (ap (c_2Ellist_2ELNTH A_27a) c_2Enum_2E0) V0ll) = \\ & (ap (c_2Ellist_2ELHD A_27a) V0ll)) \wedge (\forall V1n \in ty_2Enum_2Enum. \\ & (\forall V2ll \in (ty_2Ellist_2Ellist A_27a). ((ap (ap (c_2Ellist_2ELNTH \\ & A_27a) (ap c_2Enum_2ESUC V1n)) V2ll) = (ap (c_2Eoption_2EOPTION_JOIN \\ & A_27a) (ap (ap (c_2Eoption_2EOPTION_MAP (ty_2Ellist_2Ellist \\ & A_27a) (ty_2Eoption_2Eoption A_27a)) (ap (c_2Ellist_2ELNTH A_27a) \\ & V1n)) (ap (c_2Ellist_2ELTL A_27a) V2ll)))))) \quad (30) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0ll \in (ty_2Ellist_2Ellist \\
& A_{.27a}).((ap\ (ap\ (c_2Ellist_2ELDROP\ A_{.27a})\ c_2Enum_2E0)\ V0ll) = \\
& (ap\ (c_2Eoption_2ESOME\ (ty_2Ellist_2Ellist\ A_{.27a})\ V0ll))) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum.(\forall V2ll \in (ty_2Ellist_2Ellist \\
& A_{.27a}).((ap\ (ap\ (c_2Ellist_2ELDROP\ A_{.27a})\ (ap\ c_2Enum_2ESUC\ V1n)) \\
& V2ll) = (ap\ (c_2Eoption_2EOPTION_JOIN\ (ty_2Ellist_2Ellist\ A_{.27a}) \\
& (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Ellist_2Ellist\ A_{.27a}) \\
& (ty_2Eoption_2Eoption\ (ty_2Ellist_2Ellist\ A_{.27a})))\ (ap\ (c_2Ellist_2ELDROP \\
& A_{.27a})\ V1n))\ (ap\ (c_2Ellist_2ELTL\ A_{.27a})\ V2ll))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p\ (ap\ V0P\ V2n))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\
& A_{.27a}).((V0opt = (c_2Eoption_2ENONE\ A_{.27a})) \vee (\exists V1x \in A_{.27a}. \\
& (V0opt = (ap\ (c_2Eoption_2ESOME\ A_{.27a})\ V1x))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in \\
& A_{.27a}.(((ap\ (c_2Eoption_2ESOME\ A_{.27a})\ V0x) = (ap\ (c_2Eoption_2ESOME \\
& A_{.27a})\ V1y)) \Leftrightarrow (V0x = V1y))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\neg((c_2Eoption_2ENONE \\
& A_{.27a}) = (ap\ (c_2Eoption_2ESOME\ A_{.27a})\ V0x))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& (\forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1x \in A_{.27a}.((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\
& A_{.27a}\ A_{.27b})\ V0f)\ (ap\ (c_2Eoption_2ESOME\ A_{.27a})\ V1x)) = (ap\ (c_2Eoption_2ESOME \\
& A_{.27b})\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A_{.27b}^{A_{.27a}}).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\
& A_{.27a}\ A_{.27b})\ V2f)\ (c_2Eoption_2ENONE\ A_{.27a})) = (c_2Eoption_2ENONE \\
& A_{.27b}))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap\ (c_2Eoption_2ETHE \\
& A_{.27a})\ (ap\ (c_2Eoption_2ESOME\ A_{.27a})\ V0x)) = V0x))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c.2Eoption.2EOPTION_JOIN \\
& \quad A.27a)\ (c.2Eoption.2ENONE\ (ty.2Eoption.2Eoption\ A.27a))) = (\\
& \quad c.2Eoption.2ENONE\ A.27a)) \wedge (\forall V0x \in (ty.2Eoption.2Eoption \\
& \quad A.27a).((ap\ (c.2Eoption.2EOPTION_JOIN\ A.27a)\ (ap\ (c.2Eoption.2ESOME \\
& \quad \quad (ty.2Eoption.2Eoption\ A.27a))\ V0x)) = V0x))) \\
& \hspace{20em} (38)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty.2Enum.2Enum.(\\
& \quad \forall V1l \in (ty.2Ellist.2Ellist\ A.27a).(\forall V2x \in A.27a. \\
& \quad ((ap\ (ap\ (c.2Ellist.2ELNTH\ A.27a)\ V0n)\ V1l) = (ap\ (c.2Eoption.2ESOME \\
& \quad \quad A.27a)\ V2x)) \Rightarrow ((ap\ (c.2Ellist.2ELHD\ A.27a)\ (ap\ (c.2Eoption.2ETHE \\
& \quad \quad (ty.2Ellist.2Ellist\ A.27a))\ (ap\ (ap\ (c.2Ellist.2ELDROP\ A.27a) \\
& \quad \quad \quad V0n)\ V1l))) = (ap\ (c.2Eoption.2ESOME\ A.27a)\ V2x))))))
\end{aligned}$$