

# thm\_2Ellist\_2ELNTH\_LUNFOLD (TMN-qfWL1XLQrRF9JHoHpGzLJXN5oxD5LZNS)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EAbs\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EAbs\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EAbs\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_2Enum\_2EAbs\_num (m))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 8** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B n) 0)$

**Definition 9** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (7)$$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ellist\_2Ellist A0) \quad (8)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep A\_27a \in \\ & (((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist A\_27a)}) \end{aligned} \quad (9)$$

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs A\_27a \in \\ & (((ty\_2Ellist\_2Ellist A\_27a)^{(ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum}})) \end{aligned} \quad (10)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \quad (11)$$

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum \\ & A0 A1) \end{aligned} \quad (12)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ & A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (13)$$

**Definition 12** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (14)$$

**Definition 13** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) V0x))$

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\lambda x. x \in A \wedge p(x)) \text{ else } \iota$

**Definition 15** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone. V0x)))$

**Definition 16** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E)))$

**Definition 17** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS A\_27a) V0e))$

**Definition 18** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (\iota)))$

**Definition 19** We define  $c\_2Ellist\_2ELHD$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist A\_27a). (ap (ap (c\_2Ellist\_2ELHD A\_27a) V0ll)))$

Let  $c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Eoption\_2Eoption\_CASE A\_27a A\_27b \in (((A\_27b^{(A\_27b^{A\_27a})})^{A\_27b})^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (15)$$

**Definition 20** We define  $c\_2Ellist\_2ELTL$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist A\_27a). (ap (ap (c\_2Ellist\_2ELTL A\_27a) V0ll)))$

Let  $c\_2Ellist\_2ELNTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Ellist\_2ELNTH A\_27a \in (((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Ellist\_2Ellist A\_27a)})^{ty\_2Enum\_2Enum}) \quad (16)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (17)$$

**Definition 21** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (V1t1 = t2))))$

**Definition 22** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota. \lambda V0h \in A\_27a. \lambda V1t \in (ty\_2Ellist\_2Ellist A\_27a). (ap (c\_2Ellist\_2ELCONS A\_27a) (V0h, V1t)))$

**Definition 23** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota. (ap (c\_2Ellist\_2Ellist\_abs A\_27a) (\iota)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (18)$$

**Definition 24** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (\lambda V0x \in A\_27a. (\lambda V1y \in A\_27b. (V0x = V1y)))$

**Definition 25** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in (A\_27b^{A\_27c}).\lambda V1$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a \ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a \ A\_27b)}) \end{aligned} \quad (19)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a \ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a \ A\_27b)}) \end{aligned} \quad (20)$$

**Definition 26** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c^{A\_27a})^{A\_27b})$

Let  $c\_2Eoption\_2EOPTION\_BIND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_BIND \\ A\_27a \ A\_27b \in (((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Eoption\_2Eoption A\_27a)^{A\_27b}})^{(ty\_2Eoption\_2Eoption A\_27b)^{(ty\_2Eoption\_2Eoption A\_27a)^{A\_27b}}}) \end{aligned} \quad (21)$$

Let  $c\_2Earithmetic\_2EFUNPOW : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Earithmetic\_2EFUNPOW A\_27a \in (((A\_27a^{A\_27a})^{ty\_2Enum\_2Enum})^{(A\_27a^{A\_27a})}) \quad (22)$$

Let  $c\_2Eoption\_2EOPTION\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_MAP \\ A\_27a \ A\_27b \in (((ty\_2Eoption\_2Eoption A\_27b)^{(ty\_2Eoption\_2Eoption A\_27a)^{(A\_27b^{A\_27a})}})^{(A\_27b^{A\_27a})}) \end{aligned} \quad (23)$$

**Definition 27** We define  $c\_2Ellist\_2ELUNFOLD$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Eoption\_2Eoption A\_27b)^{(ty\_2Eoption\_2Eoption A\_27a)}})$

**Definition 28** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40)))$

**Definition 29** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $c\_2Eoption\_2EOPTION\_JOIN : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2EOPTION\_JOIN A\_27a \in \\ ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Eoption\_2Eoption (ty\_2Eoption\_2Eoption (ty\_2Eoption\_2Eoption A\_27a)))}) \end{aligned} \quad (24)$$

**Definition 30** We define  $c\_2Epair\_2Epair\_CASE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0p \in (ty\_2Epair\_2Epair\_CASE A\_27a \ A\_27b \ A\_27c)$

Assume the following.

$$True \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (26)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\ & ((ap(c\_2Ellist\_2ELHD A\_27a) (c\_2Ellist\_2ELNIL A\_27a)) = (c\_2Eoption\_2ENONE \\ & A\_27a)) \wedge (\forall V0h \in A\_27b.(\forall V1t \in (ty\_2Ellist\_2Ellist \\ & A\_27b).((ap(c\_2Ellist\_2ELHD A\_27b) (ap(ap(c\_2Ellist\_2ELCONS \\ & A\_27b) V0h) V1t)) = (ap(c\_2Eoption\_2ESOME A\_27b) V0h))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \\ & ((ap(c\_2Ellist\_2ELTL A\_27a) (c\_2Ellist\_2ELNIL A\_27a)) = (c\_2Eoption\_2ENONE \\ & (ty\_2Ellist\_2Ellist A\_27a))) \wedge (\forall V0h \in A\_27b.(\forall V1t \in \\ & (ty\_2Ellist\_2Ellist A\_27b).((ap(c\_2Ellist\_2ELTL A\_27b) (ap \\ & (ap(c\_2Ellist\_2ELCONS A\_27b) V0h) V1t)) = (ap(c\_2Eoption\_2ESOME \\ & (ty\_2Ellist\_2Ellist A\_27b)) V1t))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow ((\forall V0ll \in (ty\_2Ellist\_2Ellist \\ & A\_27a).((ap(ap(c\_2Ellist\_2ELNTH A\_27a) c\_2Enum\_2E0) V0ll) = \\ & (ap(c\_2Ellist\_2ELHD A\_27a) V0ll))) \wedge (\forall V1n \in ty\_2Enum\_2Enum. \\ & (\forall V2ll \in (ty\_2Ellist\_2Ellist A\_27a).((ap(ap(c\_2Ellist\_2ELNTH \\ & A\_27a) (ap(c\_2Enum\_2ESUC V1n)) V2ll) = (ap(c\_2Eoption\_2EOPTION\_JOIN \\ & A\_27a) (ap(ap(c\_2Eoption\_2EOPTION\_MAP (ty\_2Ellist\_2Ellist \\ & A\_27a) (ty\_2Eoption\_2Eoption A\_27a)) (ap(c\_2Ellist\_2ELNTH A\_27a) \\ & V1n)) (ap(c\_2Ellist\_2ELTL A\_27a) V2ll))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& \forall V0f \in ((ty\_2Eoption\_2Eoption (ty\_2Epair\_2Eprod A_{27a} \\
& A_{27b}))^{A_{27a}}).(\forall V1x \in A_{27a}.((ap (ap (c\_2Ellist\_2ELUNFOLD \\
& A_{27b} A_{27a}) V0f) V1x) = (ap (ap (ap (c\_2Eoption\_2Eoption\_CASE \\
& (ty\_2Epair\_2Eprod A_{27a} A_{27b}) (ty\_2Ellist\_2Ellist A_{27b})) \\
& ap V0f V1x) (c\_2Ellist\_2ELNIL A_{27b})) (\lambda V2v \in (ty\_2Epair\_2Eprod \\
& A_{27a} A_{27b}).(ap (ap (c\_2Epair\_2Epair\_CASE (ty\_2Ellist\_2Ellist \\
& A_{27b}) A_{27a} A_{27b}) V2v) (\lambda V3v1 \in A_{27a}.(\lambda V4v2 \in A_{27b}.(ap \\
& (ap (c\_2Ellist\_2ELCONS A_{27b}) V4v2) (ap (ap (c\_2Ellist\_2ELUNFOLD \\
& A_{27b} A_{27a}) V0f) V3v1)))))))))) \\
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption \\
& A_{27a}).((V0opt = (c\_2Eoption\_2ENONE A_{27a})) \vee (\exists V1x \in A_{27a}. \\
& (V0opt = (ap (c\_2Eoption\_2ESOME A_{27a}) V1x))))) \\
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& (\forall V0v \in A_{27b}.(\forall V1f \in (A_{27b})^{A_{27a}}).((ap (ap (ap (c\_2Eoption\_2Eoption\_CASE \\
& A_{27a} A_{27b}) (c\_2Eoption\_2ENONE A_{27a}) V0v) V1f) = V0v))) \wedge (\forall V2x \in \\
& A_{27a}.(\forall V3v \in A_{27b}.(\forall V4f \in (A_{27b})^{A_{27a}}).((ap (ap \\
& (ap (c\_2Eoption\_2Eoption\_CASE A_{27a} A_{27b}) (ap (c\_2Eoption\_2ESOME \\
& A_{27a}) V2x)) V3v) V4f) = (ap V4f V2x)))))) \\
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow \\
& (\forall V0f \in (A_{27b})^{A_{27a}}).(\forall V1x \in A_{27a}.((ap (ap (c\_2Eoption\_2EOPTION\_MAP \\
& A_{27a} A_{27b}) V0f) (ap (c\_2Eoption\_2ESOME A_{27a}) V1x)) = (ap (c\_2Eoption\_2ESOME \\
& A_{27b}) (ap V0f V1x)))) \wedge (\forall V2f \in (A_{27b})^{A_{27a}}).((ap (ap (c\_2Eoption\_2EOPTION\_MAP \\
& A_{27a} A_{27b}) V2f) (c\_2Eoption\_2ENONE A_{27a})) = (c\_2Eoption\_2ENONE \\
& A_{27b})))))) \\
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (((ap (c\_2Eoption\_2EOPTION\_JOIN \\
& A_{27a}) (c\_2Eoption\_2ENONE (ty\_2Eoption\_2Eoption A_{27a}))) = ( \\
& c\_2Eoption\_2ENONE A_{27a}))) \wedge (\forall V0x \in (ty\_2Eoption\_2Eoption \\
& A_{27a}).((ap (c\_2Eoption\_2EOPTION\_JOIN A_{27a}) (ap (c\_2Eoption\_2ESOME \\
& (ty\_2Eoption\_2Eoption A_{27a}) V0x)) = V0x)))) \\
\end{aligned} \tag{35}$$

### Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\
& \forall V0f \in ((ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A_{.27b} \\
& A_{.27a}))^{A_{.27b}}).(\forall V1x \in A_{.27b}.(\forall V2n \in ty\_2Enum\_2Enum. \\
& (((ap\ (ap\ (c\_2Ellist\_2ELNTH\ A_{.27a})\ c\_2Enum\_2E0)\ (ap\ (ap\ (c\_2Ellist\_2ELUNFOLD \\
& A_{.27a}\ A_{.27b})\ V0f)\ V1x)) = (ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP\ (ty\_2Epair\_2Eprod \\
& A_{.27b}\ A_{.27a})\ A_{.27a})\ (c\_2Epair\_2ESND\ A_{.27b}\ A_{.27a}))\ (ap\ V0f\ V1x))) \wedge \\
& ((ap\ (ap\ (c\_2Ellist\_2ELNTH\ A_{.27a})\ (ap\ c\_2Enum\_2ESUC\ V2n))\ (ap\ ( \\
& ap\ (c\_2Ellist\_2ELUNFOLD\ A_{.27a}\ A_{.27b})\ V0f)\ V1x)) = (ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE \\
& (ty\_2Epair\_2Eprod\ A_{.27b}\ A_{.27a})\ (ty\_2Eoption\_2Eoption\ A_{.27a})) \\
& (ap\ V0f\ V1x))\ (c\_2Eoption\_2ENONE\ A_{.27a}))\ (\lambda V3v \in (ty\_2Epair\_2Eprod \\
& A_{.27b}\ A_{.27a}).(ap\ (ap\ (c\_2Epair\_2Epair\_CASE\ (ty\_2Eoption\_2Eoption \\
& A_{.27a})\ A_{.27b}\ A_{.27a})\ V3v)\ (\lambda V4tx \in A_{.27b}.(\lambda V5hx \in A_{.27a}.(ap \\
& (ap\ (c\_2Ellist\_2ELNTH\ A_{.27a})\ V2n)\ (ap\ (ap\ (c\_2Ellist\_2ELUNFOLD \\
& A_{.27a}\ A_{.27b})\ V0f)\ V4tx)))))))))))
\end{aligned}$$