

thm_2Ellist_2ELNTH_fromList
(TMU7Ud31hKRddqkVW2tSyWKoEoPG6YzSrsK)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EHD A_27a \in (A_27a^{(ty_2Elist_2Elist A_27a)}) \quad (2)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (3)$$

Let $c_2Elist_2EEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EEL A_27a \in ((A_27a^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum}) \quad (4)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (5)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \quad (6)$$

Let $c_2Ellist_2ELNTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2ELNTH A_27a \in (((ty_2Eoption_2Eoption A_27a)^{ty_2Ellist_2Ellist A_27a})^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (8)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (12)$$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a})))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a})))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E2B\ (ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a})))$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2E2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Enum_2Enum)})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (15)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (16)$$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (17)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (18)$$

Definition 11 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum A_27a A_27b) V0e)$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{ty_2Esum_2Esum A_27a ty_2Eone_2Eone}) \quad (19)$$

Definition 12 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS A_27a) V0x)$

Definition 13 We define c_2Ebool_2E7E to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A.\lambda P \in 2^A.p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Eenum_2Eenum}}) \quad (20)$$

Definition 16 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist A_27a) V0h$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (21)$$

Definition 17 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 18 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 19 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum A_27a A_27b) V0e)$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (p (ap (ap (ap c_2Eprim_rec_2E_3C (ap c_2Enum_2ESUC V0m)) (ap c_2Enum_2ESUC V1n)))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))))) \quad (28)$$

Assume the following.

$$True \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (34)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (35)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (36)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (37)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \quad (40)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p (ap V1P V3x))) \vee (p V0Q)))))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (43)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. (\forall V3y \in A_27a. ((ap V0f (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1b) V2x) V3y)) = (ap (ap (ap (c_2Ebool_2ECOND A_27b) V1b) (ap V0f V2x)) (ap V0f V3y)))))) \quad (44)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. (\forall V5y_27 \in A_27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) V5y_27)))))) \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0t1 \in A.27a.(\forall V1t2 \in \\ & A.27a.((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A.27a.(\forall V3t2 \in A.27a.((ap \\ & (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF)\ V2t1)\ V3t2) = V3t2)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in \\ & (ty_2Elist_2Elist\ A.27a).((ap\ (c.2Elist_2EHD\ A.27a)\ (ap\ (ap\ (\\ & c.2Elist_2ECONS\ A.27a)\ V0h)\ V1t)) = V0h))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0n \in ty_2Enum_2Enum.(\forall V1l \in A.27b.(\forall V2ls \in \\ & (ty_2Elist_2Elist\ A.27b).((ap\ (c.2Elist_2EEL\ A.27a)\ c.2Enum_2E0) = \\ & (c.2Elist_2EHD\ A.27a)) \wedge ((ap\ (ap\ (c.2Elist_2EEL\ A.27b)\ (ap\ c.2Enum_2ESUC \\ & V0n))\ (ap\ (ap\ (c.2Elist_2ECONS\ A.27b)\ V1l)\ V2ls)) = (ap\ (ap\ (c.2Elist_2EEL \\ & A.27b)\ V0n)\ V2ls)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & nonempty\ A.27c \Rightarrow ((\forall V0n \in ty_2Enum_2Enum.((ap\ (ap\ (c.2Elist_2ELNTH \\ & A.27a)\ V0n)\ (c.2Elist_2ELNIL\ A.27a)) = (c.2Eoption_2ENONE\ A.27a))) \wedge \\ & ((\forall V1h \in A.27b.(\forall V2t \in (ty_2Elist_2Elist\ A.27b). \\ & ((ap\ (ap\ (c.2Elist_2ELNTH\ A.27b)\ c.2Enum_2E0)\ (ap\ (ap\ (c.2Elist_2ELCONS \\ & A.27b)\ V1h)\ V2t)) = (ap\ (c.2Eoption_2ESOME\ A.27b)\ V1h)))) \wedge (\forall V3n \in \\ & ty_2Enum_2Enum.(\forall V4h \in A.27c.(\forall V5t \in (ty_2Elist_2Elist \\ & A.27c).((ap\ (ap\ (c.2Elist_2ELNTH\ A.27c)\ (ap\ c.2Enum_2ESUC\ V3n)) \\ & (ap\ (ap\ (c.2Elist_2ELCONS\ A.27c)\ V4h)\ V5t)) = (ap\ (ap\ (c.2Elist_2ELNTH \\ & A.27c)\ V3n)\ V5t)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & ((ap\ (c.2Elist_2ELLENGTH\ A.27a)\ (c.2Elist_2ELNIL\ A.27a)) = \\ & (ap\ (c.2Eoption_2ESOME\ ty_2Enum_2Enum)\ c.2Enum_2E0)) \wedge (\forall V0h \in \\ & A.27b.(\forall V1t \in (ty_2Elist_2Elist\ A.27b).((ap\ (c.2Elist_2ELLENGTH \\ & A.27b)\ (ap\ (ap\ (c.2Elist_2ELCONS\ A.27b)\ V0h)\ V1t)) = (ap\ (ap\ (c.2Eoption_2EOPTION_MAP \\ & ty_2Enum_2Enum\ ty_2Enum_2Enum)\ c.2Enum_2ESUC)\ (ap\ (c.2Elist_2ELLENGTH \\ & A.27b)\ V1t)))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Ellist_2Ellist \\ A_27a).((p\ (ap\ (c_2Ellist_2ELFINITE\ A_27a)\ V0l)) \Rightarrow (\exists V1n \in \\ ty_2Enum_2Enum.((ap\ (c_2Ellist_2ELLENGTH\ A_27a)\ V0l) = (ap\ (\\ c_2Eoption_2ESOME\ ty_2Enum_2Enum)\ V1n)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Ellist_2Ellist\ A_27a)}). \\ ((p\ (ap\ V0P\ (c_2Ellist_2ELNIL\ A_27a))) \wedge (\forall V1h \in A_27a.(\\ \forall V2t \in (ty_2Ellist_2Ellist\ A_27a).((p\ (ap\ (c_2Ellist_2ELFINITE \\ A_27a)\ V2t)) \wedge (p\ (ap\ V0P\ V2t))) \Rightarrow (p\ (ap\ V0P\ (ap\ (ap\ (c_2Ellist_2ELCONS \\ A_27a)\ V1h)\ V2t)))))) \Rightarrow (\forall V3a0 \in (ty_2Ellist_2Ellist\ A_27a). \\ ((p\ (ap\ (c_2Ellist_2ELFINITE\ A_27a)\ V3a0)) \Rightarrow (p\ (ap\ V0P\ V3a0)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ ((ap\ (c_2Ellist_2EtoList\ A_27a)\ (c_2Ellist_2ELNIL\ A_27a)) = (\\ ap\ (c_2Eoption_2ESOME\ (ty_2Elist_2Elist\ A_27a))\ (c_2Elist_2ENIL \\ A_27a))) \wedge (\forall V0h \in A_27b.(\forall V1t \in (ty_2Ellist_2Ellist \\ A_27b).((ap\ (c_2Ellist_2EtoList\ A_27b)\ (ap\ (ap\ (c_2Ellist_2ELCONS \\ A_27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Elist_2Elist \\ A_27b)\ (ty_2Elist_2Elist\ A_27b))\ (ap\ (c_2Elist_2ECONS\ A_27b) \\ V0h))\ (ap\ (c_2Ellist_2EtoList\ A_27b)\ V1t)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ A_27a).(p\ (ap\ (c_2Ellist_2ELFINITE\ A_27a)\ (ap\ (c_2Ellist_2EfromList \\ A_27a)\ V0l)))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ A_27a).((ap\ (c_2Ellist_2ELLENGTH\ A_27a)\ (ap\ (c_2Ellist_2EfromList \\ A_27a)\ V0l)) = (ap\ (c_2Eoption_2ESOME\ ty_2Enum_2Enum)\ (ap\ (c_2Elist_2ELLENGTH \\ A_27a)\ V0l)))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ A_27a).((ap\ (c_2Ellist_2EtoList\ A_27a)\ (ap\ (c_2Ellist_2EfromList \\ A_27a)\ V0l)) = (ap\ (c_2Eoption_2ESOME\ (ty_2Elist_2Elist\ A_27a)) \\ V0l)))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ A.27a).((p\ (ap\ (c_2Elist_2ELFINITE\ A.27a)\ V0l)) \Rightarrow (\exists V1l \in \\ (ty_2Elist_2Elist\ A.27a).((ap\ (c_2Elist_2EtoList\ A.27a)\ V0l) = \\ (ap\ (c_2Eoption_2ESOME\ (ty_2Elist_2Elist\ A.27a)\ V1l)))))) \end{aligned} \quad (58)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ A.27a.(((ap\ (c_2Eoption_2ESOME\ A.27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\ A.27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (59)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ (\forall V0f \in (A.27b^{A.27a}).(\forall V1x \in A.27a.((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A.27a\ A.27b)\ V0f)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x)) = (ap\ (c_2Eoption_2ESOME \\ A.27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A.27b^{A.27a}).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A.27a\ A.27b)\ V2f)\ (c_2Eoption_2ENONE\ A.27a)) = (c_2Eoption_2ENONE \\ A.27b)))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((ap\ (c_2Eoption_2ETHE \\ A.27a)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V0x)) = V0x)) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1x \in A.27a. \\ (\forall V2y \in A.27a.(((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption \\ A.27a))\ V0P)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x))\ (c_2Eoption_2ENONE \\ A.27a)) = (c_2Eoption_2ENONE\ A.27a)) \Leftrightarrow (\neg(p\ V0P))) \wedge (((ap\ (ap\ (\\ ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption\ A.27a))\ V0P)\ (c_2Eoption_2ENONE \\ A.27a))\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x)) = (c_2Eoption_2ENONE \\ A.27a)) \Leftrightarrow (p\ V0P))) \wedge (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption \\ A.27a))\ V0P)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x))\ (c_2Eoption_2ENONE \\ A.27a)) = (ap\ (c_2Eoption_2ESOME\ A.27a)\ V2y)) \Leftrightarrow ((p\ V0P) \wedge (V1x = V2y))) \wedge \\ (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption\ A.27a)) \\ V0P)\ (c_2Eoption_2ENONE\ A.27a))\ (ap\ (c_2Eoption_2ESOME\ A.27a) \\ V1x)) = (ap\ (c_2Eoption_2ESOME\ A.27a)\ V2y)) \Leftrightarrow ((\neg(p\ V0P)) \wedge (V1x = \\ V2y)))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} (\forall V0n \in ty_2Enum_2Enum.(\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ V0n)\ c_2Enum_2E0)))) \end{aligned} \quad (63)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Enum_2ESUC V0n)))) \quad (64)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (65)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (66)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (67)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (68)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (69)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V2r) \vee (\neg(p V1q))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (70)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (71)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (72)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (73)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (74)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(\forall V3s \in \\ & 2.(((p V0p) \Leftrightarrow (p (ap (ap (ap (c_2Ebool_2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow \\ & (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge \\ & (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p))))))))))))) \quad (75) \end{aligned}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (76)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (77)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (78)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (79)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (80)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\\ & \forall V1l \in (ty_2Elist_2Elist A_27a).((ap (ap (c_2Elist_2ELNTH \\ & A_27a) V0n) (ap (c_2Elist_2EfromList A_27a) V1l)) = (ap (ap (ap \\ & (c_2Ebool_2ECOND (ty_2Eoption_2Eoption A_27a)) (ap (ap c_2Eprim_rec_2E.3C \\ & V0n) (ap (c_2Elist_2ELENGTH A_27a) V1l))) (ap (c_2Eoption_2ESOME \\ & A_27a) (ap (ap (c_2Elist_2EEL A_27a) V0n) V1l))) (c_2Eoption_2ENONE \\ & A_27a)))))) \end{aligned}$$