

thm_2Ellist_2ELPREFIX_LUNFOLD (TMX9Tv95PG38tJHHCJSryxQoG3CF917RA sD)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \tag{2}$$

Definition 7 We define $c_2Ecombin_2E_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 8 We define $c_2Ecombin_2E_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A-27c}).\lambda V1g$

Let $c_2Epair_2EESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{3}$$

Let $c_2Epair_2EFAST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFAST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{4}$$

Definition 9 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27b})$

Let $c_2Eoption_2EOPTION_BIND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_BIND\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption\ A_27b)}) \quad (5)$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \quad (6)$$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Earithmetic_2EFUNPOW\ A_27a \in (((A_27a^{A_27a})^{ty_2Eenum_2Eenum})^{(A_27a^{A_27a})}) \quad (7)$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)})^{(A_27b^{A_27a})}) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (9)$$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Eenum_2Eenum}}) \quad (10)$$

Definition 10 We define $c_2Ellist_2ELUNFOLD$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((ty_2Eoption_2Eoption$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (11)$$

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p\ (ap\ P\ x))$ then $(the\ (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 12 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone.$

Definition 13 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V2t \in 2.$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (12)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (13)$$

Definition 14 We define c_Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{ty_2Esum_2Esum A_27a ty_2Eone_2Eone}) \quad (14)$$

Definition 15 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) ($

Definition 16 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (15)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (16)$$

Definition 17 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 18 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (18)$$

Definition 19 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Definition 20 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic$

Definition 21 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (20)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2Ellist_rep A_27a \in (((ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum})^{ty_2Ellist_2Ellist A_27a}) \quad (21)$$

Definition 22 We define c_Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_Esum_2EABS$

Definition 23 We define $c_Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_Eoption_2Eoption_2$

Definition 24 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 25 We define $c_Elist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Elist_2Elist A$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (22)$$

Let $c_2Elist_2EisPREFIX : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EisPREFIX A_27a \in ((2^{(ty_2Elist_2Elist A_27a)})^{(ty_2Elist_2Elist A_27a)}) \quad (23)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (24)$$

Let $c_2Elist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELTAKE A_27a \in (((ty_2Eoption_2Eoption (ty_2Elist_2Elist A_27a))^{(ty_2Elist_2Elist A_27a)})^{ty_2Enum_2Enum}) \quad (25)$$

Definition 26 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 27 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in$

Definition 28 We define $c_Elist_2Ellength_rel$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in (ty_2Elist_2Elist A_27a).(\lambda V$

Definition 29 We define $c_Elist_2ELFINITE$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in (ty_2Elist_2Elist A_27a).(ap (c$

Definition 30 We define $c_Elist_2ELLENGTH$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Elist_2Elist A_27a).(ap (a$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2ETHE A_27a \in (A_27a^{(ty_2Eoption_2Eoption A_27a)}) \quad (26)$$

Definition 31 We define $c_Elist_2EtoList$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Elist_2Elist A_27a).(ap (ap (ap$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2Eoption_CASE A_27a A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption A_27a)}) \quad (27)$$

Definition 32 We define $c_Elist_2ELPREFIX$ to be $\lambda A_27a : \iota.\lambda V0l1 \in (ty_2Elist_2Elist A_27a).\lambda V1l2$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (28)$$

Definition 33 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2E_2C\ x\ y))$

Definition 34 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0p \in (ty_2Epair_2Epair_CASE\ A_27a\ A_27b\ A_27c\ p)$

Assume the following.

$$True \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (33)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))))) \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (43)$$

Assume the following.

$$\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27))))))))) \quad (44)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))))) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (2^{A_27a}). (\forall V1v \in A_27a. ((\forall V2x \in A_27a. ((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ (ap\ V0f\ V1v)))))) \quad (46)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Ellist_2Ellist \\ A_27a).((V0l = (c_2Ellist_2ELNIL\ A_27a)) \vee (\exists V1h \in A_27a. \\ (\exists V2t \in (ty_2Ellist_2Ellist\ A_27a).(V0l = (ap\ (ap\ (c_2Ellist_2ELCONS \\ A_27a)\ V1h)\ V2t))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h \in A_27a.(\forall V1t \in \\ (ty_2Ellist_2Ellist\ A_27a).((\neg((ap\ (ap\ (c_2Ellist_2ELCONS\ A_27a) \\ V0h)\ V1t) = (c_2Ellist_2ELNIL\ A_27a))) \wedge (\neg((c_2Ellist_2ELNIL \\ A_27a) = (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27a)\ V0h)\ V1t))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h1 \in A_27a.(\forall V1t1 \in \\ (ty_2Ellist_2Ellist\ A_27a).(\forall V2h2 \in A_27a.(\forall V3t2 \in \\ (ty_2Ellist_2Ellist\ A_27a).(((ap\ (ap\ (c_2Ellist_2ELCONS\ A_27a) \\ V0h1)\ V1t1) = (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27a)\ V2h2)\ V3t2)) \Leftrightarrow ((\\ V0h1 = V2h2) \wedge (V1t1 = V3t2))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a \\ A_27b))^{A_27a}).(\forall V1x \in A_27a.(\forall V2v1 \in A_27a.(\forall V3v2 \in \\ A_27b.(((ap\ V0f\ V1x) = (c_2Eoption_2ENONE\ (ty_2Epair_2Eprod \\ A_27a\ A_27b))) \Rightarrow ((ap\ (ap\ (c_2Ellist_2ELUNFOLD\ A_27b\ A_27a)\ V0f) \\ V1x) = (c_2Ellist_2ELNIL\ A_27b))) \wedge (((ap\ V0f\ V1x) = (ap\ (c_2Eoption_2ESOME \\ (ty_2Epair_2Eprod\ A_27a\ A_27b))\ (ap\ (ap\ (c_2Epair_2E2C\ A_27a \\ A_27b)\ V2v1)\ V3v2))) \Rightarrow ((ap\ (ap\ (c_2Ellist_2ELUNFOLD\ A_27b\ A_27a) \\ V0f)\ V1x) = (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27b)\ V3v2)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD \\ A_27b\ A_27a)\ V0f)\ V2v1)))))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0ll \in (ty_2Ellist_2Ellist \\ A_27a).((p\ (ap\ (ap\ (c_2Ellist_2ELPREFIX\ A_27a)\ (c_2Ellist_2ELNIL \\ A_27a))\ V0ll)) \wedge ((p\ (ap\ (ap\ (c_2Ellist_2ELPREFIX\ A_27a)\ V0ll)\ (\\ c_2Ellist_2ELNIL\ A_27a))) \Leftrightarrow (V0ll = (c_2Ellist_2ELNIL\ A_27a)))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0ll \in (ty_2Ellist_2Ellist\ A.27a).(\forall V1h \in A.27a. \\
& \quad (\forall V2t \in (ty_2Ellist_2Ellist\ A.27a).((p\ (ap\ (ap\ (c_2Ellist_2ELPREFIX \\
& \quad A.27a)\ V0ll)\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A.27a)\ V1h)\ V2t)))) \Leftrightarrow ((V0ll = \\
& \quad (c_2Ellist_2ELNIL\ A.27a)) \vee (\exists V3l \in (ty_2Ellist_2Ellist \\
& \quad A.27a).((V0ll = (ap\ (ap\ (c_2Ellist_2ELCONS\ A.27a)\ V1h)\ V3l)) \wedge (\\
& \quad p\ (ap\ (ap\ (c_2Ellist_2ELPREFIX\ A.27a)\ V3l)\ V2t)))))) \wedge (\forall V4h \in \\
& \quad A.27b.(\forall V5t \in (ty_2Ellist_2Ellist\ A.27b).(\forall V6ll \in \\
& \quad (ty_2Ellist_2Ellist\ A.27b).((p\ (ap\ (ap\ (c_2Ellist_2ELPREFIX \\
& \quad A.27b)\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A.27b)\ V4h)\ V5t))\ V6ll)) \Leftrightarrow (\exists V7l \in \\
& \quad (ty_2Ellist_2Ellist\ A.27b).((V6ll = (ap\ (ap\ (c_2Ellist_2ELCONS \\
& \quad A.27b)\ V4h)\ V7l)) \wedge (p\ (ap\ (ap\ (c_2Ellist_2ELPREFIX\ A.27b)\ V5t)\ V7l))))))))) \\
& \hspace{15em} (52)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\
& \quad A.27a).((V0opt = (c_2Eoption_2ENONE\ A.27a)) \vee (\exists V1x \in A.27a. \\
& \quad (V0opt = (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x)))))) \hspace{1em} (53)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0v \in A.27b.(\forall V1f \in (A.27b^{A.27a}).((ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\
& \quad A.27a\ A.27b)\ (c_2Eoption_2ENONE\ A.27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\
& \quad A.27a.(\forall V3v \in A.27b.(\forall V4f \in (A.27b^{A.27a}).((ap\ (ap \\
& \quad (ap\ (c_2Eoption_2Eoption_CASE\ A.27a\ A.27b)\ (ap\ (c_2Eoption_2ESOME \\
& \quad A.27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x)))))) \\
& \hspace{15em} (54)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0x \in (ty_2Epair_2Eprod\ A.27a\ A.27b).(\exists V1q \in A.27a. \\
& \quad (\exists V2r \in A.27b.(V0x = (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b) \\
& \quad V1q)\ V2r)))))) \hspace{1em} (55)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0x \in A.27b.(\forall V1y \in A.27c.(\forall V2f \in \\
& \quad ((A.27a^{A.27c})^{A.27b}).((ap\ (ap\ (c_2Epair_2Epair_CASE\ A.27a\ A.27b \\
& \quad A.27c)\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27b\ A.27c)\ V0x)\ V1y))\ V2f) = (ap \\
& \quad (ap\ V2f\ V0x)\ V1y)))))) \hspace{1em} (56)
\end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0ll \in (ty_2Ellist_2Ellist\ A_27a). (\forall V1f \in ((ty_2Eoption_2Eoption \\ & (ty_2Epair_2Eprod\ A_27b\ A_27a))^{A_27b}). (\forall V2n \in A_27b. (\\ & (p\ (ap\ (ap\ (c_2Ellist_2ELPREFIX\ A_27a)\ V0ll)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD \\ & A_27a\ A_27b)\ V1f)\ V2n))) \Leftrightarrow (p\ (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\ & (ty_2Epair_2Eprod\ A_27b\ A_27a)\ 2)\ (ap\ V1f\ V2n))\ (ap\ (ap\ (c_2Emin_2E_3D \\ & (ty_2Ellist_2Ellist\ A_27a))\ V0ll)\ (c_2Ellist_2ELNIL\ A_27a))) \\ & (\lambda V3v \in (ty_2Epair_2Eprod\ A_27b\ A_27a). (ap\ (ap\ (c_2Epair_2Epair_CASE \\ & 2\ A_27b\ A_27a)\ V3v)\ (\lambda V4n \in A_27b. (\lambda V5x \in A_27a. (ap\ (c_2Ebool_2E_21 \\ & A_27a)\ (\lambda V6h \in A_27a. (ap\ (c_2Ebool_2E_21\ (ty_2Ellist_2Ellist \\ & A_27a))\ (\lambda V7t \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (ap\ c_2Emin_2E_3D_3D_3E \\ & (ap\ (ap\ (c_2Emin_2E_3D\ (ty_2Ellist_2Ellist\ A_27a))\ V0ll)\ (ap\ (\\ & ap\ (c_2Ellist_2ELCONS\ A_27a)\ V6h)\ V7t)))\ (ap\ (ap\ c_2Ebool_2E_2F_5C \\ & (ap\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V6h)\ V5x))\ (ap\ (ap\ (c_2Ellist_2ELPREFIX \\ & A_27a)\ V7t)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD\ A_27a\ A_27b)\ V1f)\ V4n))))))))))))))))) \end{aligned}$$