

# thm\_2Ellist\_2ELPREFIX\_\_fromList (TMb8i2Tfngyey3ajaK3sMwz5DQFm43u9LZH)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ellist\_2Ellist A0) \quad (1)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (2)$$

Let  $c\_2Ellist\_2EfromList : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2EfromList A\_27a \in ((ty\_2Ellist\_2Ellist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)}) \quad (3)$$

Let  $c\_2Elist\_2EisPREFIX : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EisPREFIX A\_27a \in ((2^{(ty\_2Elist\_2Elist A\_27a)})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (4)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (5)$$

Let  $c\_2Elist\_2ELENGTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELENGTH A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist A\_27a)}) \quad (6)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (7)$$

Let  $c\_2Ellist\_2ELTAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2ELTAKE A\_27a \in (((ty\_2Eoption\_2Eoption (ty\_2Elist\_2Elist A\_27a))^{(ty\_2Ellist\_2Ellist A\_27a)})^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (9)$$

**Definition 3** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap\ P\ x))$  then  $(the\ (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E40\ ty\_2Eone\_2Eone))\ (\lambda V0x \in ty\_2Eone\_2Eone)$

**Definition 5** We define  $c\_2Ebool\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Emin\_2E3D\ (2^{A\_27a})))$

**Definition 6** We define  $c\_2Ebool\_2E2F$  to be  $(ap\ (c\_2Ebool\_2E21\ 2))\ (\lambda V0t \in 2.V0t)$ .

**Definition 7** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E2F))$

**Definition 9** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2))\ (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (10)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (11)$$

**Definition 10** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b))$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (12)$$

**Definition 11** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (14)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (15)$$

**Definition 12** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num$   
Let  $c\_Enum\_EZERO\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_EZERO\_REP \in \omega \tag{16}$$

**Definition 13** We define  $c\_Enum\_E0$  to be  $(ap\ c\_Enum\_EABS\_num\ c\_Enum\_EZERO\_REP)$ .

**Definition 14** We define  $c\_Earithmic\_EZERO$  to be  $c\_Enum\_E0$ .

Let  $c\_Earithmic\_E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmic\_E\_2B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \tag{17}$$

**Definition 15** We define  $c\_Earithmic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmic$

**Definition 16** We define  $c\_Earithmic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

Let  $c\_Earithmic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmic\_E\_2D \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \tag{18}$$

Let  $c\_Ellist\_Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Ellist\_Ellist\_rep\ A\_27a \in \\ ((ty\_Eoption\_Eoption\ A\_27a)^{ty\_Enum\_Enum})^{(ty\_Ellist\_Ellist\ A\_27a)} \tag{19}$$

**Definition 17** We define  $c\_Esum\_EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_Esum\_EABS$

**Definition 18** We define  $c\_Eoption\_ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_Eoption\_Eoption$

**Definition 19** We define  $c\_Ebool\_ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.$

Let  $c\_Ellist\_Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Ellist\_Ellist\_abs\ A\_27a \in \\ ((ty\_Ellist\_Ellist\ A\_27a)^{(ty\_Eoption\_Eoption\ A\_27a)^{ty\_Enum\_Enum}}) \tag{20}$$

**Definition 20** We define  $c\_Ellist\_ELCONS$  to be  $\lambda A\_27a : \iota.\lambda V0h \in A\_27a.\lambda V1t \in (ty\_Ellist\_Ellist\ A$

**Definition 21** We define  $c\_Ebool\_E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_Emin\_E$

**Definition 22** We define  $c\_Ellist\_ELNIL$  to be  $\lambda A\_27a : \iota.(ap\ (c\_Ellist\_Ellist\_abs\ A\_27a)\ (\lambda V0n \in ty$

**Definition 23** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_E\_21\ 2)\ (\lambda V2t \in$

**Definition 24** We define  $c\_Ellist\_Ellength\_rel$  to be  $\lambda A\_27a : \iota.(\lambda V0a0 \in (ty\_Ellist\_Ellist\ A\_27a).(\lambda V$

**Definition 25** We define  $c\_Ellist\_ELFINITE$  to be  $\lambda A\_27a : \iota.(\lambda V0a0 \in (ty\_Ellist\_Ellist\ A\_27a).(ap\ (c$

**Definition 26** We define  $c\_2Ellist\_2ELLENGTH$  to be  $\lambda A\_27a : \iota.\lambda V0l \in (ty\_2Ellist\_2Ellist A\_27a).(ap (a$   
 Let  $c\_2Eoption\_2ETHE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2ETHE A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (21)$$

**Definition 27** We define  $c\_2Ellist\_2EtoList$  to be  $\lambda A\_27a : \iota.\lambda V0l \in (ty\_2Ellist\_2Ellist A\_27a).(ap (ap (ap$   
 Let  $c\_2Eoption\_2Eoption\_2CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Eoption\_2Eoption\_2CASE A\_27a A\_27b \in (((A\_27b^{(A\_27b^{A\_27a})})^{A\_27b})^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (22)$$

**Definition 28** We define  $c\_2Ellist\_2ELPREFIX$  to be  $\lambda A\_27a : \iota.\lambda V0l1 \in (ty\_2Ellist\_2Ellist A\_27a).\lambda V1l2$   
 Assume the following.

$$True \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist A\_27a).((ap (c\_2Ellist\_2EtoList A\_27a) (ap (c\_2Ellist\_2EfromList A\_27a) V0l)) = (ap (c\_2Eoption\_2ESOME (ty\_2Elist\_2Elist A\_27a) V0l)))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ((\forall V0v \in A\_27b.(\forall V1f \in (A\_27b^{A\_27a}).((ap (ap (ap (c\_2Eoption\_2Eoption\_2CASE A\_27a A\_27b) (c\_2Eoption\_2ENONE A\_27a) V0v) V1f) = V0v)))) \wedge (\forall V2x \in A\_27a.(\forall V3v \in A\_27b.(\forall V4f \in (A\_27b^{A\_27a}).((ap (ap (ap (c\_2Eoption\_2Eoption\_2CASE A\_27a A\_27b) (ap (c\_2Eoption\_2ESOME A\_27a) V2x) V3v) V4f) = (ap V4f V2x))))))) \quad (26)$$

**Theorem 1**

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist A\_27a).(\forall V1l \in (ty\_2Ellist\_2Ellist A\_27a).((p (ap (ap (c\_2Ellist\_2ELPREFIX A\_27a) (ap (c\_2Ellist\_2EfromList A\_27a) V0l)) V1l)) \Leftrightarrow (p (ap (ap (ap (c\_2Eoption\_2Eoption\_2CASE (ty\_2Elist\_2Elist A\_27a) 2) (ap (c\_2Ellist\_2EtoList A\_27a) V1l)) (ap (ap (c\_2Emin\_2E3D (ty\_2Eoption\_2Eoption (ty\_2Elist\_2Elist A\_27a))) (ap (ap (c\_2Ellist\_2ELTAKE A\_27a) (ap (c\_2Elist\_2ELLENGTH A\_27a) V0l)) V1l)) (ap (c\_2Eoption\_2ESOME (ty\_2Elist\_2Elist A\_27a) V0l))) (\lambda V2ys \in (ty\_2Elist\_2Elist A\_27a).(ap (ap (c\_2Elist\_2EisPREFIX A\_27a) V0l) V2ys))))))))))$$