

thm_2Elist_2ELTAKE__CONS__EQ__NONE
(TMZ3H5H3Xm2FAd4niVv1tZnJv4VQZuf8sJZ)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow Q)$ of type ι .

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2ET` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 6 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$.

Definition 8 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P)))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Let `c_2Enum_2EZERO_REP` : ι be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (3)$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (4)$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (5)$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 10 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 13 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (10)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (11)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)} \quad (12)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (13)$$

Definition 14 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (14)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (15)$$

Definition 15 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (16)$$

Definition 16 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_ABS$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (17)$$

Definition 18 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist_abs$

Definition 19 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone$

Definition 20 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Definition 21 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS$

Definition 22 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eoption_2ENONE$

Definition 23 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Enum_2Enum$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (18)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2ELTAKE A_27a \in (((ty_2Eoption_2Eoption (ty_2Elist_2Elist A_27a))^{(ty_2Ellist_2Ellist A_27a)})^{ty_2Enum_2Enum}) \quad (19)$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Eoption_2EOPTION_MAP A_27a A_27b \in (((ty_2Eoption_2Eoption A_27b)^{(ty_2Eoption_2Eoption A_27a)})^{(A_27b^{A_27a})}) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum. (V0m = (ap c_2Enum_2ESUC V1n)))))) \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A_27a.(p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (27)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1a \in A_27a.((\exists V2x \in A_27a.((V2x = V1a) \wedge (p \ (ap \ V0P \ V2x)))) \Leftrightarrow (p \ (ap \ V0P \ V1a)))))) \quad (32)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow ((\forall V0l \in (ty_2Ellist_2Ellist\ A_27a).((\\
ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27a)\ c_2Enum_2E0)\ V0l) = (ap\ (c_2Eoption_2ESOME \\
& \quad (ty_2Elist_2Elist\ A_27a))\ (c_2Elist_2ENIL\ A_27a)))) \wedge ((\forall V1n \in \\
ty_2Enum_2Enum.((ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27b)\ (ap\ c_2Enum_2ESUC \\
& \quad V1n))\ (c_2Ellist_2ELNIL\ A_27b)) = (c_2Eoption_2ENONE\ (ty_2Elist_2Elist \\
& \quad A_27b)))) \wedge (\forall V2n \in ty_2Enum_2Enum.(\forall V3h \in A_27c. \\
& \quad (\forall V4t \in (ty_2Ellist_2Ellist\ A_27c).((ap\ (ap\ (c_2Ellist_2ELTAK E \\
& \quad A_27c)\ (ap\ c_2Enum_2ESUC\ V2n))\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27c) \\
& \quad V3h)\ V4t)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Elist_2Elist \\
& \quad A_27c)\ (ty_2Elist_2Elist\ A_27c))\ (ap\ (c_2Elist_2ECONS\ A_27c) \\
& \quad V3h))\ (ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27c)\ V2n)\ V4t))))))))) \\
& \hspace{15em} (33)
\end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\neg((c_2Eoption_2ENONE \\
A_27a) = (ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x)))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27a^{A_27b}).(\forall V1x \in (ty_2Eoption_2Eoption \\
& \quad A_27b).(((ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ A_27b\ A_27a)\ V0f) \\
V1x) = (c_2Eoption_2ENONE\ A_27a)) \Leftrightarrow (V1x = (c_2Eoption_2ENONE\ A_27b))) \wedge \\
& \quad (((c_2Eoption_2ENONE\ A_27a) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\
& \quad A_27b\ A_27a)\ V0f)\ V1x)) \Leftrightarrow (V1x = (c_2Eoption_2ENONE\ A_27b)))))) \\
& \hspace{15em} (36)
\end{aligned}$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\
(ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n)))) \quad (37)$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0m \in ty_2Enum_2Enum.(\\
& \quad \forall V1h \in A_27a.(\forall V2t \in (ty_2Ellist_2Ellist\ A_27a). \\
& \quad ((ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27a)\ V0m)\ (ap\ (ap\ (c_2Ellist_2ELCONS \\
& \quad A_27a)\ V1h)\ V2t)) = (c_2Eoption_2ENONE\ (ty_2Elist_2Elist\ A_27a))) \Leftrightarrow \\
& \quad (\exists V3n \in ty_2Enum_2Enum.((V0m = (ap\ c_2Enum_2ESUC\ V3n)) \wedge \\
& \quad ((ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27a)\ V3n)\ V2t) = (c_2Eoption_2ENONE \\
& \quad (ty_2Elist_2Elist\ A_27a))))))))))
\end{aligned}$$