

thm_2Elist_2ELTAKE__EQ (TM- MuTF6XaiPUiK3kt1mFuM6CM2SH5ZbxZHX)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{4}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{5}$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \tag{6}$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \tag{7}$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (8)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (9)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (10)$$

Let $c_2Ellist_2ELNTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELNTH\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Ellist_2Ellist\ A_27a)})^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELTAKE\ A_27a \in (((ty_2Eoption_2Eoption\ (ty_2Elist_2Elist\ A_27a))^{(ty_2Ellist_2Ellist\ A_27a)})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 4 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge p\ \text{of type } \iota \Rightarrow \iota).$

Definition 5 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a\ V0P)))$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE\ A_27a\ A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (13)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (14)$$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}\ V0P)))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.(\lambda V3t \in 2.(ap\ (c_2Emin_2E_3D\ (2^{A_27a}\ V3t))\ V2t))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (15)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (16)$$

Definition 9 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (17)$$

Definition 10 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ V0x)$

Definition 11 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone.\ V0x))$

Definition 12 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E)\ V0t)$

Definition 14 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Definition 15 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (\lambda V0x \in A_27a.\ V0x))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (18)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (19)$$

Definition 16 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ V0m)$

Definition 17 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t)\ V0t1\ V1t2))\ V0t1)$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V1x))) \Rightarrow (p\ V0t))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (25)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (30)$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.(((p V0P) \Rightarrow ((p V1Q) \wedge (p V2R))) \Leftrightarrow (((p V0P) \Rightarrow (p V1Q)) \wedge ((p V0P) \Rightarrow (p V2R))))))) \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \Rightarrow (p V1t2)) \wedge ((p V1t2) \Rightarrow (p V0t1)))))) \quad (33)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x.27)) \wedge ((p \ V1x.27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y.27)))) \Rightarrow \\ (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x.27) \Rightarrow (p \ V3y.27)))) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (((ap \ (c.2Elist.2ELENGTH \ A.27a) \\ (c.2Elist.2ENIL \ A.27a)) = c.2Enum.2E0) \wedge (\forall V0h \in \ A.27a. \\ (\forall V1t \in \ (ty.2Elist.2Elist \ A.27a).((ap \ (c.2Elist.2ELENGTH \\ A.27a) \ (ap \ (ap \ (c.2Elist.2ECONS \ A.27a) \ V0h) \ V1t)) = (ap \ c.2Enum.2ESUC \\ (ap \ (c.2Elist.2ELENGTH \ A.27a) \ V1t)))))) \quad (35)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0a0 \in \ A.27a. (\forall V1a1 \in \\ (ty.2Elist.2Elist \ A.27a). (\forall V2a0.27 \in \ A.27a. (\forall V3a1.27 \in \\ (ty.2Elist.2Elist \ A.27a). (((ap \ (ap \ (c.2Elist.2ECONS \ A.27a) \ V0a0) \\ V1a1) = (ap \ (ap \ (c.2Elist.2ECONS \ A.27a) \ V2a0.27) \ V3a1.27)) \Leftrightarrow ((V0a0 = \\ V2a0.27) \wedge (V1a1 = V3a1.27)))))) \quad (36)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow ((\forall V0l1 \in \ (ty.2Elist.2Elist \\ A.27a). (\forall V1l2 \in \ (ty.2Elist.2Elist \ A.27a). (\forall V2l1.27 \in \\ (ty.2Elist.2Elist \ A.27a). (\forall V3l2.27 \in \ (ty.2Elist.2Elist \\ A.27a). (((ap \ (c.2Elist.2ELENGTH \ A.27a) \ V0l1) = (ap \ (c.2Elist.2ELENGTH \\ A.27a) \ V2l1.27)) \Rightarrow (((ap \ (ap \ (c.2Elist.2EAPPEND \ A.27a) \ V0l1) \ V1l2) = \\ (ap \ (ap \ (c.2Elist.2EAPPEND \ A.27a) \ V2l1.27) \ V3l2.27)) \Leftrightarrow ((V0l1 = \\ V2l1.27) \wedge (V1l2 = V3l2.27)))))) \wedge (\forall V4l1 \in \ (ty.2Elist.2Elist \\ A.27a). (\forall V5l2 \in \ (ty.2Elist.2Elist \ A.27a). (\forall V6l1.27 \in \\ (ty.2Elist.2Elist \ A.27a). (\forall V7l2.27 \in \ (ty.2Elist.2Elist \\ A.27a). (((ap \ (c.2Elist.2ELENGTH \ A.27a) \ V5l2) = (ap \ (c.2Elist.2ELENGTH \\ A.27a) \ V7l2.27)) \Rightarrow (((ap \ (ap \ (c.2Elist.2EAPPEND \ A.27a) \ V4l1) \ V5l2) = \\ (ap \ (ap \ (c.2Elist.2EAPPEND \ A.27a) \ V6l1.27) \ V7l2.27)) \Leftrightarrow ((V4l1 = \\ V6l1.27) \wedge (V5l2 = V7l2.27)))))) \quad (37)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0ll1 \in \ (ty.2Ellist.2Ellist \\ A.27a). (\forall V1ll2 \in \ (ty.2Ellist.2Ellist \ A.27a). ((V0ll1 = \\ V1ll2) \Leftrightarrow (\forall V2n \in \ ty.2Enum.2Enum. ((ap \ (ap \ (c.2Ellist.2ELNTH \\ A.27a) \ V2n) \ V0ll1) = (ap \ (ap \ (c.2Ellist.2ELNTH \ A.27a) \ V2n) \ V1ll2)))) \quad (38)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty.2Enum.2Enum.(\\
& \quad \forall V1ll \in (ty.2Ellist.2Ellist\ A.27a).((ap\ (ap\ (c.2Ellist.2ELTAKE \\
& A.27a)\ (ap\ c.2Enum.2ESUC\ V0n))\ V1ll) = (ap\ (ap\ (ap\ (c.2Eoption.2Eoption_CASE \\
& \quad (ty.2Elist.2Elist\ A.27a)\ (ty.2Eoption.2Eoption\ (ty.2Elist.2Elist \\
& \quad A.27a))))\ (ap\ (ap\ (c.2Ellist.2ELTAKE\ A.27a)\ V0n)\ V1ll))\ (c.2Eoption.2ENONE \\
& \quad (ty.2Elist.2Elist\ A.27a)))\ (\lambda V2l \in (ty.2Elist.2Elist\ A.27a). \\
& \quad (ap\ (ap\ (ap\ (c.2Eoption.2Eoption_CASE\ A.27a)\ (ty.2Eoption.2Eoption \\
& \quad (ty.2Elist.2Elist\ A.27a))))\ (ap\ (ap\ (c.2Ellist.2ELNTH\ A.27a)\ V0n) \\
& \quad V1ll))\ (c.2Eoption.2ENONE\ (ty.2Elist.2Elist\ A.27a)))\ (\lambda V3e \in \\
& \quad A.27a.(ap\ (c.2Eoption.2ESOME\ (ty.2Elist.2Elist\ A.27a))\ (ap\ (\\
& \quad ap\ (c.2Elist.2EAPPEND\ A.27a)\ V2l)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a) \\
& \quad V3e)\ (c.2Elist.2ENIL\ A.27a))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty.2Enum.2Enum.(\\
& \quad \forall V1ll \in (ty.2Ellist.2Ellist\ A.27a).(((ap\ (ap\ (c.2Ellist.2ELTAKE \\
& \quad A.27a)\ V0n)\ V1ll) = (c.2Eoption.2ENONE\ (ty.2Elist.2Elist\ A.27a))) \Rightarrow \\
& \quad ((ap\ (ap\ (c.2Ellist.2ELNTH\ A.27a)\ V0n)\ V1ll) = (c.2Eoption.2ENONE \\
& \quad A.27a))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0opt \in (ty.2Eoption.2Eoption \\
& \quad A.27a).((V0opt = (c.2Eoption.2ENONE\ A.27a)) \vee (\exists V1x \in A.27a. \\
& \quad (V0opt = (ap\ (c.2Eoption.2ESOME\ A.27a)\ V1x))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0v \in A.27b.(\forall V1f \in (A.27b^{A.27a}).((ap\ (ap\ (ap\ (c.2Eoption.2Eoption_CASE \\
& \quad A.27a\ A.27b)\ (c.2Eoption.2ENONE\ A.27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\
& \quad A.27a.(\forall V3v \in A.27b.(\forall V4f \in (A.27b^{A.27a}).((ap\ (ap \\
& \quad (ap\ (c.2Eoption.2Eoption_CASE\ A.27a\ A.27b)\ (ap\ (c.2Eoption.2ESOME \\
& \quad A.27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& \quad A.27a.(((ap\ (c.2Eoption.2ESOME\ A.27a)\ V0x) = (ap\ (c.2Eoption.2ESOME \\
& \quad A.27a)\ V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\neg((c.2Eoption.2ENONE \\
& \quad A.27a) = (ap\ (c.2Eoption.2ESOME\ A.27a)\ V0x))))
\end{aligned} \tag{44}$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n))) \quad (45)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (47)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((\neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p\ V0p) \Leftrightarrow (\neg(p\ V1q))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (59)$$

Theorem 1

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0ll1 \in (ty_2Ellist_2Ellist \ A_27a).(\forall V1ll2 \in (ty_2Ellist_2Ellist \ A_27a).((V0ll1 = V1ll2) \Leftrightarrow (\forall V2n \in ty_2Enum_2Enum.((ap \ (ap \ (c_2Ellist_2ELTAK E \ A_27a) \ V2n) \ V0ll1) = (ap \ (ap \ (c_2Ellist_2ELTAK E \ A_27a) \ V2n) \ V1ll2)))))))$$