

thm\_2Ellist\_2ELTAKE\_\_EQ\_\_NONE\_\_LNTH  
 (TMUUXfQB-  
 VaEosRzuR1KdWTerXyzP6zLcFTE)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Earithmic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ ($

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 8** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B))$

**Definition 9** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (8)$$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ellist\_2Ellist A0) \quad (9)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist A\_27a)} \quad (10)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \quad (11)$$

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.t)))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (12)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (13)$$

**Definition 12** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS\_sum))$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone}) \quad (14)$$

**Definition 13** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_2ABS A\_27a) x)$

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A) P)$  of type  $\iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap (c\_2Emin\_2E\_40) (ap V1t1 V2t2))))$

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum}) \quad (15)$$

**Definition 16** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota. \lambda V0h \in A\_27a. \lambda V1t \in (ty\_2Ellist\_2Ellist A\_27a) (ap (c\_2Emin\_2E\_40) h)$

**Definition 17** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40) ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone. x)$

**Definition 18** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap (c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2ECOND) t))$

**Definition 19** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS A\_27a) e)$

**Definition 20** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_2ABS A\_27a) (c\_2Emin\_2E\_40))$

**Definition 21** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota. (ap (c\_2Ellist\_2Ellist\_abs A\_27a) (\lambda V0n \in ty\_2Ellist\_2Ellist A\_27a. c\_2Emin\_2E\_40))$

Let  $c\_2Ellist\_2ELNTH : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ellist\_2ELNTH A\_27a \in (((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Ellist\_2Ellist A\_27a})^{ty\_2Enum\_2Enum}) \quad (16)$$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (17)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{ty\_2Elist\_2Elist A\_27a})^{A\_27a}) \quad (18)$$

**Definition 22** We define  $c\_2Ellist\_2ELHD$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist A\_27a). (ap (ap (c\_2Emin\_2E\_40) ll))$

Let  $c\_2Eoption\_2Eoption\_2CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Eoption\_2Eoption\_2CASE A\_27a A\_27b \in (((A\_27b^{(A\_27b^{A\_27a})})^{A\_27b})^{ty\_2Eoption\_2Eoption A\_27a}) \quad (19)$$

**Definition 23** We define  $c\_2Ellist\_2ELTL$  to be  $\lambda A\_27a : \iota. \lambda V0ll \in (ty\_2Ellist\_2Ellist A\_27a). (ap (ap (ap (c\_2Emin\_2E\_40) ll)) ll))$

Let  $c\_2Elis\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elis\_2ENIL\ A\_27a \in (ty\_2Elis\_2Elis\ A\_27a) \quad (20)$$

Let  $c\_2Ellist\_2ELTAKE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2ELTAKE\ A\_27a \in (((ty\_2Eoption\_2Eoption\ (ty\_2Elis\_2Elis\ A\_27a))^{(ty\_2Ellist\_2Ellist\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (21)$$

**Definition 24** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 25** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $c\_2Eoption\_2EOPTION\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_MAP\ A\_27a\ A\_27b \in (((ty\_2Eoption\_2Eoption\ A\_27b)^{(ty\_2Eoption\_2Eoption\ A\_27a)})^{(A\_27b^{A\_27a})}) \quad (22)$$

Let  $c\_2Eoption\_2ETHE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2ETHE\ A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (23)$$

Let  $c\_2Eoption\_2EOPTION\_JOIN : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2EOPTION\_JOIN\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Eoption\_2Eoption\ (ty\_2Eoption\_2Eoption\ A\_27a))}) \quad (24)$$

Assume the following.

$$True \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (32)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))))))) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Ellist\_2Ellist\ A\_27a). ((V0l = (c\_2Ellist\_2ELNIL\ A\_27a)) \vee (\exists V1h \in A\_27a. (\exists V2t \in (ty\_2Ellist\_2Ellist\ A\_27a). (V0l = (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ V2t)))))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ((ap\ (c\_2Ellist\_2ELHD\ A\_27a)\ (c\_2Ellist\_2ELNIL\ A\_27a)) = (c\_2Eoption\_2ENONE\ A\_27a)) \wedge (\forall V0h \in A\_27b. (\forall V1t \in (ty\_2Ellist\_2Ellist\ A\_27b). ((ap\ (c\_2Ellist\_2ELHD\ A\_27b)\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27b)\ V0h)\ V1t)) = (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V0h)))) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ((ap\ (c\_2Ellist\_2ELTL\ A\_27a)\ (c\_2Ellist\_2ELNIL\ A\_27a)) = (c\_2Eoption\_2ENONE\ (ty\_2Ellist\_2Ellist\ A\_27a))) \wedge (\forall V0h \in A\_27b. (\forall V1t \in (ty\_2Ellist\_2Ellist\ A\_27b). ((ap\ (c\_2Ellist\_2ELTL\ A\_27b)\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27b)\ V0h)\ V1t)) = (ap\ (c\_2Eoption\_2ESOME\ (ty\_2Ellist\_2Ellist\ A\_27b)\ V1t)))))) \quad (36)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0ll \in (ty\_2Ellist\_2Ellist \\
& A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELNTH\ A\_27a)\ c\_2Enum\_2E0)\ V0ll) = \\
& (ap\ (c\_2Ellist\_2ELHD\ A\_27a)\ V0ll))) \wedge (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2ll \in (ty\_2Ellist\_2Ellist\ A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELNTH \\
& A\_27a)\ (ap\ c\_2Enum\_2ESUC\ V1n))\ V2ll) = (ap\ (c\_2Eoption\_2EOPTION\_JOIN \\
& A\_27a)\ (ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP\ (ty\_2Ellist\_2Ellist \\
& A\_27a)\ (ty\_2Eoption\_2Eoption\ A\_27a))\ (ap\ (c\_2Ellist\_2ELNTH\ A\_27a) \\
& V1n))\ (ap\ (c\_2Ellist\_2ELTL\ A\_27a)\ V2ll)))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0ll \in (ty\_2Ellist\_2Ellist \\
& A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELTAKE\ A\_27a)\ c\_2Enum\_2E0)\ V0ll) = \\
& (ap\ (c\_2Eoption\_2ESOME\ (ty\_2Elist\_2Elist\ A\_27a))\ (c\_2Elist\_2ENIL \\
& A\_27a)))) \wedge (\forall V1n \in ty\_2Enum\_2Enum. (\forall V2ll \in (ty\_2Ellist\_2Ellist \\
& A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELTAKE\ A\_27a)\ (ap\ c\_2Enum\_2ESUC\ V1n)) \\
& V2ll) = (ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE\ A\_27a\ (ty\_2Eoption\_2Eoption \\
& (ty\_2Elist\_2Elist\ A\_27a)))\ (ap\ (c\_2Ellist\_2ELHD\ A\_27a)\ V2ll)) \\
& (c\_2Eoption\_2ENONE\ (ty\_2Elist\_2Elist\ A\_27a)))\ (\lambda V3hd \in A\_27a. \\
& (ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE\ (ty\_2Elist\_2Elist\ A\_27a) \\
& (ty\_2Eoption\_2Eoption\ (ty\_2Elist\_2Elist\ A\_27a)))\ (ap\ (ap\ (c\_2Ellist\_2ELTAKE \\
& A\_27a)\ V1n)\ (ap\ (c\_2Eoption\_2ETHE\ (ty\_2Ellist\_2Ellist\ A\_27a)) \\
& (ap\ (c\_2Ellist\_2ELTL\ A\_27a)\ V2ll))))))\ (c\_2Eoption\_2ENONE\ (ty\_2Elist\_2Elist \\
& A\_27a)))\ (\lambda V4tl \in (ty\_2Elist\_2Elist\ A\_27a). (ap\ (c\_2Eoption\_2ESOME \\
& (ty\_2Elist\_2Elist\ A\_27a))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V3hd \\
& V4tl)))))))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0P \in (ty\_2Enum\_2Enum). (((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p\ (ap\ V0P\ V2n))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption \\
& A\_27a). ((V0opt = (c\_2Eoption\_2ENONE\ A\_27a)) \vee (\exists V1x \in A\_27a. \\
& (V0opt = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & (\forall V0v \in A\_27b. (\forall V1f \in (A\_27b^{A\_27a}). ((ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE \\ & A\_27a\ A\_27b)\ (c\_2Eoption\_2ENONE\ A\_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\ & A\_27a. (\forall V3v \in A\_27b. (\forall V4f \in (A\_27b^{A\_27a}). ((ap\ (ap \\ & (ap\ (c\_2Eoption\_2Eoption\_CASE\ A\_27a\ A\_27b)\ (ap\ (c\_2Eoption\_2ESOME \\ & A\_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg((c\_2Eoption\_2ENONE\ A\_27a) = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0x)))) \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1x \in A\_27a. ((ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\ & A\_27a\ A\_27b)\ V0f)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x)) = (ap\ (c\_2Eoption\_2ESOME \\ & A\_27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A\_27b^{A\_27a}). ((ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\ & A\_27a\ A\_27b)\ V2f)\ (c\_2Eoption\_2ENONE\ A\_27a)) = (c\_2Eoption\_2ENONE \\ & A\_27b)))) \end{aligned} \quad (43)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap\ (c\_2Eoption\_2ETHE\ A\_27a)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0x)) = V0x)) \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (((ap\ (c\_2Eoption\_2EOPTION\_JOIN \\ & A\_27a)\ (c\_2Eoption\_2ENONE\ (ty\_2Eoption\_2Eoption\ A\_27a))) = ( \\ & c\_2Eoption\_2ENONE\ A\_27a)) \wedge (\forall V0x \in (ty\_2Eoption\_2Eoption \\ & A\_27a). ((ap\ (c\_2Eoption\_2EOPTION\_JOIN\ A\_27a)\ (ap\ (c\_2Eoption\_2ESOME \\ & (ty\_2Eoption\_2Eoption\ A\_27a)\ V0x)) = V0x))) \end{aligned} \quad (45)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum. ( \\ & \forall V1ll \in (ty\_2Ellist\_2Ellist\ A\_27a). (((ap\ (ap\ (c\_2Ellist\_2ELTAKE \\ & A\_27a)\ V0n)\ V1ll) = (c\_2Eoption\_2ENONE\ (ty\_2Elist\_2Elist\ A\_27a))) \Rightarrow \\ & ((ap\ (ap\ (c\_2Ellist\_2ELNTH\ A\_27a)\ V0n)\ V1ll) = (c\_2Eoption\_2ENONE \\ & A\_27a)))))) \end{aligned}$$