

thm_2Ellist_2ELTAKE__LAPPEND1 (TMN- WrVvviPJpisYMHZrLvXHBSMbHDsgTESS)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2.V0t)$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t) \text{ c_2Ebool_2EF})))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (1)$$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Elist_2ECONS } A_27a \in (((\text{ty_2Elist_2Elist } A_27a) (\text{ty_2Elist_2Elist } A_27a)) A_27a) \quad (2)$$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Elist_2ENIL } A_27a \in (\text{ty_2Elist_2Elist } A_27a) \quad (3)$$

Let `ty_2Eoption_2Eoption` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Eoption_2Eoption } A0) \quad (4)$$

Let `ty_2Ellist_2Ellist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Ellist_2Ellist } A0) \quad (5)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (6)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELTAKE\ A_27a \in ((ty_2Eoption_2Eoption\ (ty_2Elist_2Elist\ A_27a))^{(ty_2Ellist_2Ellist\ A_27a)})^{ty_2Enum_2Enum} \quad (7)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (9)$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 8 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (11)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ V0m))$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ c_2Enum_2ESUC)$.

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (14)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (15)$$

Definition 12 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21) 2) (\lambda V2t \in 2.))$
Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (16)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (17)$$

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum A_27a A_27b) (V0e))$
Let $c_2Eoption_2Eoption_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_abs A_27a \in ((ty_2Eoption_2Eoption A_27a)^{ty_2Eone_2Eone}) \quad (18)$$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_abs A_27a) (V0x))$

Definition 15 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 16 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{ty_2Eenum_2Eenum}) \quad (19)$$

Definition 17 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist A_27a) (V0h)$

Definition 18 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.))$

Definition 19 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum A_27a A_27b) (V0e))$

Definition 20 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_abs A_27a) (V0))$

Definition 21 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist_2Ellist A_27a.))$

Let $c_2Ellist_2ELAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2ELAPPEND A_27a \in (((ty_2Ellist_2Ellist A_27a)^{ty_2Ellist_2Ellist A_27a})^{ty_2Ellist_2Ellist A_27a}) \quad (20)$$

Definition 22 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 23 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21) 2) (\lambda V2t \in 2.))$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)})^{(A_27b^{A_27a})}) \quad (21)$$

Let $c_2Eoption_2EIS_SOME : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2EIS_SOME\ A_27a \in (\quad (22)$$

$$2^{(ty_2Eoption_2Eoption\ A_27a)})$$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2) \Rightarrow (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (30)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow \quad (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0a0 \in A_{.27a}.(\forall V1a1 \in (ty_2Elist_2Elist A_{.27a}).(\forall V2a0_{.27} \in A_{.27a}.(\forall V3a1_{.27} \in (ty_2Elist_2Elist A_{.27a}).(((ap (ap (c_2Elist_2ECONS A_{.27a}) V0a0) V1a1) = (ap (ap (c_2Elist_2ECONS A_{.27a}) V2a0_{.27}) V3a1_{.27})) \Leftrightarrow ((V0a0 = V2a0_{.27}) \wedge (V1a1 = V3a1_{.27})))))))) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0l \in (ty_2Elist_2Elist A_{.27a}).((V0l = (c_2Elist_2ELNIL A_{.27a})) \vee (\exists V1h \in A_{.27a}. (\exists V2t \in (ty_2Elist_2Elist A_{.27a}).(V0l = (ap (ap (c_2Elist_2ELCONS A_{.27a}) V1h) V2t)))))) \quad (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \forall A_{.27c}.nonempty A_{.27c} \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist A_{.27a}).((ap (ap (c_2Elist_2ELTAKE A_{.27a}) c_2Enum_2E0) V0l) = (ap (c_2Eoption_2ESOME (ty_2Elist_2Elist A_{.27a}) (c_2Elist_2ENIL A_{.27a}))) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap (ap (c_2Elist_2ELTAKE A_{.27b}) (ap c_2Enum_2ESUC V1n)) (c_2Elist_2ELNIL A_{.27b})) = (c_2Eoption_2ENONE (ty_2Elist_2Elist A_{.27b}))) \wedge (\forall V2n \in ty_2Enum_2Enum.(\forall V3h \in A_{.27c}. (\forall V4t \in (ty_2Elist_2Elist A_{.27c}).((ap (ap (c_2Elist_2ELTAKE A_{.27c}) (ap c_2Enum_2ESUC V2n)) (ap (ap (c_2Elist_2ELCONS A_{.27c}) V3h) V4t)) = (ap (ap (c_2Eoption_2EOPTION_MAP (ty_2Elist_2Elist A_{.27c}) (ty_2Elist_2Elist A_{.27c})) (ap (c_2Elist_2ECONS A_{.27c}) V3h)) (ap (ap (c_2Elist_2ELTAKE A_{.27c}) V2n) V4t)))))))))) \quad (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow ((\forall V0x \in (ty_2Elist_2Elist A_{.27a}).((ap (ap (c_2Elist_2ELAPPEND A_{.27a}) (c_2Elist_2ELNIL A_{.27a})) V0x) = V0x)) \wedge (\forall V1h \in A_{.27a}.(\forall V2t \in (ty_2Elist_2Elist A_{.27a}).(\forall V3x \in (ty_2Elist_2Elist A_{.27a}).((ap (ap (c_2Elist_2ELAPPEND A_{.27a}) (ap (ap (c_2Elist_2ELCONS A_{.27a}) V1h) V2t)) V3x) = (ap (ap (c_2Elist_2ELCONS A_{.27a}) V1h) (ap (ap (c_2Elist_2ELAPPEND A_{.27a}) V2t) V3x)))))))))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p (ap V0P c_2Enum_2E0)) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p (ap V0P V2n))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\
& A_27a).((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a. \\
& (V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.(((ap (c_2Eoption_2ESOME A_27a) V0x) = (ap (c_2Eoption_2ESOME \\
& A_27a) V1y)) \Leftrightarrow (V0x = V1y))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& (\forall V0f \in (A_27b^{A_27a}).(\forall V1x \in A_27a.((ap (ap (c_2Eoption_2EOPTION_MAP \\
& A_27a A_27b) V0f) (ap (c_2Eoption_2ESOME A_27a) V1x)) = (ap (c_2Eoption_2ESOME \\
& A_27b) (ap V0f V1x)))))) \wedge (\forall V2f \in (A_27b^{A_27a}).((ap (ap (c_2Eoption_2EOPTION_MAP \\
& A_27a A_27b) V2f) (c_2Eoption_2ENONE A_27a)) = (c_2Eoption_2ENONE \\
& A_27b))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0x \in A_27a.((p (ap (c_2Eoption_2EIS_SOME \\
& A_27a) (ap (c_2Eoption_2ESOME A_27a) V0x))) \Leftrightarrow True)) \wedge ((p (ap (c_2Eoption_2EIS_SOME \\
& A_27a) (c_2Eoption_2ENONE A_27a))) \Leftrightarrow False))
\end{aligned} \tag{40}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\\
& \forall V1l1 \in (ty_2Ellist_2Ellist A_27a).(\forall V2l2 \in (ty_2Ellist_2Ellist \\
& A_27a).((p (ap (c_2Eoption_2EIS_SOME (ty_2Elist_2Elist A_27a)) \\
& (ap (ap (c_2Ellist_2ELTAKE A_27a) V0n) V1l1))) \Rightarrow ((ap (ap (c_2Ellist_2ELTAKE \\
& A_27a) V0n) (ap (ap (c_2Ellist_2ELAPPEND A_27a) V1l1) V2l2)) = (\\
& ap (ap (c_2Ellist_2ELTAKE A_27a) V0n) V1l1))))))
\end{aligned}$$