

thm_2Ellist_2ELTAKE_LENGTH (TM- TuzW62KnDkoZBB3LP4vAEPBEgXQLrv9fP)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \tag{3}$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \tag{4}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 4 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 5 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (15)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (16)$$

Definition 12 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $c_2Eoption_2Eoption_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_abs\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (17)$$

Definition 13 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_abs\ A_27a)\ V0x)$

Definition 14 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2. V0t))$.

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap\ (c_2Ebool_2E21\ 2)\ V2t2)\ V1t1))\ V0t)$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (18)$$

Definition 16 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist\ A_27a)\ V0h$

Definition 17 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone)\ V0x)$

Definition 18 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E7E)\ V0t)$

Definition 19 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Definition 20 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_abs\ A_27a)\ (\lambda V0x \in ty_2Eone_2Eone)\ V0x))$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (19)$$

Definition 21 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n \in ty_2Eone_2Eone)\ V0n))$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELTAKE\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Ellist_2Ellist\ A_27a)}\ ty_2Enum_2Enum)\ (ty_2Elist_2Elist\ A_27a)) \quad (20)$$

Definition 22 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$
Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)})^{(A_27b^{A_27a})}) \quad (21)$$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$
Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow \neg (p\ V0t)))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg (p\ V0t)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((p\ V0P) \wedge (\forall V2x \in A.27a. (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow (\forall V3x \in A.27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (32)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x.27)) \wedge ((p\ V1x.27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y.27)))))) \Rightarrow ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x.27) \Rightarrow (p\ V3y.27)))))) \quad (33)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c.2Elist.2ELENGTH\ A.27a)\ (c.2Elist.2ENIL\ A.27a)) = c.2Enum.2E0) \wedge (\forall V0h \in A.27a. (\forall V1t \in (ty.2Elist.2Elist\ A.27a). ((ap\ (c.2Elist.2ELENGTH\ A.27a)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ c.2Enum.2ESUC\ (ap\ (c.2Elist.2ELENGTH\ A.27a)\ V1t)))))) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty.2Elist.2Elist\ A.27a). ((c.2Enum.2E0 = (ap\ (c.2Elist.2ELENGTH\ A.27a)\ V0l)) \Leftrightarrow (V0l = (c.2Elist.2ENIL\ A.27a)))) \quad (35)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0l \in (ty.2Elist.2Elist\ A.27a). ((V0l = (c.2Elist.2ENIL\ A.27a)) \vee (\exists V1h \in A.27a. (\exists V2t \in (ty.2Elist.2Elist\ A.27a). (V0l = (ap\ (ap\ (c.2Elist.2ELCONS\ A.27a)\ V1h)\ V2t)))))) \quad (36)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow ((\forall V0l \in (ty_2Ellist_2Ellist\ A_27a).((\\
ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27a)\ c_2Enum_2E0)\ V0l) = (ap\ (c_2Eoption_2ESOME \\
& \quad (ty_2Elist_2Elist\ A_27a))\ (c_2Elist_2ENIL\ A_27a)))) \wedge ((\forall V1n \in \\
ty_2Enum_2Enum.((ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27b)\ (ap\ c_2Enum_2ESUC \\
& \quad V1n))\ (c_2Ellist_2ELNIL\ A_27b)) = (c_2Eoption_2ENONE\ (ty_2Elist_2Elist \\
& \quad A_27b)))) \wedge (\forall V2n \in ty_2Enum_2Enum.(\forall V3h \in A_27c. \\
& \quad (\forall V4t \in (ty_2Ellist_2Ellist\ A_27c).((ap\ (ap\ (c_2Ellist_2ELTAK E \\
& \quad A_27c)\ (ap\ c_2Enum_2ESUC\ V2n))\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27c) \\
& \quad V3h)\ V4t)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Elist_2Elist \\
& \quad A_27c)\ (ty_2Elist_2Elist\ A_27c))\ (ap\ (c_2Elist_2ECONS\ A_27c) \\
& \quad V3h))\ (ap\ (ap\ (c_2Ellist_2ELTAK E\ A_27c)\ V2n)\ V4t))))))))) \\
& \hspace{15em} (37)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\
& \quad A_27a).(\forall V1m \in ty_2Enum_2Enum.(((ap\ (ap\ (c_2Ellist_2ELTAK E \\
& \quad A_27a)\ V1m)\ (c_2Ellist_2ELNIL\ A_27a)) = (ap\ (c_2Eoption_2ESOME \\
& \quad (ty_2Elist_2Elist\ A_27a))\ V0l)) \Leftrightarrow ((V1m = c_2Enum_2E0) \wedge (V0l = (\\
& \quad c_2Elist_2ENIL\ A_27a)))))) \\
& \hspace{15em} (38)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.(\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \\
& \hspace{15em} (39)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge \\
& \quad (\forall V1n \in ty_2Enum_2Enum.((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC \\
& \quad V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p\ (ap\ V0P\ V2n)))))) \\
& \hspace{15em} (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& \quad A_27a.(((ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\
& \quad A_27a)\ V1y)) \Leftrightarrow (V0x = V1y))) \\
& \hspace{15em} (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}).(\forall V1x \in (ty_2Eoption_2Eoption \\
& \quad A_27a).(\forall V2y \in A_27b.(((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\
& \quad A_27a\ A_27b)\ V0f)\ V1x) = (ap\ (c_2Eoption_2ESOME\ A_27b)\ V2y)) \Leftrightarrow (\exists V3z \in \\
& \quad A_27a.((V1x = (ap\ (c_2Eoption_2ESOME\ A_27a)\ V3z)) \wedge (V2y = (ap\ V0f \\
& \quad V3z))))))))) \\
& \hspace{15em} (42)
\end{aligned}$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (47)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ((p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((\neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (58)$$

Theorem 1

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0n \in \text{ty_2Enum_2Enum.} (\forall V1ll \in (\text{ty_2Elist_2Elist } A_27a). (\forall V2l \in (\text{ty_2Elist_2Elist } A_27a). (((\text{ap } (\text{ap } (\text{c_2Elist_2ELTAK} E A_27a) V0n) V1ll) = (\text{ap } (\text{c_2Eoption_2ESOME } (\text{ty_2Elist_2Elist } A_27a) V2l)) \Rightarrow (V0n = (\text{ap } (\text{c_2Elist_2ELENGTH } A_27a) V2l))))))))$$