

thm_2Ellist_2ELTAKE__THM
(TMEEx8qG72KTUgw7kJ2E6m2psNrHLHYTL17P)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 7 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 8 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (9)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in \\ (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (10)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (11)$$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (12)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (13)$$

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in \\ ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (14)$$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_2ESOME A_27a) x)$

Definition 15 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P x) \text{ then } (\lambda x. x \in A) \text{ else } (\lambda x. x \in A \wedge P x)$ of type $\iota \Rightarrow \iota$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (V1t1 \wedge V2t2))))$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (15)$$

Definition 17 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist A_27a) \rightarrow (ty_2Ellist_2Ellist A_27a)$

Definition 18 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. V0x))$

Definition 19 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS A_27a A_27b) e)$

Definition 20 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_2ABS A_27a) (\lambda x. x \in A_27a))$

Definition 21 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist_2Ellist A_27a. V0n))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Elist_2Elist A0) \quad (16)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (17)$$

Definition 22 We define $c_2Ellist_2ELHD$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (c_2Eoption_2Eoption_2CASE A_27a) V0ll))$

Let $c_2Eoption_2Eoption_2CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow c_2Eoption_2Eoption_2CASE A_27a A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption A_27a)}) \quad (18)$$

Definition 23 We define $c_2Ellist_2ELTL$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (ap (c_2Eoption_2Eoption_2CASE A_27a) V0ll) V0ll))$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (19)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow c_2Ellist_2ELTAKE A_27a \in (((ty_2Eoption_2Eoption A_27a)^{(ty_2Ellist_2Ellist A_27a)})^{ty_2Enum_2Enum}) \quad (20)$$

Definition 24 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 25 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP \\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (21)$$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (22)$$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ p\ V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a. (\forall V1a1 \in \\ (ty_2Elist_2Elist\ A_27a). (\forall V2a0_27 \in A_27a. (\forall V3a1_27 \in \\ (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\ V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27)) \Leftrightarrow ((V0a0 = \\ V2a0_27) \wedge (V1a1 = V3a1_27)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ ((ap\ (c_2Elist_2ELHD\ A_27a)\ (c_2Elist_2ELNIL\ A_27a)) = (c_2Eoption_2ENONE \\ A_27a)) \wedge (\forall V0h \in A_27b. (\forall V1t \in (ty_2Elist_2Elist \\ A_27b). ((ap\ (c_2Elist_2ELHD\ A_27b)\ (ap\ (ap\ (c_2Elist_2ELCONS \\ A_27b)\ V0h)\ V1t)) = (ap\ (c_2Eoption_2ESOME\ A_27b)\ V0h)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& ((ap\ (c_2Ellist_2ELTL\ A_27a)\ (c_2Ellist_2ELNIL\ A_27a)) = (c_2Eoption_2ENONE \\
& \quad (ty_2Ellist_2Ellist\ A_27a))) \wedge (\forall V0h \in A_27b. (\forall V1t \in \\
& \quad (ty_2Ellist_2Ellist\ A_27b). ((ap\ (c_2Ellist_2ELTL\ A_27b)\ (ap \\
& (ap\ (c_2Ellist_2ELCONS\ A_27b)\ V0h)\ V1t)) = (ap\ (c_2Eoption_2ESOME \\
& \quad (ty_2Ellist_2Ellist\ A_27b))\ V1t))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0ll \in (ty_2Ellist_2Ellist \\
& \quad A_27a). ((ap\ (ap\ (c_2Ellist_2ELTAKE\ A_27a)\ c_2Enum_2E0)\ V0ll) = \\
& \quad (ap\ (c_2Eoption_2ESOME\ (ty_2Elist_2Elist\ A_27a))\ (c_2Elist_2ENIL \\
& \quad A_27a)))) \wedge (\forall V1n \in ty_2Enum_2Enum. (\forall V2ll \in (ty_2Ellist_2Ellist \\
& \quad A_27a). ((ap\ (ap\ (c_2Ellist_2ELTAKE\ A_27a)\ (ap\ c_2Enum_2ESUC\ V1n)) \\
& \quad V2ll) = (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_2CASE\ A_27a\ (ty_2Eoption_2Eoption \\
& \quad (ty_2Elist_2Elist\ A_27a)))\ (ap\ (c_2Ellist_2ELHD\ A_27a)\ V2ll)) \\
& \quad (c_2Eoption_2ENONE\ (ty_2Elist_2Elist\ A_27a)))\ (\lambda V3hd \in A_27a. \\
& \quad (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_2CASE\ (ty_2Elist_2Elist\ A_27a) \\
& \quad (ty_2Eoption_2Eoption\ (ty_2Elist_2Elist\ A_27a)))\ (ap\ (ap\ (c_2Ellist_2ELTAKE \\
& \quad A_27a)\ V1n)\ (ap\ (c_2Eoption_2ETHE\ (ty_2Ellist_2Ellist\ A_27a)) \\
& \quad (ap\ (c_2Ellist_2ELTL\ A_27a)\ V2ll))))))\ (c_2Eoption_2ENONE\ (ty_2Elist_2Elist \\
& \quad A_27a)))\ (\lambda V4tl \in (ty_2Elist_2Elist\ A_27a). (ap\ (c_2Eoption_2ESOME \\
& \quad (ty_2Elist_2Elist\ A_27a))\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3hd)\ \\
& \quad V4tl))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\
& \quad A_27a). ((V0opt = (c_2Eoption_2ENONE\ A_27a)) \vee (\exists V1x \in A_27a. \\
& \quad (V0opt = (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1x))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0v \in A_27b. (\forall V1f \in (A_27b^{A_27a}). ((ap\ (ap\ (ap\ (c_2Eoption_2Eoption_2CASE \\
& \quad A_27a\ A_27b)\ (c_2Eoption_2ENONE\ A_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\
& \quad A_27a. (\forall V3v \in A_27b. (\forall V4f \in (A_27b^{A_27a}). ((ap\ (ap \\
& \quad (ap\ (c_2Eoption_2Eoption_2CASE\ A_27a\ A_27b)\ (ap\ (c_2Eoption_2ESOME \\
& \quad A_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& \quad A_27a. (((ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\
& \quad A_27a)\ V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ (\forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1x \in A_{.27a}.((ap\ (ap\ (c_{.2}Eoption_{.2}EOPTION_MAP \\ A_{.27a}\ A_{.27b})\ V0f)\ (ap\ (c_{.2}Eoption_{.2}ESOME\ A_{.27a})\ V1x)) = (ap\ (c_{.2}Eoption_{.2}ESOME \\ A_{.27b})\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A_{.27b}^{A_{.27a}}).((ap\ (ap\ (c_{.2}Eoption_{.2}EOPTION_MAP \\ A_{.27a}\ A_{.27b})\ V2f)\ (c_{.2}Eoption_{.2}ENONE\ A_{.27a})) = (c_{.2}Eoption_{.2}ENONE \\ A_{.27b})))))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap\ (c_{.2}Eoption_{.2}ETHE \\ A_{.27a})\ (ap\ (c_{.2}Eoption_{.2}ESOME\ A_{.27a})\ V0x)) = V0x)) \quad (35)$$

Theorem 1

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow \forall A_{.27c}. \\ nonempty\ A_{.27c} \Rightarrow ((\forall V0l \in (ty_{.2}Ellist_{.2}Ellist\ A_{.27a}).((\\ ap\ (ap\ (c_{.2}Ellist_{.2}ELTAKE\ A_{.27a})\ c_{.2}Enum_{.2}E0)\ V0l) = (ap\ (c_{.2}Eoption_{.2}ESOME \\ (ty_{.2}Elist_{.2}Elist\ A_{.27a})\ (c_{.2}Elist_{.2}ENIL\ A_{.27a})))))) \wedge ((\forall V1n \in \\ ty_{.2}Enum_{.2}Enum.((ap\ (ap\ (c_{.2}Ellist_{.2}ELTAKE\ A_{.27b})\ (ap\ c_{.2}Enum_{.2}ESUC \\ V1n))\ (c_{.2}Ellist_{.2}ELNIL\ A_{.27b})) = (c_{.2}Eoption_{.2}ENONE\ (ty_{.2}Elist_{.2}Elist \\ A_{.27b})))))) \wedge (\forall V2n \in ty_{.2}Enum_{.2}Enum.(\forall V3h \in A_{.27c}. \\ (\forall V4t \in (ty_{.2}Ellist_{.2}Ellist\ A_{.27c}).((ap\ (ap\ (c_{.2}Ellist_{.2}ELTAKE \\ A_{.27c})\ (ap\ c_{.2}Enum_{.2}ESUC\ V2n))\ (ap\ (ap\ (c_{.2}Ellist_{.2}ELCONS\ A_{.27c}) \\ V3h)\ V4t)) = (ap\ (ap\ (c_{.2}Eoption_{.2}EOPTION_MAP\ (ty_{.2}Elist_{.2}Elist \\ A_{.27c})\ (ty_{.2}Elist_{.2}Elist\ A_{.27c}))\ (ap\ (c_{.2}Elist_{.2}ECONS\ A_{.27c}) \\ V3h))\ (ap\ (ap\ (c_{.2}Ellist_{.2}ELTAKE\ A_{.27c})\ V2n)\ V4t)))))))))) \end{aligned}$$