

thm_2Ellist_2ELTAKE_fromList
 (TMJug5w86rAMPNfrJjHzZJLFqvsDEUoGNda)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (2)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (3)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (9)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELTAKE\ A_27a \in & (((ty_2Eoption_2Eoption \\ (ty_2Ellist_2Ellist\ A_27a))^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \\ & (10) \end{aligned}$$

Definition 9 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in & (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{ty_2Ellist_2Ellist\ A_27a}) \\ & (13) \end{aligned}$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (14)$$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_0.nonempty A_0 \Rightarrow \forall A_1.nonempty A_1 \Rightarrow nonempty (ty_2Esum_2Esum \\ A_0 A_1) \end{aligned} \quad (15)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum \\ A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (16)$$

Definition 13 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS_sum A_27a A_27b) V0e))$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in \\ ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (17)$$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_ABS A_27a) V0x))$

Definition 15 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p(x))) \text{ of type } \iota \Rightarrow \iota$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (V0t = t1 \wedge V1t1 = t2))))$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in \\ ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Eenum_2Eenum}}) \quad (18)$$

Definition 17 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist A_27a). (ap (c_2Ellist_2Ellist A_27a) (V0h :: V1t)))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in \\ ((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)^{A_27a}}) \quad (19)$$

Definition 18 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. (ap (c_2Eoption_2Eoption_ABS A_27a) V0x))))$

Definition 19 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS_sum A_27a A_27b) V0e))$

Definition 20 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) V0e))$

Definition 21 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap (c_2Ellist_2Ellist_abs A_27a) V0n))$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (20)$$

Let $c_2Elist_2EfromList : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EfromList A_27a \in ((\text{ty}_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)}) \quad (21)$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Eoption_2EOPTION_MAP A_27a A_27b \in (((\text{ty}_2Eoption_2Eoption A_27b)^{(ty_2Eoption_2Eoption A_27a)})^{(A_27b^A_27a)}) \quad (22)$$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((\text{True} \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge \text{True}) \Leftrightarrow (p V0t)) \wedge (((\text{False} \wedge (p V0t)) \Leftrightarrow \text{False}) \wedge (((p V0t) \wedge \text{False}) \Leftrightarrow \text{False}) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \text{True})) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((\text{True} \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow \text{True}) \Leftrightarrow (p V0t)) \wedge (((\text{False} \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg(p V0t)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (((ap(c_2Elist_2ELENGTH A_27a) \\ & (c_2Elist_2ENIL A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a.(\forall V1t \in (\text{ty}_2Elist_2Elist A_27a).((ap(c_2Elist_2ELENGTH A_27a)(ap(ap(c_2Elist_2ECONS A_27a)V0h)V1t)) = (ap c_2Enum_2ESUC \\ & (ap(c_2Elist_2ELENGTH A_27a)V1t))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0P \in (2^{(ty_2Elist_2Elist A_27a)}). \\ & (((p(ap V0P(c_2Elist_2ENIL A_27a))) \wedge (\forall V1t \in (\text{ty}_2Elist_2Elist A_27a).((p(ap V0P V1t)) \Rightarrow (\forall V2h \in A_27a.(p(ap V0P(ap(c_2Elist_2ECONS A_27a)V2h)V1t))))))) \Rightarrow (\forall V3l \in (\text{ty}_2Elist_2Elist A_27a).(p(ap V0P V3l)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0a0 \in A_{27a}.(\forall V1a1 \in \\ & (ty_2Elist_2Elist\ A_{27a}).(\forall V2a0_27 \in A_{27a}.(\forall V3a1_27 \in \\ & (ty_2Elist_2Elist\ A_{27a}).(((ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V0a0) \\ & V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V2a0_27)\ V3a1_27)) \Leftrightarrow ((V0a0 = \\ & V2a0_27) \wedge (V1a1 = V3a1_27))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \forall A_{27c}. \\ & nonempty\ A_{27c} \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist\ A_{27a}).((\\ & ap\ (ap\ (c_2Elist_2ELTAKE\ A_{27a})\ c_2Enum_2E0)\ V0l) = (ap\ (c_2Eoption_2ESOME \\ & (ty_2Elist_2Elist\ A_{27a}))\ (c_2Elist_2ENIL\ A_{27a}))) \wedge ((\forall V1n \in \\ & ty_2Enum_2Enum.((ap\ (ap\ (c_2Elist_2ELTAKE\ A_{27b})\ (ap\ c_2Enum_2ESUC \\ & V1n))\ (c_2Elist_2ELNIL\ A_{27b})) = (c_2Eoption_2ENONE\ (ty_2Elist_2Elist \\ & A_{27b}))) \wedge (\forall V2n \in ty_2Enum_2Enum.(\forall V3h \in A_{27c}. \\ & (\forall V4t \in (ty_2Elist_2Elist\ A_{27c}).((ap\ (ap\ (c_2Elist_2ELTAKE \\ & A_{27c})\ (ap\ c_2Enum_2ESUC\ V2n))\ (ap\ (ap\ (c_2Elist_2ELCONS\ A_{27c})\ V3h) \\ & V4t)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Elist_2Elist \\ & A_{27c})\ (ty_2Elist_2Elist\ A_{27c}))\ (ap\ (c_2Elist_2ECONS\ A_{27c}) \\ & V3h))\ (ap\ (ap\ (c_2Elist_2ELTAKE\ A_{27c})\ V2n)\ V4t))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (((ap\ (c_2Elist_2EfromList\ A_{27a}) \\ & (c_2Elist_2ENIL\ A_{27a})) = (c_2Elist_2ELNIL\ A_{27a})) \wedge (\forall V0h \in \\ & A_{27a}.(\forall V1t \in (ty_2Elist_2Elist\ A_{27a}).((ap\ (c_2Elist_2EfromList \\ & A_{27a})\ (ap\ (ap\ (c_2Elist_2ECONS\ A_{27a})\ V0h)\ V1t)) = (ap\ (ap\ (c_2Elist_2ELCONS \\ & A_{27a})\ V0h)\ (ap\ (c_2Elist_2EfromList\ A_{27a})\ V1t))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0x \in A_{27a}.(\forall V1y \in \\ & A_{27a}.(((ap\ (c_2Eoption_2ESOME\ A_{27a})\ V0x) = (ap\ (c_2Eoption_2ESOME \\ & A_{27a})\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & (\forall V0f \in (A_{27b}^{A_{27a}}).(\forall V1x \in A_{27a}.((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ & A_{27a}\ A_{27b})\ V0f)\ (ap\ (c_2Eoption_2ESOME\ A_{27a})\ V1x)) = (ap\ (c_2Eoption_2ESOME \\ & A_{27b})\ (ap\ V0f\ V1x)))) \wedge (\forall V2f \in (A_{27b}^{A_{27a}}).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ & A_{27a}\ A_{27b})\ V2f)\ (c_2Eoption_2ENONE\ A_{27a})) = (c_2Eoption_2ENONE \\ & A_{27b})))))) \end{aligned} \quad (34)$$

Theorem 1

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist A_27a).((ap (ap (c_2Ellist_2ELTAKE A_27a) (ap (c_2Elist_2ELENGTH A_27a) V0l)) (ap (c_2Ellist_2EfromList A_27a) V0l)) = (ap (c_2Eoption_2ESOME (ty_2Elist_2Elist A_27a)) V0l)))$$