

thm_2Ellist_2ELTL__HD__LCONS (TMN- NJJ91PxM192GcwyLQw5PkWsTaP7xbjhS)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 6 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 7 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 9 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B$

Definition 10 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (8)$$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (9)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (10)$$

Definition 12 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (11)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (12)$$

Definition 13 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge P\ x)$
of type $\iota \Rightarrow \iota$.

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\lambda V3t3 \in 2.$

Definition 16 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(((ap (ap c_2Earithmetic_2E_2D c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge ((ap (ap c_2Earithmetic_2E_2D V0m) c_2Enum_2E0) = V0m)))) \quad (19)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D (ap c_2Enum_2ESUC V0m)) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) = V0m)) \quad (20)$$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (28)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
& V5y_27)))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27c^{A_27a}). (\forall V1g \in (A_27a^{A_27b}). \\
& ((ap\ (ap\ (c_2Ecombin_2Eo\ A_27b\ A_27c\ A_27a)\ (\lambda V2x \in A_27a. (ap \\
& V0f\ V2x)))\ V1g) = (\lambda V3x \in A_27b. (ap\ V0f\ (ap\ V1g\ V3x))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0a \in (ty_2Ellist_2Ellist \\
& A_27a). ((ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (ap\ (c_2Ellist_2Ellist_rep \\
& A_27a)\ V0a)) = V0a)) \wedge (\forall V1r \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}). \\
& ((p\ (ap\ (c_2Ellist_2Elrep_ok\ A_27a)\ V1r)) \Leftrightarrow ((ap\ (c_2Ellist_2Ellist_rep \\
& A_27a)\ (ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ V1r)) = V1r))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1t \in \\
& (ty_2Ellist_2Ellist\ A_27a). ((ap\ (c_2Ellist_2Ellist_rep\ A_27a) \\
& (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27a)\ V0h)\ V1t)) = (\lambda V2n \in ty_2Enum_2Enum. \\
& (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Eoption_2Eoption\ A_27a))\ (ap \\
& (ap\ (c_2Emin_2E_3D\ ty_2Enum_2Enum)\ V2n)\ c_2Enum_2E0))\ (ap\ (c_2Eoption_2ESOME \\
& A_27a)\ V0h))\ (ap\ (ap\ (c_2Ellist_2Ellist_rep\ A_27a)\ V1t)\ (ap\ (ap \\
& c_2Earithmetic_2E_2D\ V2n)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\
& c_2Earithmetic_2EZERO)))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0v \in A_27b. (\forall V1f \in (A_27b^{A_27a}). ((ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\
& A_27a\ A_27b)\ (c_2Eoption_2ENONE\ A_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\
& A_27a. (\forall V3v \in A_27b. (\forall V4f \in (A_27b^{A_27a}). ((ap\ (ap \\
& (ap\ (c_2Eoption_2Eoption_CASE\ A_27a\ A_27b)\ (ap\ (c_2Eoption_2ESOME \\
& A_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in \\ & A_{.27a}.(((ap\ (c_{.2Eoption_2ESOME}\ A_{.27a})\ V0x) = (ap\ (c_{.2Eoption_2ESOME} \\ & A_{.27a})\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\ & \forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in \\ & A_{.27b}.(((ap\ (ap\ (c_{.2Epair_2E_2C}\ A_{.27a}\ A_{.27b})\ V0x)\ V1y) = (ap\ (ap \\ & (c_{.2Epair_2E_2C}\ A_{.27a}\ A_{.27b})\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \end{aligned} \quad (36)$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0h \in A_{.27a}.(\forall V1t \in \\ & (ty_2Ellist_2Ellist\ A_{.27a}).((ap\ (c_{.2Ellist_2ELTL_HD}\ A_{.27a}) \\ & (ap\ (ap\ (c_{.2Ellist_2ELCONS}\ A_{.27a})\ V0h)\ V1t)) = (ap\ (c_{.2Eoption_2ESOME} \\ & (ty_2Epair_2Eprod\ (ty_2Ellist_2Ellist\ A_{.27a})\ A_{.27a}))\ (ap\ (ap \\ & (c_{.2Epair_2E_2C}\ (ty_2Ellist_2Ellist\ A_{.27a})\ A_{.27a})\ V1t)\ V0h)))))) \end{aligned}$$