

thm_2Ellist_2ELTL_LUNFOLD (TMLUbyM- rZhFL31iDmAkEzxmZ7AcghVdJSUn)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ c_2Enum_2ESUC_REP))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1))$

Definition 8 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (7)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \quad (8)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_rep A_27a \in ((ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist A_27a)} \quad (9)$$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (10)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (11)$$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.t)))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (12)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (13)$$

Definition 11 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum))$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (14)$$

Definition 12 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS))$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** $(the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.2))$.

Definition 15 We define $c_2Ebool_2E_21$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21))$.

Definition 17 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS A_27a A_27b) V0e)$.

Definition 18 We define $c_2Eoption_2E_NONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) (ty_2Eoption_2Eoption_NONE A_27a))$.

Definition 19 We define $c_2Ellist_2ELHD$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist A_27a).(ap (ap (c_2Eoption_2Eoption_CASE A_27a) V0ll) V0ll)$.

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2Eoption_CASE \\ A_27a A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption_CASE A_27a)}) \end{aligned} \quad (15)$$

Definition 20 We define $c_2Ellist_2ELTL$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist A_27a).(ap (ap (ap (c_2Eoption_2Eoption_CASE A_27a) V0ll) V0ll) V0ll)$.

Definition 21 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V0y \in A_27b.V0x))$.

Definition 22 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$.

Definition 23 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a) A_27a)$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod \\ A0 A1) \end{aligned} \quad (16)$$

Definition 24 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V0g \in (A_27c^{A_27a}).\lambda V0h \in (A_27a^{A_27b}).V0f V0g V0h$.

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (17)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (18)$$

Definition 25 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27b})^{A_27a}).\lambda V0g \in (A_27b^{A_27c}).\lambda V0h \in (A_27a^{A_27b}).V0f V0g V0h$.

Let $c_2Eoption_2EOPTION_BIND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_BIND \\ & A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption\ A_27b)^{A_27a}}) \end{aligned} \quad (19)$$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Earithmetic_2EFUNPOW\ A_27a \in \\ & (((A_27a^{A_27a})^{ty_2Enum_2Enum})^{(A_27a^{A_27a})}) \end{aligned} \quad (20)$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP \\ & A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}}) \end{aligned} \quad (21)$$

Definition 26 We define $c_2Ellist_2ELUNFOLD$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((ty_2Eoption_2Eoption$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (22)$$

Definition 27 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Definition 28 We define $c_2Ellist_2ELTL_HD$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a).(ap\ (ap$

Definition 29 We define $c_2Epair_2E_23_23$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f \in (A_27$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ & A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\ & True)) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27b^{A_27a}).((V0f = \\ & V1g) \Leftrightarrow (\forall V2x \in A_27a.((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}).(\forall V1g \in (A.27a^{A.27c}). \\
& (\forall V2x \in A.27c.((ap\ (ap\ (ap\ (c.2Ecombin_2Eo\ A.27c\ A.27b\ A.27a) \\
& V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0ll \in (ty_2Ellist_2Ellist \\
& A.27a).((ap\ (c.2Ellist_2ELTL\ A.27a)\ V0ll) = (ap\ (ap\ (c.2Eoption_2EOPTION_MAP \\
& (ty_2Epair_2Eprod\ (ty_2Ellist_2Ellist\ A.27a)\ A.27a)\ (ty_2Ellist_2Ellist \\
& A.27a))\ (c.2Epair_2EFST\ (ty_2Ellist_2Ellist\ A.27a)\ A.27a))\ (\\
& ap\ (c.2Ellist_2ELTL_HD\ A.27a)\ V0ll))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27b \\
& A.27a))^{A.27b}).(\forall V1x \in A.27b.((ap\ (c.2Ellist_2ELTL_HD \\
& A.27a)\ (ap\ (ap\ (c.2Ellist_2ELUNFOLD\ A.27a\ A.27b)\ V0f)\ V1x)) = (ap \\
& (ap\ (c.2Eoption_2EOPTION_MAP\ (ty_2Epair_2Eprod\ A.27b\ A.27a) \\
& (ty_2Epair_2Eprod\ (ty_2Ellist_2Ellist\ A.27a)\ A.27a))\ (ap\ (ap \\
& (c.2Epair_2E.23.23\ A.27b\ A.27a\ (ty_2Ellist_2Ellist\ A.27a)\ A.27a) \\
& (ap\ (c.2Ellist_2ELUNFOLD\ A.27a\ A.27b)\ V0f))\ (c.2Ecombin_2EI\ A.27a)))) \\
& (ap\ V0f\ V1x))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27c}).(\forall V1g \in (A.27c^{A.27a}). \\
& (\forall V2x \in (ty_2Eoption_2Eoption\ A.27a).((ap\ (ap\ (c.2Eoption_2EOPTION_MAP \\
& A.27c\ A.27b)\ V0f)\ (ap\ (ap\ (c.2Eoption_2EOPTION_MAP\ A.27a\ A.27c) \\
& V1g)\ V2x)) = (ap\ (ap\ (c.2Eoption_2EOPTION_MAP\ A.27a\ A.27b)\ (ap \\
& (ap\ (c.2Ecombin_2Eo\ A.27a\ A.27b\ A.27c)\ V0f)\ V1g))\ V2x))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\
& A.27a\ A.27b).(\forall V1f \in (A.27c^{A.27a}).(\forall V2g \in (A.27d^{A.27b}). \\
& ((ap\ (c.2Epair_2EFST\ A.27c\ A.27d)\ (ap\ (ap\ (ap\ (c.2Epair_2E.23.23 \\
& A.27a\ A.27b\ A.27c\ A.27d)\ V1f)\ V2g)\ V0p)) = (ap\ V1f\ (ap\ (c.2Epair_2EFST \\
& A.27a\ A.27b)\ V0p))))))
\end{aligned} \tag{31}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27b \\ & A_27a))^{A_27b}).(\forall V1x \in A_27b.((ap\ (c_2Ellist_2ELTL\ A_27a) \\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD\ A_27a\ A_27b)\ V0f)\ V1x)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ (ty_2Epair_2Eprod\ A_27b\ A_27a)\ (ty_2Ellist_2Ellist\ A_27a))\ (\\ ap\ (ap\ (c_2Ecombin_2Eo\ (ty_2Epair_2Eprod\ A_27b\ A_27a)\ (ty_2Ellist_2Ellist \\ A_27a)\ A_27b)\ (ap\ (c_2Ellist_2ELUNFOLD\ A_27a\ A_27b)\ V0f))\ (c_2Epair_2EFST \\ A_27b\ A_27a)))\ (ap\ V0f\ V1x)))))) \end{aligned}$$