

thm_2Ellist_2ELUNFOLD__EQ
(TMMKeYAVaAfGbTUkzZGtS-
DgjpZfZ5RvYG9k)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$.

Definition 3 We define $c_2Ebool_2EBOUNDED$ to be $(\lambda V0v \in 2.c_2Ebool_2ET)$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E_40$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 10 We define c_Enum_2E0 to be $(ap\ c_Enum_2EABS_num\ c_Enum_2EZERO_REP)$.

Definition 11 We define $c_Earithmetic_2EZERO$ to be c_Enum_2E0 .

Let $c_Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (5)$$

Let $c_Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Definition 12 We define c_Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_Enum_2EABS_num$

Let $c_Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (7)$$

Definition 13 We define $c_Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_Earithmetic$

Definition 14 We define $c_Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (8)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (9)$$

Let $c_Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (10)$$

Definition 15 We define c_Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_Esum_2EABS$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (11)$$

Let $c_Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (12)$$

Definition 16 We define $c_Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_Eoption_2Eoption$

Definition 17 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 18 We define c_Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone)$

Definition 19 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Definition 20 We define c_Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS$

Definition 21 We define $c_EOption_2EONE$ to be $\lambda A_27a : \iota. (ap\ (c_2EOption_2EOption_ABS\ A_27a)\ (c_2Eone_2Eone$

Definition 22 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 23 We define $c_Ellist_2Elrep_ok$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in ((ty_2EOption_2EOption\ A_27a)^{ty_2E$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (13)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in ((ty_2EOption_2EOption\ A_27a)^{ty_2EEnum_2EEnum})^{(ty_2Ellist_2Ellist\ A_27a)} \quad (14)$$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2EOption_2EOption\ A_27a)^{ty_2EEnum_2EEnum}}) \quad (15)$$

Let $c_2EOption_2EOPTION_JOIN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2EOption_2EOPTION_JOIN\ A_27a \in ((ty_2EOption_2EOption\ A_27a)^{(ty_2EOption_2EOption\ (ty_2EOption_2EOption\ A_27a))}) \quad (16)$$

Definition 24 We define $c_Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x)$

Definition 25 We define $c_Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 26 We define $c_Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap\ (ap\ (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a})\ A_27a)$

Definition 27 We define $c_Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g \in (A_27c^{A_27a}).$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (17)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (18)$$

Definition 28 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2Eoption_CASE \\ & A_27a A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption A_27a)}) \end{aligned} \quad (19)$$

Definition 29 We define $c_2Ellist_2ELTL_HD$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist A_27a).(ap (ap (c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ & A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (20)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ & A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (21)$$

Definition 30 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0p \in (ty_2Epair_2Epair A_27a A_27b A_27c).(ap (ap (c_2Ellist_2ELNTH : \iota \Rightarrow \iota)$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2ELNTH A_27a \in (((ty_2Eoption_2Eoption \\ & A_27a)^{(ty_2Ellist_2Ellist A_27a)})^{ty_2Enum_2Enum}) \end{aligned} \quad (22)$$

Definition 31 We define $c_2Ellist_2ELHD$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist A_27a).(ap (ap (c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

Definition 32 We define $c_2Ellist_2ELTL$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist A_27a).(ap (ap (ap (c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

Definition 33 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist A_27a).(ap (ap (ap (c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

Definition 34 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist_2Ellist A_27a).(ap (ap (ap (c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

Definition 35 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27b})^{A_27a}).(ap (ap (ap (c_2Eoption_2EOPTION_BIND : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2EOPTION_BIND \\ & A_27a A_27b \in (((ty_2Eoption_2Eoption A_27a)^{(ty_2Eoption_2Eoption A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption A_27a)}) \end{aligned} \quad (23)$$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Earithmetic_2EFUNPOW A_27a \in \\ & (((A_27a^{A_27a})^{ty_2Enum_2Enum})^{(A_27a^{A_27a})}) \end{aligned} \quad (24)$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2EOPTION_MAP \\ & A_27a A_27b \in (((ty_2Eoption_2Eoption A_27b)^{(ty_2Eoption_2Eoption A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (25)$$

Definition 36 We define $c_2Ellist_2ELUNFOLD$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((ty_2Eoption_2Eoption A_27a))$
Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2ETHE A_27a \in (A_27a^{(ty_2Eoption_2Eoption A_27a)}) \quad (26)$$

Definition 37 We define $c_2Epair_2E_23_23$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f \in (A_27a)$
Assume the following.

$$True \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (33)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (39)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (40)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (41)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in 2. (((((p\ V0x) \Rightarrow (p\ V1y)) \wedge ((p\ V2z) \Rightarrow (p\ V3w))) \Rightarrow (((p\ V0x) \wedge (p\ V2z)) \Rightarrow ((p\ V1y) \wedge (p\ V3w)))))) \quad (42)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in 2. (((((p\ V0x) \Rightarrow (p\ V1y)) \wedge ((p\ V2z) \Rightarrow (p\ V3w))) \Rightarrow (((p\ V0x) \vee (p\ V2z)) \Rightarrow ((p\ V1y) \vee (p\ V3w)))))) \quad (43)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ (ap\ V1Q\ V2x)))) \Rightarrow ((\exists V3x \in A_27a. (p\ (ap\ V0P\ V3x))) \Rightarrow (\exists V4x \in A_27a. (p\ (ap\ V1Q\ V4x)))))) \quad (44)$$

Assume the following.

$$(\forall V0v \in 2.((p (ap c.2Ebool_2EBOUNDED V0v)) \Leftrightarrow True)) \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow \forall A.27c. \\ & nonempty A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}).(\forall V1g \in (A.27a^{A.27c}). \\ & (\forall V2x \in A.27c.((ap (ap (ap (c.2Ecombin_2Eo A.27c A.27b A.27a) \\ & V0f) V1g) V2x) = (ap V0f (ap V1g V2x)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow ((\forall V0a \in (ty_2Ellist_2Ellist \\ & A.27a).((ap (c.2Ellist_2Ellist_abs A.27a) (ap (c.2Ellist_2Ellist_rep \\ & A.27a) V0a)) = V0a)) \wedge (\forall V1r \in ((ty_2Eoption_2Eoption A.27a)^{ty_2Enum_2Enum}). \\ & ((p (ap (c.2Ellist_2Elrep_ok A.27a) V1r)) \Leftrightarrow ((ap (c.2Ellist_2Ellist_rep \\ & A.27a) (ap (c.2Ellist_2Ellist_abs A.27a) V1r)) = V1r)))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0ll \in (ty_2Ellist_2Ellist \\ & A.27a).((ap (c.2Ellist_2ELTL A.27a) V0ll) = (ap (ap (c.2Eoption_2EOPTION_MAP \\ & (ty_2Epair_2Eprod (ty_2Ellist_2Ellist A.27a) A.27a) (ty_2Ellist_2Ellist \\ & A.27a)) (c.2Epair_2EFST (ty_2Ellist_2Ellist A.27a) A.27a)) (\\ & ap (c.2Ellist_2ELTL_HD A.27a) V0ll)))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in \\ & (ty_2Ellist_2Ellist A.27a).(((ap (c.2Ellist_2ELHD A.27a) (ap \\ & (ap (c.2Ellist_2ELCONS A.27a) V0h) V1t)) = (ap (c.2Eoption_2ESOME \\ & A.27a) V0h)) \wedge ((ap (c.2Ellist_2ELTL A.27a) (ap (ap (c.2Ellist_2ELCONS \\ & A.27a) V0h) V1t)) = (ap (c.2Eoption_2ESOME (ty_2Ellist_2Ellist \\ & A.27a)) V1t)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0h \in A.27a.(\forall V1t \in \\ & (ty_2Ellist_2Ellist A.27a).((\neg((ap (ap (c.2Ellist_2ELCONS A.27a) \\ & V0h) V1t) = (c.2Ellist_2ELNIL A.27a))) \wedge (\neg((c.2Ellist_2ELNIL \\ & A.27a) = (ap (ap (c.2Ellist_2ELCONS A.27a) V0h) V1t)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0ll \in (ty_2Ellist_2Ellist \\
& A.27a).(ap\ (ap\ (c_2Ellist_2ELNTH\ A.27a)\ c_2Enum_2E0)\ V0ll) = \\
& (ap\ (c_2Ellist_2ELHD\ A.27a)\ V0ll)) \wedge (\forall V1n \in ty_2Enum_2Enum. \\
& (\forall V2ll \in (ty_2Ellist_2Ellist\ A.27a).(ap\ (ap\ (c_2Ellist_2ELNTH \\
& A.27a)\ (ap\ c_2Enum_2ESUC\ V1n))\ V2ll) = (ap\ (c_2Eoption_2EOPTION_JOIN \\
& A.27a)\ (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Ellist_2Ellist \\
& A.27a)\ (ty_2Eoption_2Eoption\ A.27a))\ (ap\ (c_2Ellist_2ELNTH\ A.27a) \\
& V1n))\ (ap\ (c_2Ellist_2ELTL\ A.27a)\ V2ll))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27b \\
& A.27a))^{A.27b}).(\forall V1x \in A.27b.(ap\ (c_2Ellist_2ELTL_HD \\
& A.27a)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD\ A.27a\ A.27b)\ V0f)\ V1x)) = (ap \\
& (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Epair_2Eprod\ A.27b\ A.27a) \\
& (ty_2Epair_2Eprod\ (ty_2Ellist_2Ellist\ A.27a)\ A.27a))\ (ap\ (ap \\
& (c_2Epair_2E.23.23\ A.27b\ A.27a)\ (ty_2Ellist_2Ellist\ A.27a)\ A.27a) \\
& (ap\ (c_2Ellist_2ELUNFOLD\ A.27a\ A.27b)\ V0f))\ (c_2Ecombin_2EI\ A.27a))) \\
& (ap\ V0f\ V1x))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27b \\
& A.27a))^{A.27b}).(\forall V1x \in A.27b.(\forall V2n \in ty_2Enum_2Enum. \\
& (((ap\ (ap\ (c_2Ellist_2ELNTH\ A.27a)\ c_2Enum_2E0)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD \\
& A.27a\ A.27b)\ V0f)\ V1x)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Epair_2Eprod \\
& A.27b\ A.27a)\ A.27a)\ (c_2Epair_2ESND\ A.27b\ A.27a))\ (ap\ V0f\ V1x))) \wedge \\
& ((ap\ (ap\ (c_2Ellist_2ELNTH\ A.27a)\ (ap\ c_2Enum_2ESUC\ V2n))\ (ap\ (\\
& ap\ (c_2Ellist_2ELUNFOLD\ A.27a\ A.27b)\ V0f)\ V1x)) = (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\
& (ty_2Epair_2Eprod\ A.27b\ A.27a)\ (ty_2Eoption_2Eoption\ A.27a)) \\
& (ap\ V0f\ V1x))\ (c_2Eoption_2ENONE\ A.27a))\ (\lambda V3v \in (ty_2Epair_2Eprod \\
& A.27b\ A.27a).(ap\ (ap\ (c_2Epair_2Epair_CASE\ (ty_2Eoption_2Eoption \\
& A.27a)\ A.27b\ A.27a)\ V3v)\ (\lambda V4tx \in A.27b.(\lambda V5hx \in A.27a.(ap \\
& (ap\ (c_2Ellist_2ELNTH\ A.27a)\ V2n)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD \\
& A.27a\ A.27b)\ V0f)\ V4tx))))))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l1 \in (ty_2Ellist_2Ellist\ A_27a). (\forall V1l2 \in (ty_2Ellist_2Ellist\ A_27a). ((V0l1 = \\
& V1l2) \Leftrightarrow (\exists V2R \in ((2^{(ty_2Ellist_2Ellist\ A_27a)})^{(ty_2Ellist_2Ellist\ A_27a)}). \\
& ((p\ (ap\ (ap\ V2R\ V0l1)\ V1l2)) \wedge (\forall V3l3 \in (ty_2Ellist_2Ellist\ A_27a). (\forall V4l4 \in (ty_2Ellist_2Ellist\ A_27a). ((p\ (ap\ (ap \\
& V2R\ V3l3)\ V4l4)) \Rightarrow (((V3l3 = (c_2Ellist_2ELNIL\ A_27a)) \wedge (V4l4 = \\
& (c_2Ellist_2ELNIL\ A_27a))) \vee (((ap\ (c_2Ellist_2ELHD\ A_27a)\ V3l3) = \\
& (ap\ (c_2Ellist_2ELHD\ A_27a)\ V4l4)) \wedge (p\ (ap\ (ap\ V2R\ (ap\ (c_2Eoption_2ETHE \\
& (ty_2Ellist_2Ellist\ A_27a))\ (ap\ (c_2Ellist_2ELTL\ A_27a)\ V3l3))) \\
& (ap\ (c_2Eoption_2ETHE\ (ty_2Ellist_2Ellist\ A_27a))\ (ap\ (c_2Ellist_2ELTL \\
& A_27a)\ V4l4)))))))))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a \\
& A_27b))^{A_27a}). (\forall V1x \in A_27a. (\forall V2v1 \in A_27a. (\forall V3v2 \in \\
& A_27b. (((ap\ V0f\ V1x) = (c_2Eoption_2ENONE\ (ty_2Epair_2Eprod \\
& A_27a\ A_27b))) \Rightarrow ((ap\ (ap\ (c_2Ellist_2ELUNFOLD\ A_27b\ A_27a)\ V0f) \\
& V1x) = (c_2Ellist_2ELNIL\ A_27b))) \wedge (((ap\ V0f\ V1x) = (ap\ (c_2Eoption_2ESOME \\
& (ty_2Epair_2Eprod\ A_27a\ A_27b))\ (ap\ (ap\ (c_2Epair_2E2C\ A_27a \\
& A_27b)\ V2v1)\ V3v2))) \Rightarrow ((ap\ (ap\ (c_2Ellist_2ELUNFOLD\ A_27b\ A_27a) \\
& V0f)\ V1x) = (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27b)\ V3v2)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD \\
& A_27b\ A_27a)\ V0f)\ V2v1))))))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0v \in A_27b. (\forall V1f \in (A_27b^{A_27a}). ((ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\
& A_27a\ A_27b)\ (c_2Eoption_2ENONE\ A_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\
& A_27a. (\forall V3v \in A_27b. (\forall V4f \in (A_27b^{A_27a}). ((ap\ (ap \\
& (ap\ (c_2Eoption_2Eoption_CASE\ A_27a\ A_27b)\ (ap\ (c_2Eoption_2ESOME \\
& A_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& A_27a. (((ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\
& A_27a)\ V1y)) \Leftrightarrow (V0x = V1y)))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0f \in (A_27b^{A_27a}).(\forall V1x \in A_27a.((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ & A_27a\ A_27b)\ V0f)\ (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1x)) = (ap\ (c_2Eoption_2ESOME \\ & A_27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ & A_27a\ A_27b)\ V2f)\ (c_2Eoption_2ENONE\ A_27a)) = (c_2Eoption_2ENONE \\ & A_27b)))))) \end{aligned} \quad (58)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((ap\ (c_2Eoption_2ETHE\ A_27a)\ (ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x)) = V0x)) \quad (59)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27c}).(\forall V1g \in (A_27c^{A_27a}). \\ & (\forall V2x \in (ty_2Eoption_2Eoption\ A_27a).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ & A_27c\ A_27b)\ V0f)\ (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ A_27a\ A_27c)\ \\ & V1g)\ V2x)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b)\ (ap \\ & (ap\ (c_2Ecombin_2Eo\ A_27a\ A_27b\ A_27c)\ V0f)\ V1g))\ V2x)))))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a.(\forall V1y \in A_27b.((ap\ (c_2Epair_2EFST\ A_27a \\ & A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0x \in A_27a.(\forall V1y \in A_27b.((ap\ (c_2Epair_2ESND\ A_27a \\ & A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0p \in (ty_2Epair_2Eprod \\ & A_27a\ A_27b).(\forall V1f \in (A_27c^{A_27a}).(\forall V2g \in (A_27d^{A_27b}). \\ & ((ap\ (c_2Epair_2EFST\ A_27c\ A_27d)\ (ap\ (ap\ (ap\ (c_2Epair_2E_23_23 \\ & A_27a\ A_27b\ A_27c\ A_27d)\ V1f)\ V2g)\ V0p)) = (ap\ V1f\ (ap\ (c_2Epair_2EFST \\ & A_27a\ A_27b)\ V0p)))))) \end{aligned} \quad (63)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (64)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (65)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (66)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (67)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (68)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (69)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (70)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (71)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (72)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (73)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (74)$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{(ty_2Ellist_2Ellist\ A_27b)})^{A_27a}). (\forall V1f \in \\
& \quad ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a\ A_27b))^{A_27a}). \\
& \quad (\forall V2s \in A_27a. (\forall V3ll \in (ty_2Ellist_2Ellist\ A_27b). \\
& \quad ((p\ (ap\ (ap\ V0R\ V2s)\ V3ll)) \wedge (\forall V4s \in A_27a. (\forall V5ll \in \\
& \quad (ty_2Ellist_2Ellist\ A_27b). ((p\ (ap\ (ap\ V0R\ V4s)\ V5ll)) \Rightarrow (((ap \\
& \quad V1f\ V4s) = (c_2Eoption_2ENONE\ (ty_2Epair_2Eprod\ A_27a\ A_27b)))) \wedge \\
& \quad (V5ll = (c_2Ellist_2ELNIL\ A_27b))) \vee (\exists V6s_27 \in A_27a. (\exists V7x \in \\
& \quad A_27b. (\exists V8ll_27 \in (ty_2Ellist_2Ellist\ A_27b). (((ap\ V1f \\
& \quad V4s) = (ap\ (c_2Eoption_2ESOME\ (ty_2Epair_2Eprod\ A_27a\ A_27b)) \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V6s_27)\ V7x))) \wedge (((ap\ (c_2Ellist_2ELHD \\
& \quad A_27b)\ V5ll) = (ap\ (c_2Eoption_2ESOME\ A_27b)\ V7x)) \wedge (((ap\ (c_2Ellist_2ELTL \\
& \quad A_27b)\ V5ll) = (ap\ (c_2Eoption_2ESOME\ (ty_2Ellist_2Ellist\ A_27b)) \\
& \quad V8ll_27)) \wedge (p\ (ap\ (ap\ V0R\ V6s_27)\ V8ll_27)))))))))) \Rightarrow ((ap\ (ap \\
& \quad (c_2Ellist_2ELUNFOLD\ A_27b\ A_27a)\ V1f)\ V2s) = V3ll)))))
\end{aligned}$$