

thm\_2Ellist\_2Eexists\_\_LDROP  
(TMLYiVZ9LzSELEnt3yXBfhcUmspxd6NK1cT)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota.$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y) \text{ of type } \iota \Rightarrow \iota.$

**Definition 3** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x))$

**Definition 4** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } V 0P \ (\text{ap } (\text{c\_2Emin\_2E\_40 } A \ P))))$

Let `ty_2Ellist_2Ellist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty\_2Ellist\_2Ellist } A 0) \quad (1)$$

Let `ty_2Eoption_2Eoption` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty\_2Eoption\_2Eoption } A 0) \quad (2)$$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Enum\_2Enum} \quad (3)$$

Let `c_2Ellist_2ELDRP` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \text{c\_2Ellist\_2ELDRP } A. 27a \in (((\text{ty\_2Eoption\_2Eoption } (\text{ty\_2Ellist\_2Ellist } A. 27a)) (\text{ty\_2Ellist\_2Ellist } A. 27a)) \text{ty\_2Enum\_2Enum}) \quad (4)$$

Let `ty_2Eone_2Eone` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Eone\_2Eone} \quad (5)$$

**Definition 5** We define `c_2Eone_2Eone` to be  $(\text{ap } (\text{c\_2Emin\_2E\_40 } \text{ty\_2Eone\_2Eone}) (\lambda V 0x \in \text{ty\_2Eone\_2Eone}))$

**Definition 6** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}) \ P))))$

**Definition 7** We define `c_2Ebool_2E_2F` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V 0t \in 2. V 0t)).$

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E))$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2) (\lambda V2t \in 2.))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (6)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (7)$$

**Definition 11** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS\_sum A\_27a A\_27b) V0e)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (8)$$

**Definition 12** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (ty\_2Eone\_2Eone))$

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs A\_27a \in ((ty\_2Ellist\_2Ellist A\_27a)^{(ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum}}) \quad (9)$$

**Definition 13** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota.(ap (c\_2Ellist\_2Ellist\_abs A\_27a) (\lambda V0n \in ty\_2Enum.))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 14** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 15** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (13)$$

**Definition 16** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 17** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 18** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (15)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist\ A\_27a)} \quad (16)$$

**Definition 19** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS$

**Definition 20** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption$

**Definition 21** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.$

**Definition 22** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota.\lambda V0h \in A\_27a.\lambda V1t \in (ty\_2Ellist\_2Ellist\ A$

**Definition 23** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 24** We define  $c\_2Ellist\_2Eexists$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(\lambda V1a0 \in (ty\_2Ellist\_2Ellis$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p \ V0t))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\
& 2. ((\forall V2x \in A\_27a. ((p \ (ap \ V0P \ V2x)) \Rightarrow (p \ V1Q))) \Leftrightarrow ((\exists V3x \in \\
& A\_27a. (p \ (ap \ V0P \ V3x)) \Rightarrow (p \ V1Q))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p \ V1B) \wedge \\
& (p \ V2C)) \vee (p \ V0A)) \Leftrightarrow (((p \ V1B) \vee (p \ V0A)) \wedge ((p \ V2C) \vee (p \ V0A))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\
& 2. (((p \ V0x) \Leftrightarrow (p \ V1x\_27)) \wedge ((p \ V1x\_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y\_27)))) \Rightarrow \\
& (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x\_27) \Rightarrow (p \ V3y\_27))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a \in A\_27a. (\exists V1x \in A\_27a. (V1x = V0a))) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p (ap\ V0P\ V2x)))) \Leftrightarrow (p (ap\ V0P\ V1a)))))) \quad (31)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Ellist\_2Ellist\ A\_27a). ((V0l = (c\_2Ellist\_2ELNIL\ A\_27a)) \vee (\exists V1h \in A\_27a. (\exists V2t \in (ty\_2Ellist\_2Ellist\ A\_27a). (V0l = (ap (ap (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ V2t))))))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0h1 \in A\_27a. (\forall V1t1 \in (ty\_2Ellist\_2Ellist\ A\_27a). (\forall V2h2 \in A\_27a. (\forall V3t2 \in (ty\_2Ellist\_2Ellist\ A\_27a). ((ap (ap (c\_2Ellist\_2ELCONS\ A\_27a)\ V0h1)\ V1t1) = (ap (ap (c\_2Ellist\_2ELCONS\ A\_27a)\ V2h2)\ V3t2)) \Leftrightarrow ((V0h1 = V2h2) \wedge (V1t1 = V3t2))))))) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow ((\forall V0ll \in (ty\_2Ellist\_2Ellist\ A\_27a). (ap (ap (c\_2Ellist\_2ELDROP\ A\_27a)\ c\_2Enum\_2E0)\ V0ll) = (ap (c\_2Eoption\_2ESOME (ty\_2Ellist\_2Ellist\ A\_27a)\ V0ll))) \wedge ((\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap (c\_2Ellist\_2ELDROP\ A\_27b)\ (ap\ c\_2Enum\_2ESUC\ V1n)) (c\_2Ellist\_2ELNIL\ A\_27b)) = (c\_2Eoption\_2ENONE (ty\_2Ellist\_2Ellist\ A\_27b)))) \wedge (\forall V2n \in ty\_2Enum\_2Enum. (\forall V3h \in A\_27c. (\forall V4t \in (ty\_2Ellist\_2Ellist\ A\_27c). ((ap (ap (c\_2Ellist\_2ELDROP\ A\_27c)\ (ap\ c\_2Enum\_2ESUC\ V2n)) (ap (ap (c\_2Ellist\_2ELCONS\ A\_27c)\ V3h)\ V4t)) = (ap (ap (c\_2Ellist\_2ELDROP\ A\_27c)\ V2n)\ V4t))))))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1h \in A\_27a. (\forall V2t \in (ty\_2Ellist\_2Ellist\ A\_27a). ((p (ap (ap (c\_2Ellist\_2Eexists\ A\_27a)\ V0P)\ (c\_2Ellist\_2ELNIL\ A\_27a))) \Leftrightarrow False) \wedge ((p (ap (ap (c\_2Ellist\_2Eexists\ A\_27a)\ V0P)\ (ap (ap (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ V2t))) \Leftrightarrow ((p (ap\ V0P\ V1h)) \vee (p (ap (ap (c\_2Ellist\_2Eexists\ A\_27a)\ V0P)\ V2t)))))))))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\
& \quad (2^{(ty\_2Ellist\_2Ellist\ A\_27a)}). ((\forall V2h \in A\_27a. (\forall V3t \in \\
& \quad (ty\_2Ellist\_2Ellist\ A\_27a). ((p\ (ap\ V0P\ V2h)) \Rightarrow (p\ (ap\ V1Q\ (ap\ (ap \\
& \quad (c\_2Ellist\_2ELCONS\ A\_27a\ V2h\ V3t)))))) \wedge (\forall V4h \in A\_27a. \\
& \quad (\forall V5t \in (ty\_2Ellist\_2Ellist\ A\_27a). ((p\ (ap\ V1Q\ V5t)) \wedge \\
& \quad p\ (ap\ (ap\ (c\_2Ellist\_2Eexists\ A\_27a\ V0P)\ V5t))) \Rightarrow (p\ (ap\ V1Q\ (ap\ ( \\
& \quad ap\ (c\_2Ellist\_2ELCONS\ A\_27a\ V4h)\ V5t)))))) \Rightarrow (\forall V6a0 \in ( \\
& \quad ty\_2Ellist\_2Ellist\ A\_27a). ((p\ (ap\ (ap\ (c\_2Ellist\_2Eexists\ A\_27a) \\
& \quad V0P)\ V6a0)) \Rightarrow (p\ (ap\ V1Q\ V6a0))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p\ (ap\ V0P\ c\_2Enum\_2E0)) \wedge \\
& (\forall V1n \in ty\_2Enum\_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c\_2Enum\_2ESUC \\
& \quad V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p\ (ap\ V0P\ V2n))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& \quad A\_27a. (((ap\ (c\_2Eoption\_2ESOME\ A\_27a\ V0x)) = (ap\ (c\_2Eoption\_2ESOME \\
& \quad A\_27a\ V1y))) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg((c\_2Eoption\_2ENONE \\
& \quad A\_27a) = (ap\ (c\_2Eoption\_2ESOME\ A\_27a\ V0x))))))
\end{aligned} \tag{39}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{40}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg( \\
& p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\
& ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{49}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{50}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{51}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1ll \in \\
& (ty\_2Ellist\_2Ellist \ A.27a). ((p \ (ap \ (ap \ (c\_2Ellist\_2Exists \ A.27a) \\
& \ V0P) \ V1ll)) \Leftrightarrow (\exists V2n \in ty\_2Enum\_2Enum. (\exists V3a \in A.27a. \\
& (\exists V4t \in (ty\_2Ellist\_2Ellist \ A.27a). (((ap \ (ap \ (c\_2Ellist\_2ELDROP \\
& \ A.27a) \ V2n) \ V1ll) = (ap \ (c\_2Eoption\_2ESOME \ (ty\_2Ellist\_2Ellist \\
& \ A.27a)) \ (ap \ (ap \ (c\_2Ellist\_2ELCONS \ A.27a) \ V3a) \ V4t))) \wedge (p \ (ap \ V0P \\
& \ V3a))))))
\end{aligned}$$