

thm_2Ellist_2Exists_strong_ind (TMFVHwW- ZLpGY7CSjorn7MQ2k564EuWZMgV4)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in 2.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define $c_2Ebool_2E_21$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21))$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P \in 2^A.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A P))))$

Definition 9 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 10 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 11 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 13 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 14 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (9)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in \\ & (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \end{aligned} \quad (10)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (11)$$

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (12)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ & A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (13)$$

Definition 16 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS$
Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (14)$$

Definition 17 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS$

Definition 18 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (15)$$

Definition 19 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist A$

Definition 20 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone$

Definition 21 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Definition 22 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) ($

Definition 23 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty$

Definition 24 We define $c_2Ellist_2Eexists$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\lambda V1a0 \in (ty_2Ellist_2Ellist$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2) \Rightarrow (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in 2. (((p\ V0x) \Rightarrow (p\ V1y)) \wedge ((p\ V2z) \Rightarrow (p\ V3w)) \Rightarrow (((p\ V0x) \wedge (p\ V2z)) \Rightarrow ((p\ V1y) \wedge (p\ V3w)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in 2. (((p\ V0x) \Rightarrow (p\ V1y)) \wedge ((p\ V2z) \Rightarrow (p\ V3w)) \Rightarrow (((p\ V0x) \vee (p\ V2z)) \Rightarrow ((p\ V1y) \vee (p\ V3w)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ (ap\ V1Q\ V2x)))) \Rightarrow ((\exists V3x \in A_27a. (p\ (ap\ V0P\ V3x))) \Rightarrow (\exists V4x \in A_27a. (p\ (ap\ V1Q\ V4x)))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1h \in A_27a. (\forall V2t \in (ty_2Ellist_2Ellist\ A_27a). (((p\ (ap\ (ap\ (c_2Ellist_2Exists\ A_27a)\ V0P)\ (c_2Ellist_2ELNIL\ A_27a))) \Leftrightarrow False) \wedge ((p\ (ap\ (ap\ (c_2Ellist_2Exists\ A_27a)\ V0P)\ (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27a)\ V1h)\ V2t))) \Leftrightarrow ((p\ (ap\ V0P\ V1h)) \vee (p\ (ap\ (ap\ (c_2Ellist_2Exists\ A_27a)\ V0P)\ V2t)))))) \quad (28)$$

Theorem 1

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in \\ (2^{(ty_2Ellist_2Ellist\ A_27a)}). ((\forall V2h \in A_27a. (\forall V3t \in \\ (ty_2Ellist_2Ellist\ A_27a). ((p\ (ap\ V0P\ V2h)) \Rightarrow (p\ (ap\ V1Q\ (ap\ (ap \\ (c_2Ellist_2ELCONS\ A_27a)\ V2h)\ V3t)))))) \wedge (\forall V4h \in A_27a. \\ (\forall V5t \in (ty_2Ellist_2Ellist\ A_27a). ((p\ (ap\ V1Q\ V5t)) \wedge (\\ p\ (ap\ (ap\ (c_2Ellist_2Eexists\ A_27a)\ V0P)\ V5t))) \Rightarrow (p\ (ap\ V1Q\ (ap\ (\\ ap\ (c_2Ellist_2ELCONS\ A_27a)\ V4h)\ V5t)))))) \Rightarrow (\forall V6a0 \in (\\ ty_2Ellist_2Ellist\ A_27a). ((p\ (ap\ (ap\ (c_2Ellist_2Eexists\ A_27a) \\ V0P)\ V6a0)) \Rightarrow (p\ (ap\ V1Q\ V6a0)))))) \end{aligned}$$