

thm\_2Ellist\_2EfromList\_EQ\_LNIL  
 (TMSx7VTmZ419G5A81fStd5HKAF7vQWHnnBD)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p x)) \text{ else } (\lambda x.x \in A \wedge \neg p x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P))))$

**Definition 8** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^\omega) \quad (3)$$

**Definition 10** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 11** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 12** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 13** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$

**Definition 14** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (8)$$

Let  $ty\_2Ellist\_2Ellist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ellist\_2Ellist\ A0) \quad (9)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep\ A\_27a \in \\ & (((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Ellist\_2Ellist\ A\_27a)}) \end{aligned} \quad (10)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (11)$$

**Definition 15** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum \\ & \quad A0\ A1) \end{aligned} \quad (12)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ & \quad A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (13)$$

**Definition 16** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\ A\_27b)\ V0)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow c_2Eoption\_2Eoption\_ABS\ A_{27a} \in ((ty\_2Eoption\_2Eoption\ A_{27a})^{(ty\_2Esum\_2Esum\ A_{27a}\ ty\_2Eone\_2Eone)}) \quad (14)$$

**Definition 17** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A.\_27a : \iota.\lambda V.0x \in A.\_27a.(ap\ (c\_2Eoption\_2Eoption\_2ESOME\ V)\ x)$

**Definition 18** We define  $c_{\text{Ebool\_ECOND}}$  to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs\ A\_27a \in ((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum}}) \quad (15)$$

**Definition 19** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A.27a : \iota.\lambda V0h \in A.27a.\lambda V1t \in (ty\_2Ellist\_2Ellist\ A)$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Elist\_2Elist } A0) \quad (16)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist\_2ECONS\ A_27a \in (((ty\_2Elist\_2Elist\\ A_27a)(ty\_2Elist\_2Elist\ A_27a))^{A_27a}) \quad (17)$$

**Definition 20** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone))\ (\lambda V0x \in ty\_2Eone\_2Eone.\)$

**Definition 21** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\ A\_27b)\ V0e)$

**Definition 22** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (d$

**Definition 23** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota. (ap (c\_2Ellist\_2Ellist\_abs A\_27a) (\lambda V0n\in ty_0 .$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A \_27a. \text{nonempty } A \_27a \Rightarrow c\_2Elist\_2ENIL \ A \_27a \in (\text{ty\_2Elist\_2Elist} \\ A \_27a) \quad (18)$$

Let  $c\_2Ellist\_2EfromList : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ellist\_2E fromList\ A_27a \in ((ty\_2Ellist\_2Ellist\ A_27a)^{(ty\_2Ellist\_2Ellist\ A_27a)}) \quad (19)$$

Assume the following.

*True* (20)

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (22)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (23)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0l \in (ty\_2Elist\_2Elist \\ & A\_27a). ((V0l = (c\_2Elist\_2ENIL A\_27a)) \vee (\exists V1h \in A\_27a. \\ & \exists V2t \in (ty\_2Elist\_2Elist A\_27a). (V0l = (ap (ap (c\_2Elist\_2ECONS \\ & A\_27a) V1h) V2t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0a1 \in (ty\_2Elist\_2Elist \\ & A\_27a). (\forall V1a0 \in A\_27a. (\neg((c\_2Elist\_2ENIL A\_27a) = (ap ( \\ & ap (c\_2Elist\_2ECONS A\_27a) V1a0) V0a1)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (\forall V0h \in A\_27a. (\forall V1t \in \\ & (ty\_2Elist\_2Elist A\_27a). ((\neg(ap (ap (c\_2Elist\_2ELCONS A\_27a) \\ & V0h) V1t) = (c\_2Elist\_2ELNIL A\_27a)) \wedge (\neg((c\_2Elist\_2ELNIL \\ & A\_27a) = (ap (ap (c\_2Elist\_2ELCONS A\_27a) V0h) V1t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & (((ap (c\_2Elist\_2EfromList A\_27a) \\ & (c\_2Elist\_2ENIL A\_27a)) = (c\_2Elist\_2ELNIL A\_27a)) \wedge (\forall V0h \in \\ & A\_27a. (\forall V1t \in (ty\_2Elist\_2Elist A\_27a). ((ap (c\_2Elist\_2EfromList \\ & A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = (ap (ap (c\_2Elist\_2ELCONS \\ & A\_27a) V0h) (ap (c\_2Elist\_2EfromList A\_27a) V1t))))))) \end{aligned} \quad (30)$$

**Theorem 1**

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist A\_27a).(((ap (c\_2Elist\_2EfromList A\_27a) V0l) = (c\_2Elist\_2ELNIL A\_27a)) \Leftrightarrow (V0l = (c\_2Elist\_2ENIL A\_27a))))$$