

thm_2Elist_2Efrom__toList (TMVGVK5HzNyRBj43B1xbBd4YPoKywiR3JWN)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2E$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Ebool_2E_2E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2E$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (2)$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (3)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (4)$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS$
 Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (5)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (6)$$

Definition 11 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eone_2Eone))$
 Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (7)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num (c_2ESUC_REP V0m))$
 Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (11)$$

Definition 13 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 14 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (12)$$

Definition 15 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B V0n) c_2E0)$

Definition 16 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (14)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)} \quad (15)$$

Definition 17 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS$

Definition 18 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption_$

Definition 19 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (16)$$

Definition 20 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist\ A$

Definition 21 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 22 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n \in ty$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 24 We define $c_2Ellist_2ELlength_rel$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (\lambda V$

Definition 25 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (c$

Definition 26 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (a$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a)^{(ty_2Eoption_2Eoption\ A_27a)} \quad (17)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELTAKE\ A_27a \in ((ty_2Eoption_2Eoption\ (ty_2Ellist_2Ellist\ A_27a))^{(ty_2Ellist_2Ellist\ A_27a)})^{ty_2Enum_2Enum} \quad (18)$$

Definition 27 We define $c_2Ellist_2EtoList$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (ap\ (ap$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (19)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (20)$$

Let $c_2Ellist_2EfromList : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2EfromList\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (21)$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)})^{(A_27b^{A_27a})}) \quad (22)$$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist\ A_27a). \\ & ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ECONS\ A_27a\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist\ A_27a). \\ & (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a. (\forall V1a1 \in \\ (ty_2Elist_2Elist\ A_27a). (\forall V2a0_27 \in A_27a. (\forall V3a1_27 \in \\ (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\ V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27))) \Leftrightarrow ((V0a0 = \\ V2a0_27) \wedge (V1a1 = V3a1_27)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ ((ap\ (c_2Elist_2EtoList\ A_27a)\ (c_2Elist_2ELNIL\ A_27a)) = (\\ ap\ (c_2Eoption_2ESOME\ (ty_2Elist_2Elist\ A_27a))\ (c_2Elist_2ENIL \\ A_27a))) \wedge (\forall V0h \in A_27b. (\forall V1t \in (ty_2Elist_2Elist \\ A_27b). ((ap\ (c_2Elist_2EtoList\ A_27b)\ (ap\ (ap\ (c_2Elist_2ELCONS \\ A_27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ (ty_2Elist_2Elist \\ A_27b)\ (ty_2Elist_2Elist\ A_27b))\ (ap\ (c_2Elist_2ECONS\ A_27b) \\ V0h))\ (ap\ (c_2Elist_2EtoList\ A_27b)\ V1t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Elist_2EfromList\ A_27a) \\ (c_2Elist_2ENIL\ A_27a)) = (c_2Elist_2ELNIL\ A_27a)) \wedge (\forall V0h \in \\ A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((ap\ (c_2Elist_2EfromList \\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Elist_2ELCONS \\ A_27a)\ V0h)\ (ap\ (c_2Elist_2EfromList\ A_27a)\ V1t)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. (((ap\ (c_2Eoption_2ESOME\ A_27a)\ V0x) = (ap\ (c_2Eoption_2ESOME \\ A_27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ (\forall V0f \in (A_27b^{A_27a}). (\forall V1x \in A_27a. ((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A_27a\ A_27b)\ V0f)\ (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1x)) = (ap\ (c_2Eoption_2ESOME \\ A_27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A_27b^{A_27a}). ((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A_27a\ A_27b)\ V2f)\ (c_2Eoption_2ENONE\ A_27a)) = (c_2Eoption_2ENONE \\ A_27b)))) \end{aligned} \quad (33)$$

Theorem 1

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ A_27a). ((ap\ (c_2Elist_2EtoList\ A_27a)\ (ap\ (c_2Elist_2EfromList \\ A_27a)\ V0l)) = (ap\ (c_2Eoption_2ESOME\ (ty_2Elist_2Elist\ A_27a)) \\ V0l))) \end{aligned}$$